



JOHN A. SEAVERNS

• • •
••;
; ;

# Alphabetical Index.

A		В		В
Adjustable Slide Hame Tugs	92	Balls, Trotting, Horn 43	30	Blankets, Cooling 464
Adsit's Rein Supporters 1	36	" "Rubber 43	30	" Riding Saddle392 to 395
Ankle Boot Buckles 1	103	" "Ebony 43	30	" Sweat 464
" Boots430, 4	131	" " Lignum Vitae 43	30	Blind Moulds 55
Anti-Rattlers, Shaft 5	36	Bandages, Horse	76	" Irons 335
Anvils, Bench	46	Bands, Back, Web	98	Blinds, all $\operatorname{Kinds} \ldots 329$ to $337$
Apron Hooks and Rings 5	518	" Brow	28	" Shadow 461
Aprons, Buggy 5	33	" Nose 32	28	Block, Rubber, Prop 539
" Leather 5	32	Bar Rein Buckles, Bridle 10	04	Bobbins, Sewing Machine 9
. " Rubber 5	32	" " " Harness 10	06	Bolt and Rivet Clippers 37
" Storm 5	33	" " " Trace 11	17	"   Hook Bolts 69
Arabian Hoof Paste 3	869	Barbour's Hand Stitching Thread 6,	. 7	" Hooks, all Kinds151 to 187
Ashton Salt Sacks 3	376	" Machine Thread	5	Bolt Nut Pliers 23
Attachments, Hame Strap	86	Barrel Head Bits213, 22	20	Bolts, Collar Coupler
" Humane Horse Bit 2	35	Bars, Overcheek	35	" Halter 78
" Two Minute Harness 4	62	Baum's Axle Oils	64	Bone Trimming Rings 265
Awl Hafts, Osborne's	14	"   Hoof Dressing 36	68	Boot Buckles
Awls. Gomph's	26	Bearer Loops191, 192, 19	95	" Kersey 402
" Harness Stitching	9	Beery Horse Bits 22	28	Boots, Horse
" Osborne's	10	Behrens' Buckle Shields 14	11	Boss Cruppers
Axle Grease	364	Bells, Chime526, 52	28	" Saddle Nails 71
" Oils 3	64	" House 52	26	Boston Backer Snaps 102
" Washers 5	39	" Sleigh 52	27	Bottles, llorse Medicine 385
		Belt Buckles	32	Bottom Plates, Box Loop 52
		" Hooks 13	32	" Serew Loops, Hame 514
		" Loops 13.	32	Bottoms, Pad Repair 196
			38	Bouncers, Dogwood
В			67	Box Handle Carriages, Gomph's 31
D	i		57	" " Osborne's 13
Baby Snaps	93		16	Boxes. Team Pad 50
Back Band Dees 1	91		54	Boxwood Rules
" " Hooks	85	Beveling Machines 4		Boys' Stirrups
" " Loops 1	90	Bickmore Gall Cure		Brace, Winker
" " Webbing 3	97	Billet Springs, Steel		Braces, Bit 42
" Bands, Web 3	98	Binder Whips 408		Brass Bottom Plates, Box Loop 52
Backer Snaps, Boston	02	Bit Attachments, Humane 239		" Spurs 390
Bag Punches, Gomph's	32	" Cheeks		Break Saddles 282
" " Osborne's	19	111120	- (	Breast Chain Roller Snaps 99
" Snaps	93	Bits, all Kinds,		Snaps 99
" Strap Buckles 1	03	Bitting Harness, Web 548 Blacking, Harness 363		" Chains 521
Bags, Feed	85	Blacksmiths' Aprons		" Collar Dees 75
Bails, Buckle 1	15	Blades for Draw Gauges 17		" " Housings 355
Baird's Check Hooks 18	85	Blanco Whitener 375		" " Irons 204
Balling Irons 3	84	Blanket Pins 377	77	" lrons, Pony 204
Balls, Ilame 5	12	" Racks, Display, 41s	4	" Pads 355

В	В	C
Breast Collar Staples       186         " Tugs       339         " Terrets D Pat       186         " Rings, Hame       513         " Strap Roller Snaps       101         " Strap Roller Snaps       100         " Slides       81         " " and Snaps       100         " Snaps and Buckles       100         " Supports       81         " Toggles       100         Breeching Chains Cart       522         " Hold Back       525         " Clips       81         " Dees       74, 75         " Housings       356	Buggy Bridles       426 to 429         " Collars       548         " Cushions       542         " Dashes       536         " Harness, White Web       545         " Seats, Folding Third       535         " Top Lining       537         " Whips       404 to 407         " Wrenches       518         Bugle Hooks       184         Burs, Copper       68         " Hame Rivet       68         Buss Pads       308         Butt Chains       519         Buttons       Rein	Celluloid in Sheets       533         " Slide Loops       269         " Spread Rings       264         " Union Rings       267         Centers, Neck Yoke       538         Chain Bridle Fronts       325 to 328         " Gags       145, 146         " Roller Snaps       99         " Snap       99         Chains, Breast       521         " Butt       519         " Cart Back       522         " Cart Breeching       524         " Cow       524         " Curb       140
" Housings       356         " Loops       74         " Rings       .72, 73         " Stay Former       51         " Tugs       .339         Brick Salt and Holders       .384         Bridges, Team       .192         Bridle Buckles       .104, 111, 112         " Crown Pads       .347         " Front Plates       .260         " Fronts, all Kinds       .322 to .328         " Fronts, Pony       .306	C C Pad Hooks, all Kinds	" Curb       148         " Dog       524         " Halters       522, 523         " Hame       86, 489         " Heel       520         " Jockey       524         " Martingale       147         " Rein       525         " Slide Breeching       525         " Spreader       140         " Stage       519         " Tie Out       525
" Pony       306         " Rosettes       247 to 253         " Squares       77         Bridles, Horse       426, 429         Bristol Breast Strap Rollers       101         " Chain Roller Snaps       99         Brooms, Whisk       381         " Stable       380         Brow Bands, all Kinds       322 to 328         Brushes, Horse       466 to 470         Buck Tips, for Whips       413	Caps, Hame Rivet       68         Carded Rosettes       253         Cards, Curry       487         Carriage Cloths, Rubber & Enamel       537         Carriage Curtain Knobs       539         " Friuge       543         " Heaters       537         " Jacks       534         " Top Dressing       367, 368         " Lining       537	" Trace       519         Chamois Skins       531         Champion Trace Buckles       113         Channelers, Gomph's       31         " Osborne's       13         Check Bits, Horse       209, 210         " Holders       134         " Hook Bolts       69         " Hooks, Fancy       174, 185         " Loops       133         " Spreaders       269
Buckeye Safety Bits	Carriages, Over-stitch Wheel.       13, 31         Carriers, Trace.       88         Cart Back Chains       522         "Breeching Chains       522         "Saddle Pads       359         "Trees       401         "Whips       408         Castile Harness Soap       366, 367         Castorine Axle Oil       364         Cattle Tie Thimbles and Screws       424         "Ties, Rope       422         "Web       423         Celluloid Looped Rings       267         "Martingale Rings       266	" Springs       134         Cheek Loop Bottom Plates       52         " Loop Boxes       51         " Loops       340         Cheeked Bridle Blinds       336, 337         Cheeks, Open Bridle       338         " Horse Bit       222         Chime Bells       526, 528         Chin Latch Webbing       397         Chisels, Cutting       43         Chiswick Harness Soap       367         Choke Strap Roller Snaps       102         Cinches, Riding Saddle       399         Clamps, Rope, Wire       424
" Blinds	" Rein Spreaders 268	Cleaners, Hoof

H

K

L

M

N

O P Q R S

T U V W Y Z

С	С	С
Clevis Dees	Colt Weaners 331	Cup Blinds, Bridle334, 336
Clevises, Concord	Columbus Halter Trimmings 79	" Revolving Rivet 65
Clinch Nails 71	Combination Clips, Cockeye 83	Curb Hooks 148
" Rivets 67	" " Hames83	" Chains 148
Clinching Staples, Collar 52	" Loop Boxes 51	Cures, Gall
Clinton's or Baird's Check Hooks. 185	Die Ontfits 51	Curled Hair 402
Clip Cockeyes 82	" Loops, Hame 514	Curry Cards 487
" Tug Hook 82	" Snaps and Slides, Breast 100	" Combs471 to 487
Clippers, Bolt and Rivet 37	" Wire Cutting Pliers 36	Curtain Eyelets 540
" Horse415 to 419	Combs. Curry471 to 487	" Fasteners 549
Clipping Combs	" Horse Clipping 417	" Knobs 539
" Machines 413	" Mane	" Lights 541
" Machine Parts 119	Common Edge Tools, Gomph's 27	" Straps 540
" Shears 417	" " Osborne's . 12	" Wagon Patches 540
Clips, Breeching 81	Compasses, Gomph's 32	Cushion Bits 223
" and Loops, Hame Repair 514	" Osborne's 15	Cushions, Buggy and Wagon 542
" Cockeye, Wrought 82	Concord Clevises	Cutting Dies 55
" Hame515 to 517	" Toggles 84	" Nippers21, 37
" Shaft Tugs205	Conway Loop Buckles 107	Cyclone Collar Pads 357
" Trace Support 138	Cooling Blankets 464	
" Wear 516	Cooper's Trace Carriers 88	
Cloth, Head Lining 537	Copper Rivets and Burs 68	
" Oil 537	Coppered " " 68	D
" Polishing 531	Cotton Back Band Webbing 397	D
" Rubber and Enamel 537	" Binding, Web 397	
Cloths, Riding Saddle392 to 395	Counter Scales	Danglers, Rubber 430
Coach Blinds331, 332, 337	Coupe Hooks 153, 155, 187	Dash Line Holders
" Horse Bits237 to 239	" Housings351, 352	Dashes, Buggy 536
" Pad End Dees 192	" Pads351, 352	Deer Hair 402
" Pad End Loops 192	" Saddles 295 to 297	Dees and Rings, Web Halter 78
" Housings316 to 321	Couplers, Collar 86	" Back Band 191
" Pads309 to 314	Covert Snaps95, 96	" Breast Collar 75
" " Pony 306	Covers, Horse, Duck and Rubber 544	" Breeching74, 75
" Whips 409	Cow Halters, Web 426	" Clevis 74
Coal, Carriage Heater 537	" Tails 378	" Coach Pad, End 192
Cobblers' Clinch Nails 71	"   Weaners 381	" Harness
Cockeye Toggles 84	Cracker Silk, for Whips 7	" Heel Chain 74
" Trace Hook 83	Crackers, Whip 411	" Hooks and 76
Cockeyes82, 83	Creasers, Edge, Gomph's 29	" Maxwell's 75
Coil Washers, Leather 539	" Osborne's 11	" Phillip's 75
Colgate's Harness Seap 366	" Layer 30	" Roller 74
Collar Couplers86, 87	Creasing Dies56, 57	" Screw 74
" Crimping Vises 52	" Machine Rolls 63	" Shaft Tug 75
Collar Fasteners 87	" Machines 60 to 62	" Trace 74
" Housings 328	" Moulds56, 57	Dennis Check Hook 185
" Irons, Breast 204	Crimping Vises, Collar 52	Derby Bandages
" Measures, Horse 24	Crit Davis Bit	" Snaps 95
" Pads357 to 361	Crown Harness Soap 367	Detachable Hame Clips 516
" Top Pads, Neck 356	Crupper Docks 343	Dexter Snattle Bits
Collars, Dog	" Formers 50	Diamond Combination Vises 46
" Horse546 to 548	" Loops 191	Die Outfits, Loop 51

D	E	F
Dies, Blind 55	Edge Blacking	Flanges, Tree
" Creasing56, 57	" Tools, Gomph's27, 28	Flap Loops
" Cutting 55	" " Osborne's	Flexible Harness Loops
" Loop	Elbow Horse Bits	Fly Killer, Germo
Montains	Enameled Oil Cloth	" Post Hooks174, 181
" Steel Back	End Dees, Pad	" Terrets
Display Racks, Robes, etc 414	" Loops Coach Pad 192	Folding Seats
" Whip	" Loops, Trace	Forks, Hay
Docks, Crupper	Ends, Steel, for Shaft Repairs 538	" Stable 380
Dog Chains         524           " Links         489	English Billet Snaps	Formers, Crupper 50
" Collars	" Bridle Buckles 104	Frames, Buckle
" Whips, Whistle 411	" Girth Buckles	French Shaft Tugs 123
	" Spurs	Fringe, Carriage
Dogwood Bouncers	" Straining Web 397	Fronts and Housings, In Sets
Double Grip Buckles 114	Express Back Band Loops 190	
" Snaps96, 98  Dowlin's Swivels144	" Blinds, Bridle331, 333, 337	" Bridle322 to 328
Dr. Daniel's Remedies370 to 374	" Buckles	" Storm 533
	" llooks154, 179, 180, 182	Full Pad Saddles287 to 306
Draught bintager in the	" Housings, Felt 353	Tun Fad Badares
Diaw dange Limited	" Mountings and Trimmings	
" Gauges		
Dress Suit Case Handles, Detach-	" Saddles285, 286, 303 to 305	C
able	" Trees	Ġ
Dressing, Carriage Top367, 368	" Whips	
" Harness	Eyelets, Curtain 540	Gag Chains145, 146
" Hoof 368	Lyerets, Curtain	" Runners143, 144
Driving Bridles		Gags, Ring 144
" Lines	F	Gait Spreaders 430
Drop Hooks 150	m	Gail Cures
·	1	
" Terrets 150	_	Gauges, Draw
" Terrets	Face Drops	Gauges, Draw
" Terrets       150         " Loose Ring       187         " Top Whips       410	Face Drops	Gauges, Draw
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342	Face Drops	Gauges, Draw
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86	Gauges, Draw.17Gauntlets and Gloves.381Genuine Rubber Buckles.112, 121German Harnes Snaps.94Germo, Fly Killer.369
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140	Gauges, Draw
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342         " Trace       341	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings, Felt.       345 to 354         " Pads, Felt.       345 to 354
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342         " Trace       341         Drovers' Whips       413	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings, Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342         " Trace       341         Drovers' Whips       413         Duck and Rubber Horse Covers       544	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Breast Collar Pads       355	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings, Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails       71
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342         " Trace       341         Drovers' Whips       413         Duck and Rubber Horse Covers       544         Dunlap Check Hooks       174, 185	Face Drops.       341, 342         Fasteners, Collar.       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Breast Collar Pads       355         " Express Pads       353	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings, Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails       71         " Saddles       270 to 306
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342         " Trace       341         Drovers' Whips       413         Duck and Rubber Horse Covers       544         Dunlap Check Hooks       174, 185         Duranoid Rings       265	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Breast Collar Pads       355         " Express Pads       353         " Harness Pads       347	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings. Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails       71         " Saddles       270 to 306         " Tree Seats       188
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342         " Trace       341         Drovers' Whips       413         Duck and Rubber Horse Covers       544         Dunlap Check Hooks       174, 185         Duranoid Rings       265         Dusters, Wool       379	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Breast Collar Pads       355         " Express Pads       353         " Harness Pads       347         " Gig Housings       345 to 354	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings. Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails.       71         " Saddles.       270 to 306         " Tree Seats.       188         " Trees.       197 to 200
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342         " Trace       341         Drovers' Whips       413         Duck and Rubber Horse Covers       544         Dunlap Check Hooks       174, 185         Duranoid Rings       265	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Breast Collar Pads       355         " Express Pads       353         " Harness Pads       347         " Gig Housings       345 to 354         " " Pads       345 to 354	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings, Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails.       71         " Saddles.       270 to 306         " Tree Seats.       188         " Trees.       197 to 200         Gimp Tacks.       70
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342         " Trace       341         Drovers' Whips       413         Duck and Rubber Horse Covers       544         Dunlap Check Hooks       174, 185         Duranoid Rings       265         Dusters, Wool       379	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Breast Collar Pads       355         " Express Pads       353         " Harness Pads       347         " Gig Housings       345 to 354	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings, Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails       71         " Saddles       270 to 306         " Tree Seats       188         " Trees       197 to 200         Gimp Tacks       70         Girth Buckles       108
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342         " Trace       341         Drovers' Whips       413         Duck and Rubber Horse Covers       544         Dunlap Check Hooks       174, 185         Duranoid Rings       265         Dusters, Wool       379	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Breast Collar Pads       355         " Express Pads       353         " Harness Pads       347         " Gig Housings       345 to 354         " Pads       345 to 354         " Kersey       402	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings, Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails       71         " Saddles.       270 to 306         " Tree Seats.       188         " Trees.       197 to 200         Gimp Tacks.       70         Girth Buckles.       108         " Snaps.       93
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342         " Trace       341         Drovers' Whips       413         Duck and Rubber Horse Covers       544         Dunlap Check Hooks       174, 185         Duranoid Rings       265         Dusters, Wool       379         " Feather       379	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Breast Collar Pads       355         " Express Pads       353         " Harness Pads       347         " Gig Housings       345 to 354         " Pads       345 to 354         " Kersey       402         " Sweat Pads       360	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings. Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails.       71         " Saddles.       270 to 306         " Tree Seats.       188         " Trees.       197 to 200         Gimp Tacks.       70         Girth Buckles.       108         " Snaps.       93         Girth Webbing.       396
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342         " Trace       341         Drovers' Whips       413         Duck and Rubber Horse Covers       544         Dunlap Check Hooks       174, 185         Duranoid Rings       265         Dusters, Wool       379	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Breast Collar Pads       355         " Express Pads       353         " Harness Pads       347         " Gig Housings       345 to 354         " Pads       345 to 354         " Kersey       402         " Sweat Pads       360         " Wool       362	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings. Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails.       71         " Saddles.       270 to 306         " Tree Seats.       188         " Trees.       197 to 200         Gimp Tacks.       70         Girth Buckles.       108         " Snaps.       93         Girth Webbing.       396         Girths. Riding Saddle.       399
" Terrets       150         " Loose Ring       187         " Top Whips       410         Drops. Face       341, 342         " Hip       341         " Martingale       341, 342         " Trace       341         Drovers' Whips       413         Duck and Rubber Horse Covers       544         Dunlap Check Hooks       174, 185         Duranoid Rings       265         Dusters, Wool       379         " Feather       379	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Breast Collar Pads       355         " Express Pads       353         " Harness Pads       347         " Gig Housings       345 to 354         " " Pads       345 to 354         " Kersey       402         " Sweat Pads       360         " Wool       362         " " Lovering       362	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings, Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails.       71         " Saddles.       270 to 306         " Tree Seats.       188         " Trees.       197 to 200         Gimp Tacks.       70         Girth Buckles.       108         " Snaps.       93         Girth Webbing.       396         Girths, Riding Saddle.       399         Glass Slicks.       22
" Terrets 150 " " Loose Ring 187 " Top Whips 410  Drops. Face 341, 342 " Hip 341 " Martingale 341, 342 " Trace 341  Drovers' Whips 413  Duck and Rubber Horse Covers 544  Dunlap Check Hooks 174, 185  Duranoid Rings 265  Dusters, Wool 379 " Feather 379	Face Drops       341, 342         Fasteners       Collar       87         "Curtain       540         "Hame       86         "Line       "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Broast Collar Pads       355         "Express Pads       353         "Harness Pads       347         "Gig Housings       345 to 354         "Pads       345 to 354         "Kersey       402         "Sweat Pads       360         "Wool       362         "Lovering       362         Feltless Sweat Pad       361         Fiching's Harness Dressing       365         Fibre Horse Brushes       469	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings, Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails.       71         " Saddles.       270 to 306         " Tree Seats.       188         " Trees.       197 to 200         Gimp Tacks.       70         Girth Buckles.       108         " Snaps.       93         Girth Webbing.       396         Girths, Riding Saddle.       399         Glass Slicks.       22         Gloves and Gauntlets.       381
" Terrets 150 " " Loose Ring 187 " Top Whips 410  Drops. Face 341, 342 " Hip 341 " Martingale 341, 342 " Trace 341  Drovers' Whips 413  Duck and Rubber Horse Covers 544  Dunlap Check Hooks 174, 185  Duranoid Rings 265  Dusters, Wool 379 " Feather 379  Eames' Halter Trimmings 79  Economy " 79	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Broast Collar Pads       355         " Express Pads       353         " Harness Pads       347         " Gig Housings       345 to 354         " Pads       345 to 354         " Kersey       402         " Sweat Pads       360         " Wool       362         " Lovering       362         Feltless Sweat Pad       361         Fiching's Harness Dressing       365         Fibre Horse Brushes       469         Files, Flat       41	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings, Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails       71         " Saddles.       270 to 306         " Tree Seats.       188         " Trees.       197 to 200         Gimp Tacks.       70         Girth Buckles.       108         " Snaps.       93         Girth Webbing.       396         Girths, Riding Saddle.       399         Glass Slicks.       22         Gloves and Gauntlets.       381         Glue, Le Page's.       375
" Terrets 150 " " Loose Ring 187 " Top Whips 410  Drops. Face 341, 342 " Hip 341 " Martingale 341, 342 " Trace 341  Drovers' Whips 413  Duck and Rubber Horse Covers 544  Dunlap Check Hooks 174, 185  Duranoid Rings 265  Dusters, Wool 379 " Feather 379  Eames' Halter Trimmings 79  Economy " 79 " 1larness Loops 89	Face Drops       341, 342         Fasteners       Collar       87         " Curtain       540         " Hame       86         " Line       "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Breast Collar Pads       355         " Express Pads       353         " Harness Pads       347         " Gig Housings       345 to 354         " Pads       345 to 354         " Kersey       402         " Sweat Pads       360         " Wool       362         " Lovering       362         Feltless Sweat Pad       361         Fiebing's Harness Dressing       365         Fibre Horse Brushes       469         Files       Flat       41         " Half Round       41	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings, Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails       71         " Saddles.       270 to 306         " Tree Seats.       188         " Trees.       197 to 200         Gimp Tacks.       70         Girth Buckles.       108         " Snaps.       93         Girth Webbing.       396         Girths, Riding Saddle.       399         Glass Slicks.       22         Gloves and Gauntlets.       381         Clue, Le Page's.       375         Goat Hair.       402
" Terrets 150 " " Loose Ring 187 " Top Whips 410  Drops, Face 341, 342 " Hip 341 " Martingale 341, 342 " Trace 341  Drovers' Whips 413  Duck and Rubber Horse Covers 544  Dunlap Check Hooks 174, 185  Duranoid Rings 265  Dusters, Wool 379 " Feather 379  Eames' Halter Trinnings 79  Economy " 79	Face Drops       341, 342         Fasteners, Collar       87         " Curtain       540         " Hame       86         " Line, "Handy"       140         Feather Dusters       379         Feed Bags       385         Felt Broast Collar Pads       355         " Express Pads       353         " Harness Pads       347         " Gig Housings       345 to 354         " Pads       345 to 354         " Kersey       402         " Sweat Pads       360         " Wool       362         " Lovering       362         Feltless Sweat Pad       361         Fiching's Harness Dressing       365         Fibre Horse Brushes       469         Files, Flat       41	Gauges, Draw.       17         Gauntlets and Gloves.       381         Genuine Rubber Buckles.       112, 121         German Harnes Snaps.       94         Germo, Fly Killer.       369         Gig Housings, Felt.       345 to 354         " Pads, Felt.       345 to 354         " Saddle Loops.       195         " Nails       71         " Saddles.       270 to 306         " Tree Seats.       188         " Trees.       197 to 200         Gimp Tacks.       70         Girth Buckles.       108         " Snaps.       93         Girth Webbing.       396         Girths, Riding Saddle.       399         Gloves and Gauntlets.       381         Glue, Le Page's.       375

Ver For Terms, Etc., See Page 4.

Q R S T U V W Y Z

G	Н	H
Gomph's Tools26 to 35	Hame Strap Buckles	Hay Forks
Souges, Buckle Tongue 70	" Terrets, Iron Hame 494	" Racks 383
Grave Lowering Straps 399	" Trimmings, Hoffow Iron 494	Head Knives, Gomph's 34
irease, Axle364		" " Osborne's 16
Arind Stones 44	" Tug Loop Boxes 51	" Lining Cloth 537
Grip Handles, Detachable 534	" Tugs	Headstall Webbing 397
irommets, Brass 539	" " Hooks 92	Heaters, Carriage 537
iuards, Line 135	Hames, All Kinds489 to 511	Healing Powders, Horse 369
ium Tools, Pat. Leather, Gomph's 33	Pony 489	Heel Chain Dees 74
" " Osborne's 12	Hand Holds, Folded 344	" Chains 520
	" Parts, Folded 344	Hickory Mallets 20
	Handles, Stitching Awl 14	Hicks' Overcheck Springs 134
	" Detachable Grip 534	Hip Drop Ornaments 260
H	Handy Overch∈ck Loops 133	" Drops 341
11	Hanoverian Horse Bits 239	" Strap Buckles 125
lair, All Kinds 402	Hammers, Adze Eye Nail 40	" Line Holders 137
" Pads347, 353	" Riveting 18	Loops 207
" Plumes 378	" Saddler's 18	Ovals 207
" Tassels 378	" Shoe 18	" " Pads 347
afts, Stitching Awl	" Trimmers 18	Squares 207
lalter Bolts 78	Harness Blacking	Hitch Chains
" Buckles	" Buckles103 to 112	" Leads, Rope 422
" Chains522, 523	" Composition 365	" Strap Slides 140
" Dees and Rings, Web 78	" Dees 74	" Straps, Web
" Leads, Rope 422	" Dressing 365	" Weights
" Loops and Rings 78	" Prop Ornaments 342	" Posts383
" Squares 77	" Hooks529, 530	Hold Back Plates and Rings 513
" Trimmings79, 424	" Ink Powder 367	" Breeching Chains 525
" Webbing 397	" Inks 367	Holds, Hand, Folded 344
aiters, All Kinds420 to 429	" Leather 71	Holders, Line, Dash139
ame Balls	" Letters 256	" " Hip Strap 137
" Bender	. Loops	" Overcheek
" Bottom Screw Loop 514	Metal 208	" Strap 50
" Breast Rings	" Maker's Tools10 to 66	Tail
" Chains	" Monograms 255	Hollingshead's Axle Oil364
" Clips	" Needles 8,9	" Harness Soap 366
" and Loops, Repair. 514	" Oils 363	" Hoof Dressing
" Fasteners 83	" Ornaments254 to 263	" Top Dressing
	" Presses 53	Hollow Iron flames
Hold Back Flates and Kings, 515	" Rings	Hoods Horse
1100KS, Repair	" Saddies	Hoof Cleaners
170daringa 328	" Soap	" Dressing
" Loops Top 514	" Spot Machines 262	" Paste
2300[6] 10[6] 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	" Spots, Standard 261	" Picks 377
Bottom 514	" Trimmings 150 to 187	Hook Clevises
racences	" Web 545	" Clip Tug 82
repair cups and moops 314	Harsh's Hip Line Holders 137	Hooks and Dees
HOOKS 514	Harter's Overcheck Bars 135	" " Rings, Apron 518
1errets 494	" " Holders 134	" Back Band 85
" Rivets 68	Harvester Whips 408	" Bolt, All Kinds151 to 187
" Staples513	Hatchets, Half 40	" Bugle 184
" Strap Attachments 86	Hauthaway's Harness Dressing 365	" Check

Н	Н	K
Hooks, Coupe	Housings, Breeching       356         " Coach Pad       316 to 321         " Collar       328         " Hame       328         " Saddle, All Kinds       345 to 354         " Team       314         Humane Bit Attachments       235         " Horse Bits       235	Kangaroo Buckles, Bridle       104         " Harness       106         " Trace       117         Kay Saddles       298 to 302         Kersey Horse Boot       402         " Wool       402         Kidney Links and Rings       439         Kiernan's Trace Carriers       88         Killer, Germo Fly       369         Kitchel's Liniments       369
" Plates and Links.       80         " Post, All Kinds.       156 to 184         " Rein       518         " Repair, Hame.       514         " Satchel       518         " Sweat Pad       361	I Imitation Stitched Bridle Buckles 104 Imperial Harness Loops 90	Knives, IIcad, Gomph's       34         " "Osborne's       16         Knives, Round, Gomph's       35         " "Osborne's       16         Knives, Shoe, Gomph's       33         " "Osborne's       16         Knob Eyelets       540
" Team Pad.       149, 150         " Trace       .76 80         " Tug       .76, 80         Hopples, Pacing       .461         " Service       .460         " Trotting       .461         Horn Trotting Balls       .430	" Snaps       97         " Horse Bits       226         Indiana Overcheck Loops       133         Ink, Harness       367         " Powder       367         Interfering Devices       430         Iron, Balling       384	" Patches
Horse Bandages.       376         "Boot Kersey.       402         "Boot Webbing.       396         "Boots.       431 to 461         "Brushes.       466 to 470         "Clippers.       415 to 419         "Clipping Combs.       417         "Shears.       417         "Collar Measures.       24	"Blind       335         "Buggy Wrenches       518         "Hame Terrets       494         "Hames       489 to 511         "Loop Sticks       52         "Rivets and Burs       68         Irons, Breast Collar       204         Ivoryette Spread Rings       264, 265	L  Lace Tacks
" Collars       .546 to 548         " Covers       .544         " Feed Mangers       .383         " Foot Remedies       .368         " Hair Pads       .347, 353         Horse Hoods       .463         " Jowls       .463         " Liniments       .369, 370, 372	J. I. C. Driving Bits	Lashes, Whip.       413         Layer Creasers.       30         "Overcheck Loops       133         Le Compte Horse Bits       233         Le Page's Glue       375         Leads, Rope Halter       422         "Hitch       422         532
" Medicine Bottles       385         " Muzzles       381, 382         " Remedies       368 to 374         " Suits       464         " Ties, Rope       422, 423         " Web       423         " Tooth Files       377         House Bells       526         Housing Plates       259	Jacks, Wagon and Carriage       534         Jaws, Stitching Horse       48         " Monkey Wrench       39         Jockey Chains       524         " Plates       193, 194         " Tips, Saddle       189         " Trees       197 to 203         Johnson's Check Hooks       185         " Swivels       144	Leather Aprons.       532         " Collar Pads.       358, 359         " Halters.       428, 429         " Jockey Trees.       200, 203         " Leggings.       389         " Month Horse Bits.       222         " Pressed Loops.       340         " Slide Loops.       338         " Washers, Axle.       539
Housings and Fronts (Sets)	Jones' Hame Strap Buckles         86           Jowls, Horse         463           Jumbo Horse Bits         212	Leggings, Riding

· H

K

L

M

N

O P Q R S TUVWYZ

L	L	M
Letters, Harness 250	Loops, Imperial 90	Martingales, Web 426
Lights, Curtain 541	" Larkins 195	" With Rings 269
Lindsay's Blanket Pins 377	" Lipped Back Band 190	Maxwell's Breast Collar Dees 75
Line Guards 135	" Novelty, Harness 89	McKinney Check Hooks174, 185
" Fasteners, "Handy" 140	" Overcheck 133	Measures, Horse Collar 24
" Holders Hip Strap 137	" Pad Ring 269	Measuring Tapes 42
" Rings, Hame513	Perfection Harness 89	Mechanics' Tools33 to 46
" Supporters 137	" " " Hame Tug 91	Medicine Bottles
" Terrets 135	" Pressed Leather 340	Medicine Horse Bit 236
Lines, Web 426	" Top and Bottom Hame 514	Medicines, Dr. Dani∈l's370 to 374
Liniments, Horse369, 370, 372	" Slide, Celluloid 269	Mending Staples, Collar 52
Lining Cloth, Head 537	" " Metal 269	Men's Stirrups386 to 388
" Nails 70	" Pressed Leather 349	Metal Harness and Trace Loops 208
" Shaft Tug 205	" Strap Saddle 189	" Polish 375
Links and Plates, Hook 80	" Top, Hame 514	" Slide Loops 269
" Dog 489	" Trace End 207	" Stirrups387, 388
" Kidney 489	" " Metal 208	" Shaft Tugs 206
" Repair 518	" " Support	" Team and House Bells 526
Liquid Glue, Le Page 375	" Tuck, Harness 89	Metallic Buckle Loops 541
" Machine Wax 5	" Tug 77	" Mane Brushes 487
Lock Buckles 534	" Two Fold 90	Miller's Axle Oils 364
" Snaps 97	" Twin Hame Tug 91	" Harness Blacking 367
Locks, Pad for Dog Collars 464	" " Harness 90	" " Dressing 365
Lolling Bits, Horse 225	Low Top Iron Hames 493	" " Oils 363
Loop Boxes, all Kinds 51		"     "     Soap
" Dies53, 54		" Top Dressing 368
" Presses, Harness 58		Moeller Hame Tugs 92
" Roller Snaps 102	$\mathbf{M}$	Monkey Wrenches
" Sticks, all Kinds 52	141	Moncgrams, Harness 255
Loops and Clips, Repair 514	Machine Bobbins 9	Moulds, Blind 55
" " Rings, Halter 78	" Parts for Clippers 419	" Creasing56, 57
" "Tips, Gig Saddle 189	" Needles 8	Mountings, Harness150 to 187
" Back Band 190	" Shuttles 9	" Genuin∈ Rubber167 to 174
" Bearer191, 192, 195	" Thread, Spooled 7	" Express177 to 180
" Belt 132	" " Lock Stitch 5	" Pony 187
" Breeching 74	Wax 5	" Trotting175, 176
" Bottom Screw, Hame 514	Machines, Beveling 49	Mule Port Bits 242
" Buckle 541	" Creasing60 to 62	Muntz's Breast Collar Dees 75
" Check 133	" Horse Clipping 418	Muzzles, Horse381, 392
" Cheek 340	" Riveting	
" Coach Pad End 192	" Splitting25, 59	
" Combination, Hame 514	" Spot. Standard 262	N
" Crupper 191	Mallets, Rawhide 20	1 4
" Economy Harness 89	" Wood 20	Nail Pullers 45
" Flap 195	Mane Brushes, Metallic 487	Nails, Boss, Sa.ble
" Flexible Harness, 91	" Combs	" Clinching 71
" Gig Saddle 195	Mangers, Horse Foed	" Cobblers'
" Harness, Metal 208	Martingale Chains	" Gig Saddle
" llarness Leather Slid 338	" Drops	" Hold Fast 71
" Hame Tug 340	" Rings264 to 266	" Lining 70
" Hip Strap 207	" Snaps 99	" Shoe

N	P	P
Name Plates       259, 260         National Martingale Rings       264         Neats Foot Oils       363         Neck Collar Top Pads       355         "Yoke Centers       538         "Strap Terrets       136         Needles, all Kinds       8, 9         Never Fail Collar Pads       359         Nippers, Cutting       21, 37         Noble's Billet Buckle       107         Norton Horse Bits       230         Nose Band Squares       77         "Bands       328         Novelty Harness Buckles       103         "Loops       89         Nut Pliers       23         "Wrenches       39	Pad Awls, Osborne's       10         "Boxes, Team       50         "End Dees       192         "Loops       192         "Hooks, C Pattern, all Kinds       155 to 187         "Hooks, Sweat       361         "Team       149, 150, 186         Housings       316 to 321         Locks for Dog Collars       465         Ring Loops       269         "Repair Buttons       196         "Saddles       287 to 306         "Screws       69, 171         "Terrets, Team       150, 186         Padded Surcingles       398         Pads, Bridle Crown       347         "Bus       308         "Cart Saddle       359         "Collar       357 to 361	Phillip's Breast Collar Dees       75         Philpot's Wear Clips       516         Picket Pins       525         Picks, Hoof       377         Pincer Pliers       23         Pincers, Saddlers'       24         Pinery Trace Carriers       88         Pins, Blanket       377         " Picket       525         Planes, Wood Bench and Block       41         Platform Scales       47         Plates, Brass Side       81         " and Links, Hook       80         " " Rings, Hold Back       513         " Bridle Front       260         " Housing       259         " Jockey       193, 194         " Name       259         " Shaft Tug with D       205         Plow Pads       308
Oat Mangers	" Collar	Plow Pads       308         Plugs, Terret       69         Plumes, Hair       378         Plyers, Bolt Nut       23         "Combination       36, 37         "Elat Nose       36         "Lacing       23         "Pad Screw       23, 28         "Pincer       23         "Saddlers'       23         Pole Strap Buckles       116, 124         Polish, Metal       375         Polishing Cloths "Silvyt"       531         Pony Bits       245, 246         "Blinds       335         "Breast Collar Irons       204         "Bridle Fronts       306         "Coach Pads       306         "Harness Mountings       187         "Hames       489         "Saddles       306         Port Bits       240 to 244, 246         Post Hooks, All Kinds       156 to 184         "Fly       174, 181         Posts, Hitching       383         Powder, Harness Ink       367
P	" Shuttles	Powders, Healing, Stewart's
Pacing Hopples         461           Packing Needles         8           Pad Awls, Gomph's         26	Perfection Harness Loops	Presses, Harness

Р	R	R
Puller Rope Halters	Rentz's Trace Supporters 206	Rollers, Spread 140
Pulley Bradoons 227	Repair Clips and Loops, Hame 514	Rolls, Creasing Machine 63
Puller, Nail 45	" Hooks, Hame 514	Root Brushes
Punch, Rogers Belt 43	" Links 518	Rope Cattle Ties 422
" Tubes, Extra 20	" Pad Buttons 196	" Clamps, Wire 42
Punches, Bag Gomph's 32	" Shaft Ends, Steel 538	" Halter Leads 422
" Bag Osborne's 19	" Terrets, Iron Hame 494	" " Trimmings 424
" Half Round, Gomph's 32	" Tips for Team Whips 413	" Halters420 to 424
" " Osborne's 19	Revolving Spring Punches20, 38	" Hitch Leads 422
" Spring20, 38	" Rivet Cup 65	" Horse Ties 422
" Strap End. Gomph's 32	Reynold's Trace Carriers 88	" Lariat Tethers and Pins 42-
" " " Osborne's 19	Riding Bits243, 244	" Thimbles 42-
" Trace, Gomph's 32	" Bridles427, 429	" Tiemakers 42
" " Osborne's 19	" Leggings 389	Rosette Cutters
	" Saddle Trees400, 401	Rosettes, Bridle247 to 253
	" Spurs390, 391	" Carded 253
$\circ$	" Whips 411	" Lettered 253
~	Ring Bits211 to 227	Round Awls, Comph's 26
Queen City Swivels 143	" " Pony 245	" " Osborne's 10
Quick Shifters, Shaft 536	" Gags 144	" Knives, Gomph's 35
	Rings and Dees, Halter 78	" " Oshorne's 16
	" " Hooks, Apron 518	Rubber Ankle Boots 430
D	" " Loops, Halter 78	" Aprons 532
R	" " Plates, Hold Back 513	" And Duck Horse Covers 544
Racine Horse Bits 226	" Bit 222	" Balls, Trotting Horse 430
Racks, Display Robes, etc 414	" Breast, Hame 513	" Cloth, Carriage 537
" " Whips 403	" Harness and Breeching72, 73	" Curry Combs 487
" Hay	" Line, Hame 513	" Danglers 430
Rain Covers, Horse	" Looped, Celluloid 267	" Drill and Duck 537
Randall's Tools48 to 63	" Martingale264 to 263	" Horse Boots 430
Ratrolet Bit Braces	" Spreader 264	" Mountings
StoScrew Drivers	" Trimmings 265	" Martingale Rings 268
Ra "hets, Hame	" Union, Celluloid 267	" Mouth Horse Bits 221
Ratters, Anti	Rivet Clippers 37	" Prop Block 539
Rawhide Switches	" Cup, Revolving 65	" Stickouts 430
" Rawhide Mallets 20	" Sets 18	" Trotting Balls, Horse 430
Reaper Whips	" Washers 68	" Tubing 459
Reeds, Saddle, Welt	Riveting Machines64 to 66	Rubbing Cloths, Salt Sack 376
Reir Buttons	Rivets and Burs, All Kinds 68	Rules, Boxwood22, 45
" Chains	Clinch 67	Runners, Gag
	" - Cooper, Beltт 63	Bust Proof Horse Bits 220
the age, parter, checkers in the	" Hame 63	
1100RG	" Tubular 67	
' Rounders	Fobe Display Racks 414	
Did S	Rockwell Horse Bits 227	S
Diff/Mitters	Poll, Shoe Boil435	5
Epitemers Certaione, 200	Roller Buckles	Sacking Needles
Trimmers, comparison	" Dees	Sacks, Salt, Ashton
O. Mornie B	" Overeheck Loops	Saddle Blankets392 to 395
ii (iii) iii ii i	" Snaps, Breast Strap100, 101	" Chime Bells 528
Remedies, Dr. Daniel's370 to 374	" " ('hain 99	Chime Reas

S	S	S
Saddle Housings345 to 354	Shades. Sun	Smith's Line Terrets 136
" Jockey Tips 189	Shadow Blinds 461	" Overcheck Loops 13:
" Nails71, 263	Shaft Anti Rattlers 533	" " Springs 134
" Strap Loops	"   Chime Bells 526	Snaps, All Kinds93 to 102
" Trees, Riding400, 401	" Repair Ends, Steel 538	" and Buckles, Breast Strap 100
" Welt Reeds 402	" Tug Clips 205	" " Slides Combination 100
Saddlers' Hammers	" " Dees 75	" Boston Backer 102
Saddles, Break 282	" Lining 205	" Breast100, 10
" Сопре295 to 297	" " Loops 205	" " Chain 99
" Full Pad287 to 306	" " Plates with D 205	" "Strap Roller 10
" Express286, 303, 304, 305	" " Stops 204	" Chain 90
" Harness270, 306	" Tugs, Metal 206	" Roller 99
" Kay298 to 302	" " French 123	Snaps, Whip 41
" Pony 306	Shears, Horse Clipping 417	Soaking Boot43
" Single Strap270 to 286	" Trimming 43	Soap, Harness
" " Express	Shedder Curry Combs485, 486	Sockets, Whip
285, 286, 303 to 305	Sheeting Horse Covers 544	Sole Leather Collar Pads358, 35
Safety Check Rein 460	" Celluloid, for Storm Fronts. 533	Sozo-Nux, Horse Foot Remedy 36
" Stirrups 388	Shields, Buckle141. 142	Spear's Bandages
Sail Needles 9	" Stallion 460	Speedway Overcheck Bit 216
Salt Bricks and Holders384	Shining Light Axle Grease 364	Splices. Trace
" Sacks, Ashton 376	" " Oil 334	Split Rivets
Sanborn Bits 227	Shoe Boil Roll435	Splitting Machines25, 4
<b>Sand</b> Stones	" Buckles 103	Spoke Shaves
Sargeant's Breast Collar Dees 75	" Hammers 18	Sponges 53
" Check Hooks 185	" Knives16, 33	Spooled Thread, Linen
Satchel Snaps	" Nails 71	Sinc
" Hooks 518	" Thread	Spot Machines, Standard 26.
Saw Mouth Horse Bits 236	Shuttles, Sewing Machine 9	Spots, Standard, Harness 26
Scales, All Kinds 47	Side Plates, Brass	Sprayers         36           Spread Rollers         14
Scissors, Trimining43, 417	Silk Crackers, Whip	. Y
Scott's Hoof Paste 369	"Thread, Spooled	
Scrapers, Sweat, Wood 376	Single Edge Creasers, Gomph's 29	" Rings 246
Screw Cockeyes82, 83	Osbotne's . 11	Spreaders, Celluloid Rein tto 220
" Dees 74	" Strap Saddles270 to 286	" Gait 43
" Drivers 43	" Ticklers, Gomph's 30	Spring Billets
" Driver Bits 42	" " Osborne's 10	" Overcheck Holders 13
Screws, Pad	Skate Buckles	" Punch Tubes 2
" Under-Plate 69	Skins, Chamois	" Punches
Seats, Folding Third 535	Skiving Machines	Springs, Safety Check
" Gig Tree 188	Steigh Bells	" l. X. L. Draught 8
Self-Adjusting Trees	Slickers, Osborne's	Springsteen Horse Bit 22
Sensible Buckles Bridle 104	Slide Loops, Celluloid	Sponges
" Harness 109	Harness Edding, 555	Spur Strap Buckles 10
" Trace 117	And the second second	Spurs
Service Hopples 460	Slides and Snaps, Breast 100	Squares, Bridle 7
Sets, Rivet	" Breast Strap	" Halter 7
" for Standard Spots 262	" Hitch "	" Hip Strap 7
Sewing Machine Bobbins 9	" Rein	" Measuring 4
" Needles 9	Slipper Stirrups	" Nose Band 7
" Shuttles 9	onitiers, attap	

S	S	T
Squares, Pennsylvania	Supporters, Stallion 461	Thread, All Kinds5 to 7
" Trace 77	" Trace 206	Tie Makers, Rope 424
Stable Brooms	Surcingles, Web	Ties, Rope Cattle 422
" Forks 380	Sweat Blankets 464	" Horse422, 423
Stage Chains 519	" Pad Hooks 361	Tie-Out Chains 525
Stallion Rein Chains 525	" Pads, All Kinds360, 361	Tilbury Tug Buckles 119
" Shields 460	" Scrapers, Wood 376	Tips and Loops 189
" Supporters 461	Swing Back Collar Pads 357	" Buck, for Whips 413
Standard Spot Machines 262	Switches, Rawhide	" Saddle Jockey 189
" Spots, Harness 261	Swivel Cockeyes 82	Teggles, Bréast Strap 100
" Tail Holders 378	" Snaps93, 97, 98, 99	" Cockeye 84
Staples, Breast Collar 186	Swivels, All Kinds143, 144	Toe Weights 462
" Collar Mending 52		Tongues, Buckle115, 116
" Hame 513		Tools, Gomph's26 to 35
Stays, Winker 338	T	" Harness Makers10 to 66
Stendel Overcheck Bits 209	1	" Osborne's <b>10</b> to <b>25</b>
Stewart's Healing Powders 369	Tack Hammers 18	" Mechanics'
Stickouts, Rubber 430	Tacks, All Kinds	" Randall Machine48 to 63
Sticks, Loop 52	Tail Hoblers	Tooth Files 377
Stirrup Buckles 108	Tails, Cow	Top Dressing, Carriage367, 368
Stirrups, Riding386 to 388	Tape Lines, Measuring 42	" Lining 537
Stitching Awls 9	Tassels, llair	" Pads, Neck Collar 356
" Horse Jaws 48	Team Bells	Trace Buckles, All Kinds113 to 130
" Rein, Round Attach-	' Bridges 192	" Carriers 88
ments 48	" Bridle Fronts324 to 328	' Chains 519
" Horses 48	" Collars	" Dees 74
Stocks, Whip 413	" Housings 315	" Drops 341
Stones, Sand, Oil, Water and Grind 44	" Pad Boxes 50	" End Loops 207
Stops, Shaft Tug 204	" " Hooks149, 150	" Ends, Patent Leather 341
" Terret 69	" " Terrets 150	" Holders, Wabash Safety 138
Store Trucks 47	" Pads307, 308	" Hooks
<b>Storm</b> Aprons	" Whips 412	" Hooks Cockeye 83
" Fronts 533	Terraloid Rings 265	" Lengtheners 138
Straining Web	Terret Plugs	" Loops, Metal 208
Strap and Trace Trimmers 59	" Stops 69	" Ornam∈nts254, 255
" End Punches19, 32	Terrets, All Kinds150 to 187	" Punches, Gomph's 32
" Holders 50	" Breast Collar D Pat 186	" " Osborne's 19
" Slitters 59	" Express 154	" Splices 138
" Trunk, Web 397	" Fly172, 181	" Squares 77
" Web Grave 399	Terrets, Loose Ring Drop 187	" Support Loops and Clips 138
' Web Hitch 423	Terrets, Neck Strap 136	" Supporters 206
" Shawl 399	" Pad	" Trimmers 59
Strong's Overeheck Loops 133	" " Team 150	Track Bridles
Success Hame Fasteners 86	" Repair, Нате 494	" Bridle Blinds331, 336
" Horse Bits 226	Tethering Ropes and Pins 424	" Halters 429
Suit Case Handles, Detachable 534	Theobald's Overcheck Springs 134	" Housings345 to 351
Suits, Horse 464	Thill Tug Dees 75	" Pads, Felt345, 346
"Sun Bridge" Collar Pads 357	Thimbles and Screws, Cattle Tie. 424	" Saddles289 to 301
" Shades 533	Third Seats, Folding 535	" Trees
Supporters, Breast Strap 81	Thong Awls, Gomph's 26	" Whips 408
" Rein136, 137	" " Osborne's 10	Tree Seats, Gig 188

T	W	W
Trees, Cart Saddle 401	Wabash Collar Pads 357	Whiffletree Loops 207
" Express 201 to 203	" Line Guards 137	Whisk Brooms 381
· Gig	" " Terrets 136	Whip Crackers 411
" Leather Jockey200, 203	" Overcheck Bars 135	" Display Racks 403
" Riding Saddle400, 401	" " Holders 134	" Lashes 413
Self-Adjusting 196	" Loops 133	" Sockets 535
" Track	Wagon Cintain Patches 540	" Snaps 411
Triangular Cockeyes 83		" Spurs 390
" Squares 77	C CONTROLL CONTROLL CONTROLL CONTROL	" Stocks 413
Trigger Snaps 97	" Jacks 534	Whips, All Kinds404 to 413
Trimmers' Strap and Trace 59	" Umbrellas 538	White Web Harness 545
Trimming Rings 265	Ward's Back Band Hooks 85	Whitener "Blanco" 375
Triumph Horse Bits 226	Washer Cutters	Wilson Horse Bits 227
Trojan Harness Snaps 96	Washers, Leather Axle, 539	Windsucking Horse Bits 234
Trotting Balls, Horse 430	" Rivet 68	Winker Monlds 55
" Hopples 461	Water Hook Bolts 69	Winkers, Bridle329 to 337
" Mountings175, 176	" Pails, Folding 384	Winker Braces 338
Trucks, Store 47	" Proof Horse Covers 544	Winker Stays 338
Trunk Straps, Web 397	" Stones 44	Witch-Hazel 369
Tubes, Spring Punch 20	Wax, for Hand and Machine 5	Wire Horse Bits 214
Tubing, Rubber for Horse Boot	Weaners, Cattle 381	" " Brushes 469
Straps 459	Wear Clips Philpott's 516	" Rope Clamps 424
Tubular Riveting Machines64 to 66	Web Back Band Hooks 85	Wood Hames495 to 510
" Rivets 67	" Back Bands 398	" Spread Rings 264
Tuck Loops, Harness 89	" Bitting Hurness 545	" Stirrups 386
Tug Clips, Shaft 205	" Bridles426, 427	" Sweat Scrapers 376
" 1100ks	" Cattle Ties 423	Wool Dusters 379
" Linings 205	" Chin Latch 397	" Harness Covering 362
" Loops 77	" Cotton Back Band 397	" Kersey 402
Tugs, Breast Collar and Breeching 339	" " Binding 397	" Felt 362
Twin Harness Loops 90	" Grave Straps399	Wrenches, Buggy 518
Two-Fold Harness Loops 90	" Halter Rings and Dees 78	" Mechanics 39
Two-Minute Attachments 462	" Halters	
	" Harness 545	
ŢŢ	" Hitch Straps 423	
O	" Horse Ties 423	
U. S. Metal Polish 375	" Lines 426	Y
Umbrellas, Wagon 538	" Martingales 426	
Under-Plate Screws	" Saddle Girths 399	Yankee Harnes Snaps 98
" Plates, Tree 188	" Shawl Straps 399	Yard Sticks 22
Union Leop Buckles 107	" Straining 397	Yoke Centers, Neck 538
" Rings, Celluloid 267	" Surcingles	
Urbana Check Hook174, 185	" Throat Latch 397	
Utility Cockeyes	" Trunk Straps 397	
·	Webbing396, 397	
<b>T</b> 7	Weights, Hitching 378	Z
V	" Toe 462	
Valise Handles, Adjustable 534	Welt Reeds, Saddle 402	Zellers Trace Carriers 88
V. Tools, Harness Makers'13, 27	West's Top Dressing 367	Zinc Collar Pads358, 359
4.00131	Wheels, Finishing	Zinc Oilers 45
Vises, Collar Crimping 52	" Overstitch	Zylonite Rings 266
v1505, (mai ) (imping		

T U V W Y Z

#### PRESS OF

THE BRADLEY & SORIN CO., STATIONERS, PRINTERS AND BLANK BOOK MAKERS, 327-329 WALNUT STREET,

CINCINNATI, O.

# INTRODUCTORY



By when you send orders to us from this catalogue. You buy over seventy-five percent of your goods from salesmen without seeing a sample, in which case the road-man acts as a clerk in taking down the order—but his success depends on influencing you to buy more than is wanted or needed at the time, and herein lies the safety, economy, and satisfaction when you order from us through this catalogue as you need the goods, or as your wants dictate the

With the assistance of this catalogue you can be your own clerk and write down your own order without danger of overstocking.

order.

When a customer is disappointed in goods ordered from us, we ask him to let us exchange or take them back. In this manner we have no trouble in keeping alive pleasant trade relations.

You will find it greatly to your interest to place your orders in our hands, and, by making frequent calls on us for all your wants, you will keep your stock fresh and up-to-date.

J. M. EILERS & CO.

## TERMS AND CONDITIONS



No Duplicate Copies. As a protection against illegitimate dealers securing our Catalogue, no duplicate copies will be furnished. You should therefore carefully guard against loss.

# READ THE INTRODUCTORY ON PRECEDING PAGE. IT WILL INTEREST YOU.

Prices.

All goods purchased from us by mail, or in our store, will be charged at prices quoted herein, unless withdrawn—notice of which you will receive.

Ordering by Mail.

When you order by mail, you buy just what you want, and as much as you need, and no more. You take such time as will not conflict with your busy and valuable hours, and use more careful judgment in writing your wants.

Directions for Ordering.

In ordering your goods, always give number, name, size and finish. Never cut out pages or illustrations.

Substitutes.

We will substitute only as a last resort and to hurry forward your order. Our best judgment will be used, and, should we make a mistake, we will correct it by taking back the article and paying all the charges.

Terms.


Where credit is approved, we give sixty days time, or two per cent. discount for Cash in ten days.

Delivery.

All goods delivered free on board cars or boat, Cincinnati.

#### J. M. EILERS & CO.

#### LOCK STITCH MACHINE THREAD.



#### Black, Crey or Yellow.

"Campbell."	Lock Stitch, Barbours, 3, 4, 5, 6, 7 and 8 Cord Per Pound, 52-00	ì
"Champion."	Lock Stitch, Smith & Dove, 3, 4, 5, 6, 7 and 8 Cord	)
"Marshall."	Lock Stitch, for Landis Machine, 3, 4, 5, 6, 7 and 8 Cord	)

ONE POUND BALLS. SIX BALLS IN A PACKAGE.

#### Machine or Boot Thread.



#### For Cushion Tufting or Ordinary Stitching.

"Andover," No. 16.	Frey, 3, 4, 5, 6. 7 and 8 Cord	id, 51 40
"Andover," No. 16.	Black, 3, 4, 5, 6, 7 and 8 Cord	id, I 50
	ONE POUND BALLS. SIX BALLS IN A PACKAGE.	
	Machine Wax.	
Black. Extra Quality,	One Pound Balls,	id, 30 I6
Yellow. Extra Quality,	One Pound Balls	id, 16

#### Liquid Machine Wax.

Black.	Superior Quality, In One Gallon Caus	Per Gallon	51 40	
--------	--------------------------------------	------------	-------	--

#### Hand Wax. In Balls.

		Hard			
Yellow.	Soft, Medium and	Hard	Per Dozen Balls.	16.	Per Hundred Balls. 90

#### HAND STITCHING THREAD.



Numbers	10	3	12
Barbours. Standard White, 1 or 2 Ounce Balls	id, \$2 00	2 20	2-60
Barbours. Flag Brand, White, 1 or 2 Ounce BallsPer Pour	id, 1 40		
Standard. C. I., Collar Thread, Unbleached, 2 Ounce Balls		. ,	*****
Barbours Standard Yellow or Dark Blue.			
Numbers	10	3	12
Barbours. Standard Yellow or Dark Blue, 2 Ounce Balls	id, \$2 20	2 50	2 80
Barbours 3 Cord.			
Yellow, Orange, Red or Black.			
No. 35. 1 Ounce Balls, in any Color, (1 Pound Boxes)			

#### Andover Brand.



Numl ers	10	3	12
Smith & Dove. White 1 or 2 Ounce Balls, (1 Pound Boxes) Per Pound,	\$I_40	I 80	2.20

#### HAND STITCHING THREAD.



#### Machine Thread. On Spools.

Barbours Irish Flax Linen.



Two Ounce Spool.

Numbers 18	8 :	20	25	30	35	40	50	60	70
White, Black, Blue, Orange, Yellow or RedPer Spool, 3	34	34	36	15	48	54	62	72	S()
White, Black, Blue, Orange, Yellow or RedPer Pound, \$2-6	5() <u>-1</u>	2 (30)	2 80	3 20	3 60	4 10	4 80	5 50	6 00

#### Carpet Stitching Spool Thread.

#### Silk Finish Thread. On Spools.

#### Silk Thread. On Spools.



#### In White, Black, Orange, Yellow, Scarlet, Blue, Green or Cherry.

#### Whip Cracker Silk.

#### NEEDLES.

#### Full Size Cuts.




#### Egg Eye Harness Needles.

Smith's All Numbers	Per Paper \$0-16, Per Dozen Papers \$1-60
F F 01.	and the same of th
Egg Eye Gio	vers' Needles.
Smith's All Numbers	
Crowley's All Numbers	Per Paper 24, Per Dozen Papers 2 40


ALL ABOVE, 25 NEEDLES IN A PAPER.

#### Collar or Sacking Needles.



#### Regular Bend.

Length \_\_\_\_\_ Inches, 3 4 5 6 7 8
Regular Bend \_\_\_\_\_ Per Dozen, \$0.90 1 10 1 50 1 70 2 00 2 30



#### Half Moon.

 Length
 Inches, 3
 4
 5
 6
 7

 Half Moon
 Per Dozen, \$0
 90
 1
 10
 1
 50
 1
 70
 2
 20

#### SAIL NEEDLES.

#### Forged Steel.

Numbers	15	14	13	12	11
Length Inches,	258	278	318	$3\frac{3}{5}$ s	358
Price	30-30	0.30	0.30	0.40	0.60
ONE DOZEN IN A PAPER.					

#### Sewing Machine Needles.

Landis.	Perkins' Make, For Stitching with 3, 4, 5, 6 or 8 Cord Thread, any Size	2 ()()
Pearson.	Perkins' Make, For Stitching with 3, 4, 5, 6 or 8 Cord Thread, any SizePer Dozen, 2	2 (10)
	ONE DOZEN IN A PAPER.	

#### Sewing Machine Shuttles.

Landis.	Each,	\$6-00
Pearson.	For No. 5 or Old No. 6	5 ()()
Pearson.	Large Size, for New No. 6 Automatic. Each,	6-00


#### Sewing Machine Bobbins.

Landis.	Per Dozen, y	\$6 OO
Pearson.	For No. 5 or Old No. 6	5 00
Pearson.	Large Size, for New No. 6 Automatic	5 00

We can Furnish Duplicate Parts for any Sewing Machine.


### Nichol's Harness Stitching Awls.


Full Size Cuts.



Square Shank.All NumbersPer Dozen, \$0.40Round Shank.All NumbersPer Dozen, 40


# No. 1. No. 2. No. 3. No. 4. No. 5.






No.	6.	Thong Awl, Rosewood Handle, Brass Ferrule	, \$0.40
		Thong Awl, Riveted Rosewood Handle, Brass Ferrule	
		Collar Awl, Rosewood Handle, Brass Ferrule	
		Octagon Checking Tool, Rosewood Handle, Brass Ferrnle; Sizes, 1, 2, 3 and 4	
		Plain Single Tickler, Rosewood Handle, Brass Ferrule; Sizes, 1, 2, 3 and 4	
		Octagon Single Tickler, Rosewood Handle, Brass Ferrule; Sizes, 1, 2, 3 and 4	


Made of the Best Tool Steel.




No. 14.	Octagon Bevel Tickler, Rosewood Handle, Brass Ferrule; Sizes, O, 1, 2, 3 and 4	Each,	50 9	11)
No. 15.	Plain Double Tickler, Rosewood Handle, Brass Ferrule; Sizes, 1, 2, 3 and 4	, Each,	•1	(I)
No. 16.	Screw Creaser, for Checking Loops, Rosewood Handle, Brass Ferrule	Each,	1 2	(0)
No. 19.	Screw Creaser, (Best.), Rosewood Handle, Brass Ferrule	. Each,	1 2	()
No. 20.	Single Creaser, Lignum Vitac.	Each,	4	()
No. 20.	Double Creaser, Lignum Vitae	. Each,	<i>ī</i> 1	()
	Lucut Creaser Ligarum Vitae			



## OSBORNE HARNESS MAKERS' TOOLS. Made of the Best Tool Steel.



No. 23	Liron End Creaser, Rosewood Haudle, (to crease four sizes) Each	, \$1_20
No. 12:	Claw Tool, Rosewood Haudle, Brass FerruleEach	, 60
No. 12	. Octagon Claw Tool, Riveted through Rosewood Handle, Brass Ferrule	, 80
No. 12	6. Common Edge Tool, Rosewood Handle, Brass Ferrule	, 26
No. 120	Best Edge Tool, Rosewood Handle, Brass Ferrule	, 80



Made of the Best Tool Steel.



No. 136. Octagon V Tool, Rosewood Handle, Brass Ferrule.

No. 137. Rein Trimming Tool, Rosewood Handle, Brass Ferrule.

No. 31. Straight Channeler, Rosewood Handle, Brass Ferrule.


No. 31½. Side Channeler, Boston Pattern, Rosewood Handle, Brass Ferrule.

No. 208. Edge Channeler, Rosewood Handle, Brass Ferrule.

Each, 2 40

No. 208. Edge Channeler, Rosewood Handle, Brass Ferrule.

Each, 2 70



Overstitch or Finishing Wheels for No. 4012 Carriages; Points to the Inch, 6, 7, 8, 9, 10, 12 and 14. .... Each,

No. 39.

No. 40.

No. 41.

No. 10.

No. 401/2.





No. 142.


No. 144.	Shoe Awl Haft Stained Cedar, Long Brass Ferrule	Per Dozen, \$6	0 50
No. 142.	Round Harness Awl Haft Black Short Brass Ferrule	Per Dozen.	80





No. 111.

No. 1411/2.	Oval Harness Awl Haft, Black, Long Brass Tapered Ferrule	1 00
No. 141 A.	Round Harness Awl Haft, Stained Cedar, Long Brass Tapered Ferrule	50
No. 141 B.	Round Harness Awl Haft, Hardwood, Natural Color, Long Brass Tapered FerrulePer Dozen,	90
No. <b>141 C.</b>	Round Harness Awl Haft, Hardwood, Black, Long Brass Tapered FerrulePer Dozen,	90
No. 141 D.	Round Harness Awl Haft, Rosewood, Long Brass Tapered Ferrule Per Dozen,	1 20








No. 116.

No. 14012.	Flat Harness Awl Haft, Imitation Ebony, Long Brass Tapered Ferrule	1 10
No. 146 A.	Patent Awl Haft, Rosewood, (without Awls)	60
No. <b>146 B.</b>	Patent Awl Haft, Stained Cedar, (without Awls)	26

Made of the Best Tool Steel.



No. 28.	Common Compass, 6 Inch, Polished	\$0.44
No. 26.	Saddler's Compass, 5 or 6 Inch, Polished	1 00
No. 29.	Patent Leather Compass, Polished	1 50
No. 291/2	Spring Patent Leather Compass, Polished Each,	I ()()
No. 301/2	Patent Leather Compass, with 4 Shifting Points	2 90
Extra P	Points and Scratchers, for No. 30 2 Compass	20




No. 350. Polished Steel, Cuts Washers up to 6 Inches. ..... Each, \$1 10





No. 76.	Square Point Knife, Round Rosewood Handle, Brass Ferrule	Each, \$	80 40
	. Square Point Kuife, Round Cedar Handle, Brass Ferrule		
_	Round Point Knife, Round Rosewood Handle, Brass Ferrule		
No. 77.	Square Point Knife, Flat Imitation Ebony Handle, Riveted	Each,	70
	Payed Point Unife Wat Imitation Whony Handle Piveted	Hach	







#### Head Knives.


#### Round Knives.

Width of Blade from Point to Point	Inches,	- 5	- 6
No. 70. Osborne, Oval Rosewood Handle, Brass Ferrule	Each,	\$2.00	2 3

Made of the Best Tool Steel.








#### Draw Cauge Blades.



No. XX.




Made of the Best Tool Steel.




 Sizes
 00
 0
 1
 2
 3
 4
 5

 Weight, without Handle
 Ounces, 11
 12
 13
 14
 15
 16
 17

 No. 54. White Hickory Handle
 Each, \$0.64
 0.64
 0.70
 0.74
 0.80
 0.90
 0.90



#### Saddlers' and Trimmers' Hammers.



No. 56. Saddlers' Hammer, White Hickory Handle.

No. 55. Saddlers' Hammer, French Pattern, Oval Rosewood Handle, Riveted.

Each, \$1.50

Extra Claws.

So. 50.

Each, \$1.50

Each, \$2.90

Extra Claws.


#### Rivet Sets.




No. 120,

Made of the Best Tool Steel.

#### Round Punches.



#### Bag and Trace Punches.



 No. 151.
 Gauges for Bag Punches.
 No. 152
 Gauges for Trace Punches

 Size
 Inches, ½, 58, 34, 78, 1
 1½, 14, 1½

 No. 151.
 Bag Punches, Polished Steel
 Each, \$1.30
 1.80

 No. 152.
 Trace Punches, Polished Steel, all sizes
 Each, \$1.80


#### Strap End Punches.






Size	Inches, 4 . 3	8. 5. 5. 3. 7. 1	15, 15, 15
	Each,	\$1 20	1.50
No. 150%, Strap Find Punches, Rosewood Handle, Brass Ferrule	Hach	1.5)	1.70


Made of the Best Tool Steel.





No. 154. Polished Steel, Extra Quality Each, \$2 30 Extra Cutters \_\_\_\_\_\_Each,

#### Spring Punches



00 1 30 F 30 1 80 1 30 1 30 1.50 0 44 0 30 0.300.30 0.300.30

#### Revolving Spring Punches.




#### No. 1551a Polished Steel Side Spring.

No. 155. 4 Tube	Sizes, 3, 4, 5, 6	
No. 155 2. 6 Tube	Sizes, 1, 2, 3, 4, 5, 6	Each, 2 70
Extra Tubes, all	S	Each, 30



Diameter of Face..... No. 89. Solid Hickory.....



Pounds. 3 6 8 10 11 Selected Rawhide, Hardwood Handles ...... Each, \$3.80 5 20 5 60

#### OSBORNE HARNESS MAKERS' TOOLS.

Made of the Best Tool Steel.


#### Cutting Nippers.



Length	Inches, 5	6
No. 94. Extra Quality Steel, Black Handle, Polished Jaws	Each, \$1.70	<u> 안</u> 발()



16 ... Each, \$4.80 13 00 No. 96. Extra Heavy, with Set Screw.....



No 9642.


Length	 Inches, 10	12
No. 98½. All Steel, Extra Quality, Single Joint	 Each, \$1 00	4 60

#### Rein Rounders.




No 111

No. 114. Polished Steel, 9 Holes, (to clamp in a vise -



No. 109

#### RANDALL'S REIN ROUNDERS.



Lever Action.

15 Hole.... ......Each, \$13 00

#### Slickers.





Nos,  $168^{\circ}$ ; and 167

No.	168.	Lignum Vitae, Fine Polished, size 4 x 5½ Inches	\$0.80
No.	1681/2.	14 Inch Polished Steel, Fitted in Polished Hardwood Handle, size 412 x 5 Inches	1.10
No.	167.	14 Inch Glass, Fitted in Polished Hardwood Handle, size 412 x 5 Inches	1 20
**	54271	Luch Olars, without Handles size 31, v 5 Inches	50

### Saddlers' Straight Rules.




#### No. 160.

No. 160,	Boxwood, Brass Bound Ends; Marked 16ths of Inches on one side and 8ths of Inches on opposite side.	
	T2 ()	::
Price		0.60

#### OSBORNE HARNESS MAKERS' TOOLS.


Made of the Best Tool Steel.

#### Saddlers' Plyers.



 Length
 Inches, 5
 6

 No. 98. Saddlers' Plyers, Polished Steel
 Each, \$0.70
 0.90



 Length
 Inches. 6
 7
 8

 No. 99. Pincer Plyers, Polished Steel
 Each, \$1.20
 1.30
 1.50



No. 102. Pad Screw Plyers, Length 6 Inches, Black Handles, Polished Jaws..... Each, \$1.70





#### OSBORNE HARNESS MAKERS' TOOLS.

Made of the Best Tool Steel.

#### Saddlers' Pincers.



#### Prick Punch.




No. 418. All Steel, Highly Tempered Each, \$0.20

#### Spoke Shaves.






#### Horse Collar Measures.




Boxwood, Brass Trimmings.

#### SPLITTING MACHINES.




No. 86 Osborne.

Width of Blade	. Inches,	- 5	63	7	$-\mathbf{s}$	9)	10
No. 86. Osborne. Iron Frame, Polished Steel Blade and Single Roller	Each,	\$7 30	8.00	8.50	9.50	10 00	H ()()
Extra Blades	Each,	2 90	3 40	4 00	1.80	5 50	6.00









No. 29. Krebs.

Width of Blade	Inches,	8	10
No. 10. Chase. Randall Improved, Polished Steel Blade and Double Rollers	Each,	\$11.00	13 00
Extra Blades for No. 10 Splitter	Each,	2 ()()	2 30
No. 20. Krebs pattern			21 - 00




Keystone Randall Rapid.

# COMPH'S TOOLS. Full Size Cuts.




		Rosewood Handles, Diass I citatesi			
1500	~	Lacing Awl	Each,	50	50
3.7	1.0	Plain Round Awl	Fach		50
70,	EO.	Platti Round Awl	*2 1.		424.5
No.	15.	Shouldered Round Awl	Eacn,		()()
No	20.	Shouldered Seat or Pad Awl	Each,		60
No	95	Thong Awl, Plain	Each,		20
3.7		Thong Awl, Round Shank	Each		60
	200	Thong Awl, Koung Shank	*** * * * * * * * * * * * * * * * * * *		


Full Size Cuts.




No. 30




No. 35. Common Edger, Rosewood Handle, Brass Ferrule, sizes 1 to 6...... Each, \$0.90






No. 45. V Tool, Rosewood Handle, Brass Ferrule.. .. Each, \$1.50




No. 50. French Edger, Round Edge, Rosewood Handle, Brass Ferrule, sizes 1 to 6 ...... Each, \$1.7




Full Size Cuts.






No. 65. Concord Edger, Rosewood Handle, Brass Ferrule, sizes 1 to 4 ... Each, \$0.90







No. 75. Octagon Box Tool, Rosewood Handle, Brass Ferrule..... Each, \$2 50



No. 80. Steel Pad Screw Plyer \_\_\_\_\_\_ Each, \$2 50




No. 85. Octagon Single Edge Creaser, Rosewood Handle, Brass Ferrule, sizes 1 to 6... ......Each, \$1 00




No. 20,


. ...... Each, \$1 00 No. 90. Octagon Double Edge Creaser, Rosewood Handle, Brass Ferrule, sizes 1 to 6




......Each, \$1 00 No. 95. Octagon Round Edge Creaser, Rosewood Handle, Brass Ferrule, sizes 1 to 6.....




Full Size Cuts.




No H2 Small,




... Small and Medium Large No. 103. Bevel Ficklers, Rosewood Handle, Brass Ferrule..... \$0.90 ..... Each, F 00



No. 105. Patent Leather Counter Sinks, Rosewood Handle, Brass Ferrule ..... .... Each, \$1 00




No. 107. Layer Screw Creasers, Rosewood Handle, Brass Ferrule... .... Each, \$2 50




No. 108.


No. 108. Double Screw Ticklers for Checkering..... Each, \$1.50




....Each, \$1 50



No. 115. Overstitch Wheels, Stationary Handle, Points to Inch. 5 to 16...... Each, \$1 60




Fach, \$2 00 Each, 80




No. 125. Edge Channeler, Rosewood Handle, Brass Ferrule .....

......Each, \$3 00



No. 130. Straight Channeler, Rosewood Handle, Brass Ferrule.......

Each, \$2 00




# COMPH'S TOOLS. Full Size Cuts. Size Inches, ½, 5, 3, 3, 7, 1 No. 140. Half Round Strap End Cutters Each, \$1 50 $1_{8}, 1_{4}, 1_{8}, 1_{2}$ ...... Inches, ${}^{1}_{2}$ , ${}^{5}_{8}$ , ${}^{3}_{4}$ , ${}^{7}_{8}$ , 1 1, 1, 1, 1, 1, 1, 1, 2, 1, 2, 2, 50. Each. Size....... No. **145.** Bag Punches..... Each, Lefe Line ...... Inches. 12, 5%, 34, 78, 1 ...... Each, \$2 (0) $\frac{1_{18}}{2}$ , $\frac{1_{4}}{2}$ , $\frac{1_{38}}{8}$ , $\frac{1_{12}}{2}$ No. 250. Trace Punches.... ...... Each, \$2 50 No. 155. Plain Steel Compass ..... No. 160. ..... Each, \$1 (H) No 160. Patent Leather Compass...





### J. M. Eilers & Co., Cincinnati, O.

#### COMPH'S TOOLS.


Full Size Cuts.







No. 18) Round Point



No. 189. Square Point.

Length of Blade	.5
No. 180. Trinming Knives, Round Rosewood Handle, Brass Ferrule, Round or Square Point	0.90





No. 185. Round Point.




No. 185. Square Point

L	ength of	Blade	312	.5
N	o. 185.	Trimming Knives, Flat Rosewood Riveted Handle, Round or Square Point	30.74	F-00






#### MECHANICS' TOOLS.




### Lodi Flat Nose Pliers, Bright Finish.

Size	Inches, 5	6
Price	Each, \$0 20	0.30




#### Paragon Flat Nose Pliers, Warranted Crucible Steel, Nickel Plated.

Size	 Inches, 5	6
No. 200	 Each, \$0 30	0.40




### Paragon Wire Cutting Pliers, Warranted Crucible Steel, Nickel Plated.

Size	Inches,	6	7
No. 202			0.70



### Paragon Flat Nose Cas Pliers and Wire Cutter. Warranted Crucible Steel, Nickel Plated.


Size	6	7
No. 210 Each,	\$ 1.70	0.80



#### Bernard Flat Nose, Cas, and Side Cutting Pliers.

Open Throat, Parallel Jaws, Warranted Crucible Steel, Nickel Plated.





#### Bernard End Cutting Nippers.

Open Throat Jaw, Interchangeable Parts, Full Nickel Plated, Warranted Crucible Steel.

Size	Inches,	-6	$\mathbf{s}$
Will Cut Wire	. Inches,	1 8	3.5
No. 125	Each,	\$2 10	3 ()()
		Total Sales	Next
	THE RESERVE OF THE PERSON NAMED IN	A TOWN	
PAT MAPPE FOR	1		



Belle Bolt Clipper.


Elm City Bolt Clipper.

#### Belle Gig Saddle Bolt Clipper.

#### Elm City End Cutting Bolt Clippers.

Warranted Crucible Steel Cutters, Japanned Handles, Interchangeable Parts, For Cutting off Bolts on Check Rein Hooks. Length 24 Inches.


No. 2. To Cut 3-8 Inch Bolts or Less .... Each, \$5.80




#### Randall's Bolt and Rivet Clippers.

Simple in Adjustment. Steel Screws Throughout. Tested before leaving Factory.

No. 3. To Cut 3-8 Inch Bolts or less ... ... Each, \$5.00 Feel. We can furnish all parts shown in above diagram. Prices quoted on application.







#### Bernard Adjustable Cauge Open Throat Spring Punch.

Parallel Jaws, Warranted Crucible Steel, Nickel Plated, Punches Holes at Uniform Distances by using Cauge.

(Solid Brass Screw Anvil which can be filed and reset when worn.)



Lodi Revolving Spring Punch, Bright Finish.




#### Bernard Adjustable Gauge, Open Throat, Revolving Spring Punch.

Parallel Jaws, Warranted Crucible Steel, Nickel Plated, Punches Holes at Uniform Distances by using Cauge.

(Solid Brass Screw Anvil, which can be filed and reset when worn.)


#### MECHANICS' TOOLS.



### Agricultural Wrenches.

Wrought Bar, Black Finish.

Inches	6	8	10	12	15
PriceEach,	<b>∦</b> 0 50	0.60	0.70	0.80	I 10





#### Yankee Jaws.

Convert any ordinary Monkey Wrench into a Pipe Wrench. Easily applied. Made of Best Tool Steel.





#### Always Ready Wrenches.

Solid Steel Chased Body, Polished Ribs.

No. 101.	Length, 5 Inches, For Nuts or Pipe 4 to 3	Linch Each, \$0.4	i()
No. 102.	Length, 7 Inches, For Nuts or Pipe 14 to 1	1 <sub>4</sub> Inch Each, 6	i()

#### Elgin Adjustable Wrenches.

No. 104. Length, 7 Inches, Drop Forged and Tool Steel. Each, \$1 20



#### Lightning Combination Wrench and Flier.

Made of Drop Forged and Tool Steel.

A perfect Pipe and Nut Wrench. Has also Wire Cutter, Screw Driver and Nail or Tack Puller.

No. 6.	Nickel, 6 Inches, For Nuts or Pipe ½ to 38 lnch	Each,	\$1.20	ŀ
No. 9.	Polished 9 luches with Interchangeable law For Nuts or Pive 1, to 3, Inch	Fach.	E 50	ì

#### MECHANICS' TOOLS.



Best Refined Cast Steel Cold Bronzed Polished Bit.





Bell Face, Adze Eye Hammers.
Cast Steel, Full Polished.

Aumber	30	31	32
Weight without Hamiles	. 8075	14 Ozs.	1 Lb. 1 Oz.
Prop	1, 50 50	0.90	1 (0)

### J. M. Eilers & Co., Cincinnati, O.

#### MECHANICS' TOOLS.



No. 15

#### Wood Bench Plane.





#### Adjustable Block Planes.

No. 22	0. 7½ Inches in Length, 134 Inch Cutter, Japanned	jo 90-
No. 1	6. 6 Inches in Length 13. Inch Cutter, Nickeled Each,	1-60

#### FILES.




#### Regular Taper, Single Cut.

Length Inches, 3  $3^{1_2}$  4  $4^{1_2}$  5  $5^{1'_2}$  6 7 8 Price Each, \$0.12 0.12 0.14 0.16 0.18 0.20 0.22 0.24 0.30




#### Round Bastard.



#### Cabinet Files.

 Length
 Inches, 8
 9
 10
 11
 12

 Price
 Each, \$0.50
 0.61
 0.70
 0.80
 1.00




#### Flat Bastard Files.

Length	5	6	7	8	9	10	1.1	12
Price	1) 22	0.26	0.28	0.30	0.32	0.36	() 11	0.52

#### MECHANICS' TOOLS.



#### Pocket Measuring Tapes.



#### Ratchet Bit Braces.



#### Sperry's Auger Bits, Cast Steel.

16 0.300.320.36 0.30 0.300.30 0.400.42 - 0.440.50



#### Screw Driver Bits, Round Shank.

No 240. Cast Steel. Black Finish


# MECHANICS' TOOLS. Plain Screw Driver. Beech Handle, Capped Ferrule, Flat Forged Steel Blade. Length of Blade......Inches, 0.21 No. 1..... Each, \$0 16 0.20 Ratchet Screw Drivers. Best Cast Steel, Round Blade, Rosewood Handles. No. 10. 6 Inch. Right and Left Hand and Rigid ...... Each, \$1 10 Cold Chisels. Octagon, Solid Cast Steel, Oil Finish. Width \_\_\_\_\_\_ Inches. 1-2 Rogers Belt Punch. Punches Any Size Hole from 1-16 to 3-8 Inch. Price \_\_\_\_\_\_ Each, \$1,00 Lodi Dividers. Made of Sheet Steel with Hardened Points, Brass Adjusting Nuts. Bent Trimmers' Shears. Length lnches, 81 1.70

### SAND, OIL AND WATER STONES.



#### Sand Stones.


Size	Small	$\mathbf{M}$ edium	Large
Price	\$0.10	20	30




Oil Stone, Mounted.

In Polished Cherry Box.

No. 1. Extra Select, Size of Stone, 8 x 2 x 34 Inches ...... Each, \$1 50



#### Pike's Hindostan Oil and Water Stone.



Hand Grind Stone.

Japanned Iron Frame.

Diameter of Stone	 	 Inches,	S	9
Width of Stone .	 	Inches,	1 ts to 1 ts	$1^{4}_{2}$ to $1^{3}_{4}$
Price	 	Each,	\$1.70	2 ()()

#### MECHANICS' TOOLS.

### 

#### Polished Iron Squares.



#### Caliper Rules.



#### Narrow Two Foot Four Fold Rules.

No. 68. Boxwood. Round Joint, Middle Plates, 8ths and 16ths of Inches, 1 Inch Wide ...... Each, \$0 20




#### Nail Pullers.




#### Zinc Oilers.

 Sizes
 1
 2
 3

 No. 10. Zinc Oilers
 Each, \$0.16
 0.20
 0.24





Solid Box Vise.

Harness Makers' Vise.

Solid Box	Vises.
The Number Indicates Approximate	Weight of each Vise in Pounds.

***************************************	raises representate trought of each t	.50 00	11743.		
Numbers		40	50	60	70
Width of Jaw	Inches, 33's	4	41,	5	51/4
Price	Each, \$12 00	12-50	12 - 70	14 50	17 00
	Harness Makers' Vises.				
Numbers		12	20	30	45
Width of Jaw	Inch	es, 21;	318	315	4
Price	Eac	ch, \$7 50	9 00	10 50	$12 \ 00$




For General Use



As a Pipe Vise,




As Extended.



Vise with Drill Attachment

#### Diamond Combination Vises.

#### Face of Anvil 3 x 7 Inches, not Including Horn.




Bench Anvils.
Chilled and Polished.

#### PLATFORM SCALES.

Brass Beams and Sliding Poises.





"Champion" Portable Platform Scales, with Wheels.

Iron Frame and Hardwood Platform.

No. 26.	Capacity 600	Pounds Each,	\$23.00
No. 28.	Capacity 800	Pounds Each,	25 00

## "Champion" Union Counter Scales. Iron Frame and Platform.

# STORE TRUCKS. With Steam Bent Handles.





No.

### I. M. Eilers & Co., Cincinnati, O.



# RANDALL STITCHING HORSES AND JAWS.



Rein Round Attachment.

Fits Any Jaw.





No 15. Attached

No. 15. In Use,

Jaws are made of Sugar Maple, Oil Finished, 17½ Inches High, 5 Inches Wide, 3 Inches Thick at the Base. Seat of 2 Inch Poplar, Hollowed; Legs and Rounds of Hickory. Steel Springs in all Jaws.

No. 5. Stationary Jaws, Horse Complete	Each,	\$5.00
No. 5. Jaw only	Each,	3 00
No. 8. Jaw only for Horse Boots.	Each.	4 00
No. 15. Rein Round Attachment, Malleable Iron	Per Pair.	0.50




No 10 Adjustable



No. 30 Adjustable Jaw


left hand. Fits any seat


#### RANDALL 3 INCH SPLITTING MACHINE.



A very handy Splitter for small work. Knife is raised by pressing Lever. Work admitted from side. By gradually dropping Lever as work is drawn through, good skiving can be done.


#### Beveling Machines.






Used in all Factories with Perfect Satisfaction.


#### STRAP HOLDERS.




#### Team Pad Boxes.




#### Crupper Formers.



#### Breeching Stay Forming Box.








Made with smooth finished Brass Plates. Forms Stays into proper shape with round edges. Length of each half of Stay between Rings 3% Inches. Width of Stay ½ Inch.

#### Cheek Loop Boxes.


Diameter of Screw, 14 Inches. Weight, 45 Pounds.



The Jaws are 7<sup>1</sup>2 Inches Long, and open wide enough to admit the largest size CHEEK LOOPS when side crease plates are used. Plate in the base is removable and Brass Bottom Plates can be used for rounding and finishing the bottom of loops.

Special lengths of Jaws made to order.

#### Hame Tug Loop Boxes.



#### Shaft Tug Loop Boxes.



#### Combination Loop Boxes.

Length of Jaw, 712 Inches. Weight, 33 Pounds.



The Jaws are made for Pressing either Cheek, Tug or small Loops, for which small Side Plates are included...... Each, \$15,00

#### BRASS BOTTOM PLATES.

For Finishing all Sizes of Box Loops.



These plates may be placed in a groove in the bottom of Cheek or Shaft Tug Loop Boxes. The back of Loop is slightly rounded and smoothly finished. Regular sizes,  $\frac{12}{5} \times 7\frac{1}{2}$ ,  $\frac{5}{8} \times 7\frac{1}{2}$ ,  $\frac{3}{4} \times 7\frac{1}{2}$ ,  $\frac{3}{4} \times 2$ ,  $\frac{7}{8} \times 1^3$ ,  $\frac{3}{8} \times 1^3$ .

,	
Small Loops Each,	\$1 20
Cheek Loops	

#### Wood Loop Sticks.




Tay ered

#### Select Sugar Maple, Smooth Finish.

#### Steel Loop Sticks.


	RANDALL & CO. CIN, O.	0	RAND	ALL & CO. CIN, O.	•
	Straight.	Polished Steel, Poi		Tapered.	
Straight. Tapered.	For Single Straps		\$ )   (1) (N)	0 50 1 20	13 <sub>4</sub> , 2 0 70 

#### Collar Crimping Vises.




the transfer of the property of the control of the

D - room staples used with crimped these of a probing throat of collar



B is the Crimping Vise, can be used with ny harness makers vise




A shows broken and mended collar.

LOOP DIES.

Made of High Crade Bronze Metal, Carefully Finished.

#### Styles of Loop Dies.




Complete Sets. 9 Dies, consisting of I each; any above style of the following sizes,  $\frac{12}{2} \times 7^{+}_{2}$ ,  $\frac{5}{8} \times 7^{+}_{2}$ ,  $1 \times 4^{+}_{2}$ ,  $1 \times 4^{+$ 

For Steel Backs on Dies see next page.

Special Designs made to order. Prices quoted on application. Take width of strap in ordering width of Dic.


#### LOOP DIES.

Made of High Grade Bronze Metal, Carefully Finished.



Styles Nos. 1 or 2. Any Size under  $\frac{5}{8}$  x 1 Inch. Each,  $\frac{5}{4}$  50 Any Size over  $\frac{5}{8}$  x 1 Inch. up to 1 x  $\frac{1}{4}$  Inch. Each, 6 00

#### Steel Back Dies.



Cut of Small Loop Die

Shows Steel Back attached to Die,  $\beta_4$  Inch Thick, for any size Die; prevents bending and warping; very desirable on Check and Hame Tug Dies.

 Sizes, up to 3 Inches
 Each, \$1 20

 Sizes, over 3 Inches
 Each, 1 50

#### Hame Bender.




For Bending Hames to any desired shape.

Price \_\_\_\_\_ Each. \$18.00

#### RANDALL CUTTING DIES.

Made of the Best Tool Steel.




For Trace Points, Line Points, Turnbacks, Chapes, Blinds, Collar Pads, Cruppers, etc. Carefully Tempered, Highly Finished. Prices from \$6 00 upward, according to size and pattern.

Send patterns and get quotations.

#### Randall Blind Moulds.

Made Heavy, High Finish and Perfect Shape.



167 In ordering always designate style wanted.

Prices quoted on application for special sizes and shapes made to order.


### J. M. Eilers & Co., Cincinnati, O.

#### RANDALL CREASING MOULDS.



Line Points.







Turnbacks,

Are made of the highest grade Bronze Metal, Bearing Parts finished smooth as glass, Top Edges, Sides and Bottom Planed. Pressure uniform on entire face of part which is raised and creased. Leather is smoothly finished and polished.


They are made with High Sides, so that edges of part being raised and creased are nicely finished, also to admit of using Inside Dies as stock is pressed. Inside Dies or Plates are made to order only, and are always extra to Price quoted for Mould. The best Inside Dies or Plates are made by securing firmly together four or five thickness of saddle leather or sole leather cut to shape of Creasing Mould by cutting die used for cutting Part for Mould.

Parties furnishing us with leather patterns for Trace or Breeching Points, Turnbacks, Crown Layers, Crown Billets, Breeching or Breast Collar Layers, etc., must furnish us with patterns carefully raised and creased as they wish the Mould to finish them.

Prices quoted on any pattern illustrated or on any design or pattern sent us.

The use of Moulds not alone saves time, but produces better and more uniform work than done by hand.


#### Line Points and Billet Patterns.




## Moulds Made From These Patterns or Any Style to Order.

#### RANDALL CREASING MOULDS.

Trace and Breeching Point Patterns.






11/8 x 12 .... 20 .... 11/4 x 12 .... 23 .... 11/5 x 12 .... 23 .... 11/5 x 12 .... 25 .... 11/5 x 12 .... 25 .... 25 .... 11/5 x 12 .... 25 .

13 x 1014 ...25 .....
14 x 1014 ...25 .....
15 x 1014 ...29 .....
1 x 1114 ...30 .....
1 x 1112 ...31 .....
11 x 12 ...31 .....


## Turnback Patterns.



No Inches.
.....34.....13 x 11
.....35......14 x 11
.....36 .....14 x 11
.....37......14 x 12
.....38.....14 x 124
....38.....14 x 124
....38....14 x 124

 $40^{\circ}, ...11_{4}^{\circ} \times 12^{\circ}_{4}$ 


Moulds Made From These Patterns or Any Style to Order.



Nos. 1 and 2.

#### No. I. Weight, 100 Pounds.

#### No. 2. Weight, 200 Pounds.



Nos 3, 312 and 4.


## No. 3. Weight, 225 Pounds.

#### No. 31. Weight, 325 Pounds.


No. 312. Diameter of Screw, 158 Inches; Length of Lever, 44 Inches; Weight of Lever, 100 Pounds; Bottom Plate 10 x 6 Inches; Greatest Space under Pressure Bar, 8 Inches. Each, \$60 00


## No. 4. Weight, 500 Pounds.

#### IMPROVED STRAP AND TRACE TRIMMERS.



Two traces can be trimmed like Style "A." and four traces like Style "B."






A--Single Straps and Traces, B-Traces only.


Will Trim Traces and Single Straps from  $\frac{3}{8}$  to  $\frac{3}{4}$  inch thick, and from  $\frac{1}{2}$  to  $2\frac{1}{2}$  inches wide. Is quickly set for the width desired. Knives have side screw adjustment. Knives are quickly set for light or heavy cut without changing Position of knives on adjusting Plate in Jaws. For round-edge flat lines and single-strap harness it is far superior to a hand-edge tool.

Style A.	For Single Straps and Traces	\$20.00
Style B.	For Traces only Each,	20 (0
Style C.	Fach,	20 00
Extra b	Inives. A. B. or C. Per Pair,	5 50

Style A sent unless otherwise ordered.

#### Strap Slitters.





Adjustable Knife Guides. Open 212 Inches.

Will slit straps in the center \(^12\) x \(^12\) inch, or can be set to slit \(^12\) x \(^36\) inch, or any other combination of widths desired.


The strap can be slit length desired in the time formerly consumed in marking off length of slit to be made with a draw gauge.

Strap Splitter No. 2 is made with a gauge rule attachment, which can be set for desired length of slit in Crown Pieces. Turnbacks, etc.

No. 1.	Without the Gauge Rule Attachment	Each,	52 50
No. 2.	With the Gauge Rule Attachment	.Each,	3 00

# J. M. Eilers & Co., Cincinnati, O.


#### Styles of Crease.



- Narrow, single, flat medium.
   Wide round edge single, raised.
- 3. Wide round edge single, flat.
- 4. Regular double, raised.
  5. Regular double, flat.
- 6. Four-row round edge, raised.
- 7. Four-row round edge, flat.
- 8. Oval lines
- 9. New antichafing trace rolls.
- 10. Round edge finishing rolls.
- 11. Corduroy center creases, flat.
- 12. Corduroy crease, edge to edge, flat.

- Cordinary crease, edge to edge, nat.
   New style four-row, flat.
   Heavy center crease for narrow straps.
   Double raised layer.


Made to Order. Any Other Style of Crease Made to Order.



# J. M. Eilers & Co., Cincinnati, O.


## RANDALL CREASING MACHINES.

Iron Frame, Lower Steel Rolls 4-Cog Cear.



Extra for Rapid Drive Fly Wheel and Stand, as shown on Page 60, Add \$6 00 to list.

#### Iron Frame and Rolls, 4-Cog Cear.




No. 2.	Creases 12 to 134 Inch Flat, and 12 to 112 Inch Raised Double Crease
No. 212.	Creases ½ to 1¾ Inch Flat, Round Edge, Single Crease, and ½ to 1½ Inch Raised Double Crease
No. 3.	Creases ½ to 134 Inch Flat, Double Crease, and 12 to 112 Inch Flat Round Edge, Single Crease
No. 31/2.	Creases ½ to 1¾ Inch Flat, and ½ to 1½ Inch Raised, Round Edge, Single Crease

Extra for Rapid Drive Fly Wheel and Stand, as shown on Page 60, Add \$6 00 to list.

Any other style Straight Crease, as shown in sample Crease cut Page 60, to order. Rolls with 34 Inch Holes may be worked on End Shafts of Machines.


#### RANDALL CREASING MACHINES.

Iron Frame and Rolls, 4-Cog Cear.



No. 10. Creases Flat 12, 58, 34, 178, 1, 118, 114, 112, 134, Inch, and Raised 1, 118, 114, 112 Inch Double Crease\$53 00
No. 10 <sup>1</sup> <sub>2</sub> . Creases Flat ½, 58, 34, 78, 1, 1 8, 1 4, 1 ½, 134, Inch, Round Edge, Single Crease, and Raised 1, 1 1/8, 1 ½, 1½
Inch Double Crease
No. 11. Creases Flat 12. 58. 34, 78, 1, 1 18, 1 14, 1 12, 1 34, Inch, and Raised 1, 1 18, 1 14, 1 12 Inch Round Edge, Single
Crease

Extra for Rapid Drive Fly Wheel and Stand, as shown on Page 60, Add \$6 00 to list.




No. 4.	Creases 12, 58, 34, 78, 1, 116, 114, 112, and 134 Inch Flat Double Crease	45 00
No. 412.	Creases 12, 58, 34, 7x, 1, 11x, 114, 112 and 134 Inch Flat Round Edge, Single Crease	l5 00
No. 5.	Finishes 12, 58, 34, 78, 1, 118, 114, 112 and 134 Inch Flat Straps, Round Edge, no Crease	15 00

Any other style of Crease made to order.

Rolls with  $3_4$  Inch Holes may be worked on End Shafts of Machine.

Extra for Rapid Drive Fly Wheel and Stand, as shown on Page 6C, Add \$6 00 to list.

With or Without Edge Crease. Sizes to 11 Inch.



For quickly shaping and finishing the surfaces and edges of various styles of Traces and Bearers after trimming. In medium grades of Harness these rolls greatly improve the Trace and Bearer at small additional cost.

Style "B" finishes edges of flat Trace, and puts narrow single crease on edge of Trace.


Style "C" finishes edges of raised-filled Trace, and rounds upper edge without touching the stitching.

Style "D" with curved edges, suited for finishing rounded edges of flat Traces, and Aso slicks both top and bottom of Trace.

Style "E" finishes sides of Trace, and re-shapes top of Trace. With this Roll the over-stitch wheel must be used to set up stitching after Trace is finished.

#### Adjustable Wave Crease Rolls.

With Block Wave Imitation Stitch Rings and Old Style Wave Plain A and D Styles.






By changing the location of the 1s, 1s and 14 inch washers, the creases can be thrown any distance apart and from the edge desired. The entire roll is made with great care and exactness.

No. 1. Creases  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{3}{4}$ ,  $\frac{7}{8}$ , 1,  $\frac{11}{8}$ ,  $\frac{11}{4}$ , or  $\frac{11}{2}$  Inches, with 8 Lower Rolls, one of each size. \$21.00 No. 2. Creases  $\frac{3}{4}$ ,  $\frac{7}{8}$ , 1,  $\frac{11}{8}$ ,  $\frac{11}{4}$ , or  $\frac{11}{2}$  Inches, with 6 Lower Rolls, one of each size. \$14.00


Special Long Spindle for widening Roll to 2 inches, add \$1.00 to List Price.


😥 Will work on any machine with 🎉 inch upper and lower Shaft. For other size Shafts Roll will be made to order.


#### Fancy Creasing Rings for Adjustable Rolls. Polished Iron.



Style.










Light Rings, Crease  $\mathbb{T}_2$  and  $\mathbb{T}$  meh Widths. Heavy Rings, Crease  $\mathbb{T}_1$  to  $\mathbb{T}_2$  inch Widths,

E or F G or H Heavy Only Light of Heavy Light or Heavy \$1.00 Price Per Pair, 4.00

#### Rope Wave Rings for Adjustable Rolls. Brass Engraved.

Style











Creases Width of Straps ..... 7<sub>8</sub> to 1 4 10.00

#### FOOT-POWER RIVETING MACHINES.


For No. 1 or 3 Tubular or Clinch Rivets.





#### FOOT-POWER RIVETING MACHINES.







#### Loop Anvils for Nos. 3 and 8 Riveting Machines.

No.	1. For Riveting Loops or Keepers on light and medium straps under one inch in width. The Center for Clinching the	
	Rivet is cut into the top of the Anvil itself, and this style can, therefore, be used only for the one style Rivet for which	
	it is madeEach,	3 00
No.	2. For Riveting Loops on medium and heavy straps over one inch in width	3 00
No.	3. For Riveting Box Loops for Check Pieces on Bridles. The Center for Clinching the Rivets is secured to the top of	
	the Anvil. Width of Anvil, 5/8 Inches; Length, 6 Inches	3 00
No.	4. For Riveting Box Loops on Traces. The Center for Clinching the Rivets is secured to the top of the Anvil. Width	
	of Anvil, I'2 Inches; Length 13 Inches	4 00

#### Hand Riveting Machines and Revolving Rivet Cups.








No. 50. Revolving Rivet Cup

#### Hand Riveting Machines.


#### Revolving Rivet Cup.

#### HAND RIVETING MACHINES.

For Tubular or Beveled Clinch Rivets.











No 1. Monarch,



No. 301-D.



No. 3




No 1 Loop Anvil.



No. 3 Angil

1 40


1 40



ONE THOUSAND IN A BOX.

#### Tubular and Bevel Clinch Rivets in Cartons.

Assorted Sizes in to in Inch.







F 30

1 10

1 30

coppered Bevel Clinch

Quality	First.	Second.
Tubular, Japanned or Coppered, Fifty in Box, Twelve Boxes		7()
Tubniar, Japanned or Coppered, One Hundred in a Carton, Per Carton	. 2 20	1 30
Clinch, Coppered, One Hundred in a Box, Twelve Boxes in a Carton, Per Carton	. 90	

In ordering be sure and mention quality.

#### COPPER BELT RIVETS AND BURS.



Full Size Cuts of No. 5 Rivets.



Full Size of Gauge.

#### Each Size Packed in Pound Boxes.

No. S. Length, Inches, 1-4, 3-8, 1-2, 5-8, 3-4, 7-8, 1, 11,	735
No. 9. Length, Inches, 1-4, 3-8, 1-2, 5-8, 3-4, 7-8, 1, 14	74
No. 10. Leugth, Inches, 1-4, 3-8, 1-2, 5-8, 3-4, 7-8, 1, 14	1-6
	46
	M 7
	1
Packed Assorted in Half-pound Boxes.	
5 Pounds in a Carton.	
No. 9. Length, Inches, 3-8 to 3-4	46
Coppered Iron Rivets and Burs.	
No. 8. Pound Boxes, Each Size Separate Length, Inches, 1-2, 5-8, 3-4, 7-8, 1, 11,	26
	30
No. 8. Half-Pound Boxes, Assorted 3-8 to 3-4 Inch, 5 Pounds in a Carton	32
Copper Burs Only.	
Numbers	ŀ

## Hame Rivets and Rivet Caps.

0.96



Soft Iron, Polished, 3-4, 7-8, 1, and 14 Inches,	1 Pound in Package	"Per Pound, :	50 14
3-8 Inch Nickel or Brass, Round Head, Length, 14	Inches	Per Dozen,	20
1-2 Inch Nickel or Brass, Round Head, Length, 14	Inches	Per Dozen,	24
5-8 Inch Nickel or Brass, Round Head, Length, 14	Inches	Per Dozen,	10
3-4 Inch Nickel or Brass, Round Head, Length, 112	Inches	. Per Dozen,	50
11	There are the second of the se		

PLATED HEAD RIVETS, ONE GROSS IN A PACKAGE.

Rivet Caps, Soft Iron, in Quarter-pound Papers, (Full Size Cut)	Per Paper.	. 50	H
Rivet Caps, Soft Iron, in Pound Papers, (Full Size Cut)	Per Paper.		50

## PAD SCREWS.

#### Wrought Iron Screw, Standard Thread, Interchangeable Burrs.

FULL SIZE CUTS.














Finish of Head	Japanned.	X C Plate.	Nickel.	Brass.
No. 2. Length of Shank, 7-8 Inch Per Gross	\$2,40	→ (50)	*	
No. 4. Length of Shank, 1 4 Inch	2 50	2.70	******	5 50
No. 12. Length of Shank, 1 InchPer Gross	3 00	3 (10)	6 40	6 40
No. 6. Length of Shank, 7-8 Inch Per Gross,			5 50	5 50
No. 17. Length of Shank, 1 Inch			6.70	6.70



No. 15.





	Extra Heavy.			Solid
Finish of Head	******	Nickel.	Brass.	White Metal.
No. 18. Length of Shank, 14 Inch	Per Dozen,	\$1.00	1 00	2 40
No. 11. Length of Shank, 1 Inch	Per Dozen.	70	70	
No. 19 Length of Shank 14, Inch	Per Duzen	1.20	1.20	







Bolt Hook Bolt.



Under Plate Screw

## Terret Stops.


Imitation Rubber Head.	3-8 Inch Screw, 1 1 Inch Long
	Composition. 3-8 Inch Serew, 1 s Inch Long Per Dozen, 4 20
Gilt Head.	3–8 Inch Serew, $1^{\tau_N}$ Inch Long

#### Bolt Hook Bolts.

Japanned Head.	3-8 Inch Screw, 1 ts Inch Long	50	10
	3-8 Inch Screw, 1 1/8 Inch Long		

#### Under-Plate Screws.

#### CUT TACKS.




#### Swedes Iron. Half Weight.

Ounces,	1	1 12	2	21/2	3	4	6	$\mathbf{s}$	10	12	14	16	18	20	22	24
Lengthluch,	7 - 32	1 - 4	9-32	5-16	3-8	7 - 16	1-2	9-16	5-8	11-16	3-4	13-16	7 - 8	15-16	1	118
Hobarts. Per Dozen Papers,	<b>≸</b> 0 56	0.62	0.64	0.68	0 72	0.86	1 08	1 28	1-50	1 72	1-92	2 - 14	$^{2}40$	2.60	$2^{-90}$	3 20
Fields. Per Dozen Papers,	24	28	58	30	36	40	50	60	70	GQ.	1 (0)	1 10	1 - 20	1.30	1 40	1 50

ONE DOZEN PAPERS IN A PACKAGE.

#### Lace Tacks.




#### Swedes Iron. Half Weight.

Ounces 11/2	2	212	3	4	6	$\mathbf{s}$	10	12
Length luch, 1-1	5-16	3-8	7-16	1-2	9-16	5-8	11-16	3-4
FieldsPer Dozen Papers, \$0-40	0.40	0.41	0.50	0.60	0.70	0.90	1 00	1 10
Hobarts	5 80	90	94	1 04	1-26	1 50	1/80	2 00

ONE DOZEN PAPERS IN A PACKAGE,


#### Shoe Tacks.



#### Swedes Iron. Quarter Pound Papers.

Ounces	1-2	3-4	1	1 12	2	2 1/2	3	$3^{\frac{1}{2}}$	4
LengthInch,									
Fields Per Pound,	\$0.42	0.34	0.30	0.28	0.24	0 22	0 22	0 22	0 22


## Lining Nails.



#### Japanned or Imitation Silver, Oval Heads.

Ounces 2	$2 r_2$	3	4	6	$\mathbf{s}$	10	12	14	16	18	20
LengthInch, 4-16	5 - 16	3-8 - 7	-16	1-2	9 - 16	5-8	11-16	3-1	E3-16	7-5	15 - 16
JapannedPer Dozen Papers, \$) 96	0.96	0.96 0	96 -	0.96	0.96	0.96	0.96	1/20	1 - 20	1/20	1/20
Imitation SilverPer Dozen Papers, 1 20	1/20	1 20 I	20	1.20	1/20	1.20	1 20	1 11	1.44	1 11	1 44

#### BOSS NAILS.



#### Imitation Silver and Japanned Heads.

Numbers			3	4	5	6
Imitation Silver.	11/8 Inch Nail	Per Paper,	50 18	0.18	0.22	0 24
Annauned.	1 to Juch Nail	Per Paper.	16	16	18	20

75 Nails in a Paper, 10 Papers in a Package.

## Fine Silver and Cilt Head Cig Saddle Nails, all Wrought.



Numbers	18	17	16	15	14	13
Size of HeadInches, 2	2-16	3-16	4-16	5-16	6-16	7-16
Silver or GiltPer Gross,	\$1/20	1 30	1 30	1 50	2 40	2 50

ONE GROSS IN A BOX.

#### Shoe Nails.



#### In Quarter-pound Papers.

Length	Inches,	3-8	$3^{1}_{2}$ -8	4-8	$4!_2 - 8$	5-8	$5^{+2}-8$	6-8	$6^{+}_{2}$ -8	7-8
Holdfast.	Wire Clinching, any Size		• • • • • • • • • • • • • • • • • • • •						Per Pound,	\$0.21
Cobbler's.	Iron Clinching, any Size								Per Pound,	18


ONE DOZEN PAPERS IN A PACKAGE.

#### ET LEATHER.

WE HANDLE HIGH GRADE HARNESS LEATHER ONLY. WHEN YOU ARE DISSATISFIED WITH THE BRAND YOU ARE CUTTING, ORDER OUR "MELLOW" BRAND. WE GUARANTEE IT WILL PLEASE YOU.

#### RINGS.





Breeching Ring

#### Malleable Iron Harness Rings.

SizeInches,	3-8	1-2	5-8	3-4	7-8	1	1 1/8	1 4
Gauge of WireNumbers,	7	7	7	7	7	7	7	7
JapanuedPer Gross,	\$0.64	0.64	0.61	0.70	0.80	1.00	1 IO	1 30
X C PlatePer Gross,	70	70	70	81	1 00	1 20	1 10	1 60

 $\frac{3}{8}$  To  $\frac{3}{4}$  Inches, Two Gross in a Box. Other Sizes, One Gross.

Numbers 7

(10)

FULL SIZE OF GAUGE.

## Malleable Iron Breeching Rings.

Size	Inches,	114	v 13 s	112	112	134	134	134	1 3,
Gauge of Wire	Numbers,	1	1	:}	-2	3	•>	I	1)
Japauned	Per Gross,	\$1.50	I 60	2 10	2 50	2 40	2.70	3 50	4.70
X C Plate	Per Gross,	1 80	2 (0)	2 50	3 00	2 90	3 40	4 30	6 00
Size	1 -1 1						• • •		••
Size	Tuches,	2	2	≟ '+	24	- 1 <sub>2</sub>	2 1 <sub>2</sub>	± 3 <sub>4</sub>	:3
Gauge of Wire	Numbers, 2	1	0	1	0	1	0	0	$\Theta$
Japanued	Per Gross, \$3/10	3 80	5 30	1-30	5 80	1.80	6.30	6.80	7.50
X C Plate	Per Gross, 3 80	4 80	6.50	5 20	7 20	6 00	8 00	8 50	9 (0)
14 In., One Gross in a Box. 148 to 2 I	N., HALF GROSS. 2	14, 212,	2%, IN.,	QUARTE	r Gross.	3 1n.,	ONE-SIN	стн Gro	ss.


#### Wrought Iron Breeching Rings.

Size	Inches,	1 1 2	134	13,	2	2	$\mathfrak{D}^{\mathfrak{I}_{4}}$	$2^{i}{}_2$	≥ 34	:3	$\mathfrak{P}_{\mathfrak{t}_2}$	-1	4 1/2	5
Gauge of Wire	Number,	3	3	2	-9	1	1	1	1	()	(),)	()()	00	00
Japanned	Per Gross,	\$1.70	2 (0)	2 10	2 30	2.50	2.70	2 80	3 00	1 60	6.80	7 50	> 50	9.50
X C Plate	Per Gross.	9 20	2.50	2.70	3 30	3.70	3 80	1 10	1 10	6.30	8 GO	9 20	11 50	13 00

 $19_4$  In., One Gross in a Box.  $19_2$  to 2 In., Half Gross.  $29_4$  to  $23_4$  In., Quarter Gross. 3 to 4 In., One-sixth Gross.  $49_2$  and 5 In., Bulk.

## RINGS.





Breeching Ring.

#### Harness Rings

Size	Inches, 3-	-8	1-2	5-8	3-4	7-8	1	118
Imitation Rubber	Per Gross, \$0	91	0.94	0.94	1 12	1 36	1 68	1 88
Nickel on Iron	Per Gross,	91	94	94	1 12	1 36	1.68	1.88
Nickel on Composition	Per Dozen,	.).)	22	28	34	42	52	64
Solid Brass	Per Dozen,	22	22	28	34	42	52	64
Sargeant's Rubber Finish	Per Dozen,	16	16	16	18	24	28	36
Genuine Rubber	Per Dozen,		70	70	82	82	94	1.70
Solid White Metal		60	60	65.1	80	1 00	1 20	1 40
Aluminum Bronze	Per Dozen,	72	72	92	1 10	1 30	1.70	
Silver Close Plate on Solid Nickel		20	1/20	1-20	1.70	5 50	7 20	
White Celluloid, Wire Seam	Per Dozen.		1.40	1.40	1 60	I 60	1.90	


## Breeching Rings.

Size lnches,	1 1/4	138	$1\ \%$	1 58	1 34	2	$2^{\tau_4}$	$2^{1}_{2}$	<b>≥</b> 3 <sub>4</sub>	;;
Imitation Rubber Per Gross,	\$ 2 30	3 20	3 20		3 60	5 00	*******			
Nickel on Iron Per Gross,	2 30	3 20	3 20	,,,,,,,,	3 60	5 (0)				
Nickel on Composition Per Dozen,	76	96	1 10		1 40	1.70	2 20	2 40	3 00	3 20
Solid BrassPer Dozen,	76	96	1 10		1 40	1.70	2 20	2 80	3 ()()	3 20
Sargeant's Rubber FinishPer Dozen,	46	66	70		1 00	1 20				
Genuine Rubber, Plain WirePer Dozen,	1.70	1 90	1 90	2 30						
Genuine Rubber, Wire Solid Gilt LinedPer Dozen,	3 20	3 40	3 40	1 00						
Solid White MetalPer Dozen,	1 60	2 00	2 30		3 20	4 00				
Aluminum BronzePer Dozen,	1 90	2 40	2 80		1.00					
Silver Close Plate on Solid Nickel Per Dozen,	10 00	12 00	13 20		15 00	16 50	19 80			
White Celluloid, Wire Seam, Gilt LinedPer Dozen,	9.00	9.50	9.50							

#### HARNESS AND BREECHING DEES.







Breeching Dee.

Malleable Iron.						breeching Dec.				
Inches	5-8	3-4	7-8	1	1 1 s	114	1 12	1 34	2	$2\frac{1}{2}$
JapannedPer Gross,	\$0.33	1 00	I 26	1-64	I 80	2 00	3 30	1 IO	5 30	11 - 20
X C PlatePer Gross,	1 08	1 34	I 64	1 94	$2 \ 10$	2.30	4 20	5 20	6 00	12/00
Nickel on Composition Per Dozen,	40	50	660		1.10	1 20	1 80	$^{2-00}$	2 50	
Solid BrassPer Dozen,	40	50	60	80	1 10	1 20	1 80	2 00	2-50	

 $^{5}8$  And  $^{3}4$  In., Two Gross in a Box.  $^{7}8$  to  $^{1}4$  In., One Gross.  $^{14}2$  to  $^{2}2$  In., Half Gross.  $^{24}2$  In., Quarter Gross.

## Iron Trace Dees.



No. 483. Screw and Roller, No. 483. Bolt and Roller,




No. 488. Bolt and Roller.

Size	Inches, 1	134	2	21/	21/2
No. 480.	Japanned Screw and Roller Per Dozen, \$0	so 0.90	1.00	1 10	1 - 20
No. 483.	Japanned Bolt and Roller (Also called Concord Clevis)	80 90	1 (0)	1 10	1/20
No. <b>488.</b>	Japanned Bolt and Roller Per Dozen, 1	30 1 50	1.70	2.10	2 20

ONE DOZEN IN A BOX.

## Malleable Iron Breeching Loops.




Size	Inches, 1	1 12	1 34	- 2
No. 1.	Japanned Per Dozen, \$0.	34 0 92	I 10	1 7
No. 2.	Japanned Per Dozen,		2/30	2 7
No. 3.	Japanned, "H. and A." Pattern Per Dozen. Per Dozen.	1 24	1.40	

Two Dozen in a Box,

# J. M. Eilers & Co., Cincinnati, O.


## BREAST COLLAR AND BREECHING DEES.








Size		1-2	5-8	3-4	7-8
Phillips'.	Japanned Per Gross,	\$0.90	0.90	1 20	1 40
Sargeant's.	, Japanned Per Gross,	90	90	E 20	1 20
No. 329.	Japanned, Sensible Per Gross,		90	1 20	1.50








Size		1-2	5-8	3-4
Muntz.	Japanned Per Gross,	\$1.10	1 20	1 40
Hull's.	JapannedPer Gross,	1 10	1 30	1 5
Maxwell's.	Japanned Per Gross,	1 10	1 20	1 40

ONE GROSS IN A BOX.

## Shaft Tug Dees.








Size		7-8	1	$1^{-1}s$	$1^{-1}$ 4
No. 464.	JapannedPer Gross,	\$2.90	3 20		1 (10)
No. 451.	JapannedPer Gross,	2 (0)	3.10	3 40	3 80
No. <b>490.</b>	Japanned Per Gross,	1.00	1.10	1 40	1.70


## PINERY HOOKS AND DEES.




Size	Inches,	1 1 2	1 34	2	214	$\frac{2}{2}$ $\frac{1}{2}$
No. 461. Japanned, with Screw and Roller	Per Dozen,	\$2, 20	2 10	2.70	3 00	3 20

PACKED AS WANTED.

## Miners' and Ox Tug Hooks.





Miners' Tug Hooks.


Size	Inches,	1 34	2	21/4	2 1/2
No. 475.	JapannedPer Dozen,	\$2 00	2 20	2.30	2 40


#### Ox Tug Hooks.

No. 477. Japanued, 1¼ Inch. Per Dozen, \$0.40

Two Dozen in a Box.

# Heavy Team Trace Hooks.





No. 514.

Size		•2	24
	unned, with Screw and Roller Per Dozen, \$1 60	1 90	2 20
No. 514. Japa	nned, with Screw and Roller, Spring Snap	3 80	1.00

Two Dozen in a Box.

# J. M. Eilers & Co., Cincinnati, O.

# BRIDLE AND HALTER SQUARES.







Nose Band.


#### Bridle Squares.

Size	1nches,	$58\ge 34$	3-4 x 7-8	7-8 x 1					
Japanned	Per Gross,	51 00	1 10	1 20					
X C	Per Gross,	1 10	1 20	1 30					
Nickel on Composition	Per Dozen,		40	1 10					
Solid Brass	Per Dozen,	*****	80	1 10					
Halter Squares.									
SizeInche	s, 7-8 x 11 <sub>8</sub>	1 x 1 1/4	$1^{\mathrm{I}}_{4} \times 1^{\mathrm{I}}_{2}$	$1^{4}_{2} \times 1^{3}_{4}$					
JapannedPer Gros	s, \$1.60	1 60	2 00	2 60					
X CPer Gros	s, 2.20	2 20	2 80	3 50					
Nickel on CompositionPer Doze	11,	1 20	1 40	1 80					
Solid Brass Per Doze	n,	1 20	1 40	1 80					
Nose Band Squares.									
			P 6	47 ***					


Japanned, 7-8 x 1 lnch	I 50
X C Plate, 7-8 x 1 Inch	2 00

\* ONE GROSS IN A BOX.

# Trace Squares and Tug Loops.








Triangular Tug Loops.

	Trace Bat	au 103.			
Size	55 5 .	Inches, 14 x	$2 = 1^{\text{I}_2} \times 2^{\text{I}_4'}$	$-1_4 \times 2_{1_2}$	2 x 2 <
Japanned		Per Dozen, \$0	70 0.50	1 00	1 10

Japanned	Per Dozen,	\$0.70	0.50	1 00		1 10
Tria	angular Tug Loops.					
Size, Small end		1r	iches. 14	1 12	$1_{2}$	2
Japanned			lozen, \$0.56	0.61	0.50	1.00

Two Dozen in a Box.




No. 1039. No. 1039.

# HALTER LOOPS AND RINGS.







Loop and King.	No. 1689. Loop and Ring.				No. 15. 1,00p.			
** ************************************		Inches,	1		1 14	1	14	
	Per				4 70	5	50	
	Pei				5 20	-6	10	
	Pei				4.70	5	50	
Nº (1 101 4	**			1.3	3		*	

Japanned Per Gross, Nos. 361 and 1069, Quarter Gross in a Box. No. 15, Half Gross.

X C Plate Per Gross,

## Halter Bolts. Full Size Cuts.







	1 111 11.	1.4 111011.	1.5 Inch.		
Size	**** ***** **** **** **** **** **** ****		Inches, 1	1 34	1 1/2
-Japanned			Per Gross, \$1 00	I 20	1 40

HALF GROSS IN A BOX. Web Halter Dees and Rings.



No. 357. Web Halter Dee



No. 346. Web Halter Ring.


Web	Halter	Dees.

Web Haller Beesi	
Size	$\frac{1}{1} \frac{1}{20}$
Wah Halter Pings	

Web Halter Rings. 







Eames' Pattern.

Set consists of 2 Crown Pieces, 1 Swivel, and 2 Nose Pieces.

Size	1 · .
X C Plate	1 60
Over Divine Company 11 or	

One Dozen Sets in a Box.













1 in each Set.

1 in each Set.

No. 364. Set consists of 6 Pieces as illustrated above. To be used with Tubular Rivets. Size \_\_\_\_\_Inches, 1 X C Plate......Per Dozen Sets, \$1.80

ONE DOZEN SETS IN A BOX.





No. 369. Economy.

Size	Inches, 1	1 4
X C Plate.	5 Pieces, (No Buckles or Snaps)	2 20
X C Plate.	7 Pieces, (as Illustrated)	2 70


#### No. 105. Columbus.

Size	1 14
X C Plate. 5 Pieces. Per Dozen Sets, \$3.30	3.80


ONE DOZEN SETS IN A BOX.

For Columbus Trimmings; Cut Crown Pieces, 24 Inches; Throat, 18 Inches; Cheeks, 71/2 Inches each; Nose Band, 13 Inches; Chin Tug, 9 Inches; Buckle Tug, 4 Inches; Chin Strap, 301/2 Inches. Equalling a total of 1131/2 Inches.

#### MALLEABLE IRON TUC HOOKS.




Two Dozen in a Box.



## Wrought Iron Tug Hooks.

## Hooks, Plates and Links.



No 125. Hook, Plate and Links



No. 135. Plate and Links.

51/e		Inches,	2	- 12
No. 125.	Japanned, Hooks, Plates and Links	Per Dozen,	\$3.60	1 20
No. 130.	Japanned, Hooks only	Per Dozen,	1 80	1.90
No. 135.	Japanned, Plates and Links.	Per Dozen.	1.90	2.30

#### BRASS SIDE PLATES.



For Front End of Trace.



For Back End of Trace.

Size, Width of Plate	:3
Solid Brass Plates, with Forged Hooks and Links	9.50

PACKED AS WANTED.



## IX L Draught Springs.

Take jar off Horses' Shoulders in heavy pulling and avoid bruised Shoulders.

Breast Strap Slide.



Breast Strap Support.

Size	Inches,	11, 11,	1 3,
No. 40. Japanned.	Light Pattern Per Dozen, \$	9 60 - 0 60	0.70
No. 60. Japanned.	Heavy Pattern	80	90
No. <b>60.</b> X C Plate.	Heavy PatternPer Dozen,	1 00	1 20
No. 70. Japanned.	"H B" Pattern Per Dozen,	56 56	70
	One Dozen in a Box.		

# Malleable Iron Breast Strap Support. Prevents Ring from Chaffing Breast Strap.

		-			
Size		 	 	 Inches, 112	1 34
No. <b>200.</b>	Japanned,	 	 	 	5 40

HALF GROSS IN A BOX.




Wrought Breeching Clips.
For riveting Breeching Ring instead of sewing in.

Wiath	Towns and	 *****	Inches,	3-4	7-8
No. 332.	Japanned	 ****	Per Gross,	\$1.50	5 ()()

PACKED AS WANTED.

## COCKEYES.



## No. 446. With Wrought Iron Clips.

Japanned.	1 <sub>/2</sub> Inch Per Dozen, \$(	0-80
X C Plate.	1½ InchPer Dozen,	90

ONE DOZEN IN A BOX.



Wrought Cockeye Clips.



Screw Cockeyes for Clips.

## No. 458. Wrought Cockeye Clips.

Japanned.	1½ InchPer Dozen,	\$0.48
X C Plate.	1½ InchPer Dozen,	56

Two Dozen in a Box.

## No. 466. Screw Cockeyes for Clips.

Japanned.	1¼ Inch	0 50
	Two Dozen in a Box.	



No. 33. Swivel Pattern Cockeye.



No. 477. Clip Tug Hook.


#### Swivel Pattern Cockeyes.


, \$1	1 20
ì	, \$1

#### Clip Tug Hooks.

No. 477.	Japanned.	Wrought, Steel Clips	***************************************	Per Dozen,	1	44
----------	-----------	----------------------	---	------------	---	----

#### COCKEYES.






Little Ciant, Loose Rollers.

Malleable Iron.

Size		lnches,	1,4	$1 - \frac{1}{2}$	1 34	**
No. 160.	Japanned, Triangular	Per Dozen,	\$0.40	0.50	0.56	0.72
No. 150.	Japanned, Screw	Per Dozen,	50	56	70	84

Two Dozen in a Box.



No. 37. As Applied.


Combination Clip.

Size	Inches, 1 1/4	1 12	134	2	24
No. 37. Japanued, Clip only					

One Dozen in a Box.



Utility Cockeye.



Cockeye Trace Hook,

# Utility Cockeyes. With Screw and Rollers. Malleable Iron.

The inconvenience sometimes experienced in using ordinary hame clips on account of trace breaking at end of clip is overcome by the use of the Utility, which is self-adjusting and divides the strain equally over the whole width of trace. In repair work its advantage is obvious. Bolts can be easily removed and replaced without disturbing stitching, and without filing old rivets or upsetting new ones.


Sizelnches, 1½	134	2
No. 980. Japanned	1 08	1 28
No. 980. X C PlatePer Dozen, 1 08	I 16	1 40

Two Dozen in a Box.


Cockeye Trace Hook.		
SizeInches,	1.34	2
No. 1440. Japanned, To Rivet	\$2 BO	2 40


ONE DOZEN IN A BOX.

## COCKEYE TOGGLES.





Japanned, Rivet and RollerPer Dozen, \$2	1 34 1 20	2 1 40
One Dozen in a Box.		






## BACK BAND HOOKS.









Ward's as Applied,

H. and A. Pattern.

Ward's Patent.



Daisy Pattern.




#### HAME FASTENERS.





Success Hame Fasteners, Bronzed. Per Dozen, \$5-20
Niagara Hame Fasteners, N.C. Flat Link. Per Dozen, 4-50

## Hame Strap Attachments.







	"NO, 1.	4477					
Size		Inches,	3-4	7-8	1	11/8	114
		Per Gross,		4 40	4.80	6 30	7 50
No. 2.	For Top of Hames	Per Gross,		4 40	4 80		*****
No. 5.	For Bottom of Hames	Per Gross,	4 20	4 30	4.50		

HALF GROSS IN A BOX.

#### Collar Couplers.






With Bolts, Nuts and Washers.

		, <u>, , , , , , , , , , , , , , , , , , </u>	
No. 6.	Cooper.	For Team Collars	\$2.50
		For Team and Medium Draft Collars; 1 Inch Eye	
No. 3.	Blair,	For Concord, Wool Case and Heavy Draft Collars; 14 Inch Eye	2.50





#### COLLAR COUPLERS.




#### Johnson Patent.

This Coupling has been put to every conceivable test by haulers of heavy merchandise, and proven satisfactory. It is Self-locking and prevents Collar from breaking at the throat.

X C Plate.	For Team and Medium Draft CollarsPer Dozen, \$	§ 9 00
	For Concord, Wool Case and Heavy Draft Collars	

# I. X. L. Collar Fasteners.



No. 1.	Japanned.	For Team Collars; 7-8 Inch Buckle	90
No. 2.	Japanned.	For Buggy Collars; 5-8 Inch Buckle Per Dozen,	80
No. 31/2.	Japanned.	For Buggy Collars; 3-4 Inch Buckle	()()
No. 4.	Japanned.	For Team Collars: 114 Inch Buckle	()()


#### An Extra Buckle is to be used with No. 4 Fasteners.

HALF GROSS IN A BOX.

## Reed's Peerless Collar Fasteners.








No. 366 and No. 367. Double

No. 368.	Japanned.	For Heavy Draft Collars	09 0
		Small, For Buggy and Light Draft Collars	
No. 367.	Japanned.	Large, For Heavy Draft Collars Per Dozen,	90

## TRACE CARRIERS.









No. 386 Coopers Improved. To Sew In.

	No.	385.	Coopers,	to	Rivet.
--	-----	------	----------	----	--------

Japanned. 1½ Inch	Per Dozen, \$0	60
X C Plate. 1½ Inch	Per Dozen,	60
No 386. Coopers Improved. To Sew In.		
Size	Inches, 1½	<b>2</b>
Size	Per Dozen, \$0 60 .	
X C Plate	Per Dozen, 60	
Nickel Plated on Iron	Per Dozen, 2 40	
Solid Brass		5 50



No. 389 Reynolds



No. 393 Pinery.

No.	389.	Reynolds	Patent.


Size	Inches,	11	11/2	2
Japanued	Per Dozen,	\$0 60	1 10	1 40
X C Plate			1 10	1 40
Nickel Plated on Iron			3 80	*****
Brass Plated on Iron	Per Dozen,	3 20	3 80	

#### No. 393. Pinery.

	Wo. 353. Finery.	
Japanned	Per Dozen, \$0.76	
X C Plate	Per Dozen. 88	



No. 50 Kiernan's,



No. 355 Zeller

#### No. 50. Kiernan's Patent.

Size	31/2
	0.84
X C Plate Per Dozen, 70	1 00
Solid Brass Per Dozen, 5 00	6 00

#### No. 388. Zeller Patent.

Japanned.	1½ IncliPer Dozen,	\$0.60
X C Plate.	1½ Inch Per Dozen,	60

## HARNESS LOOPS.







Novelty Loop Applied.

#### Novelty Loops.

Size Inches,	5-8	3-4	7-8	1	1 1,	1 ½
Japanned, including Rivets						

 $^{1}_{2}$  to 1 Inch, One Gross in a Box.  $1\frac{1}{8}$  to  $1\frac{1}{2}$  Inch, Half Gross.



Perfection Loop.



Perfection Loop Applied.


#### Perfection Loops.

Size	Inches,	1-2	5-8	3-4	7-8	1	1 1 s	1.4	1 12
JapannedPe	er Gross, Ş	\$1.70	1 90	2 10	2 - 30	2.70	3 30	3 80	4.70

 $\frac{17}{2}$  and  $\frac{5}{6}$  Inch, One Gross in a Box. Others, Half Gross.



Economy Loop.




Economy Loop Applied.

#### Economy Loops.

SizeInches. 1-2	5-8	3-4	7-8	1	118	1 14	1 1/2
Japanned Per Gross, \$1 40	1.50	1 60	1.80	2 10	2 40	2.50	2.80

 $^{12}_{2}$  to I Inch, One Gross in a Box.  $~1^{12}_{8}$  to  $1^{1}_{2}$  Inch, Half Gross.



#### Fluted Wire Tuck Loops.

SizeInches,	3-8	1-2	5-8	3-4	7-8	1	1 1 s	1.4	112
JapannedPer Gross,	\$0.28	0.32	0.38	0.44	0.52	0.60	0.72	0.80	0.92
X C PlatePer Gross,							72		55
Nickel Plated Per Gross,	46	52	60	70	82	96	1 20	1 30	1 54

Two Gross in a Box,

#### HARNESS LOOPS.







Twofold Loop Applied.

Twofold Loops.

Size	5-8	3-4	7-8	1	11/8	11/4	1 1/2
JapannedPer Gross, \$1.70	1 90	2 IO	$2 \ 30$	2.70	3 30	3 80	4 70

12 TO 1 INCH, ONE GROSS IN A BOX. 11/8 TO 11/2 INCH, HALF GROSS.







Imperial Loop Applied.

	Imperial Loc	, ps.						
Size	1nches, <b>1-2</b>	5-8	3-4	7-8	1	11/8	14	1 1/2
Janannod	Per Gross #1 70	1.90	9 10	9 30	9 70	3 30	3.80	4.70

12 TO 1 INCH, ONE GROSS IN A BOX. 11/8 TO 11/2 INCH, HALF GROSS.



Twin Loop.




Twin Loop Applied.

	Twin Loops	S.						
Size	1nches, 1-2	5-8	3-4	7-8	1	11/8	11/4	1 1/2
Japanned	Per Gross, \$1 70	1 90	2 10	2.30	2 70	3 30	3 80	4 70
X C Plate		2 40	2.80	3 10	3 60	-4.00	1 60	5 50

 $\frac{17}{2}$  to 1 Inch, One Gross in a Box.  $-1\frac{17}{2}$  to  $1\frac{17}{2}$  Inch, Half Gross.





As Applied.



Showing Reversed Position for Under Loop.



As Applied.

Single	Twin	Loons

	emgie i i i i i i i i i i i i i i i i i i							
Size	Inches, 1-2	5-8	3-4	7-8	1	1 t 8	1 4	1 1/2
Japauned	Per Gross, \$1 00	1 10	F 20	1 30	1.50	2 00	2 20	2 80
V. C. Plate	Per Gross, 1/20	1.30	1 40	1.70	2 00	2 20	2.80	-3.00

ONE GROSS IN A BOX.

# J. M. Eilers & Co., Cincinnati, O.



Single Twin Loop for Hame Tugs.

## HARNESS LOOPS.




Single Twin Loop as Applied.

## Single Twin Hame Tug Loops.

Size	Inches,	1	$1^{\tau_{\rm S}}$	14	<b>1</b> <sup>1</sup> ,	1 3,7
Japanned	Per Gross,	\$2 10	3 20	3 60	3 80	4 00
X C Plate						4 00
Nickel on Composition	Per Dozen.	70	50	90	I 00	1 10
Solid Brass	Per Dozen,	70	80	90	1 00	1 10


ONE GROSS IN A BOX.



No. 340. Perfection Hame Tug Loops.

Size Inches,	1 1,	1.12	1 34
Japanned Per Dozen,	\$0.30	0.30	0 32
X Ĉ Plate	32	34	36
Nickel Plated Per Dozen,	60	60	70

ONE GROSS IN A BOX.









Hip Strap.




Hame Strap.

Spreader Strap.





Check Line,



Pole Strap.

## Cuts Illustrate Different Kinds of Work Using Flexible Loops.

Size	Inches, 1-2	5-8	3-4	7-8	1	138	114	112
Japanned		1 50	1.70	1 80	2 10	2 70	3 ()()	Ŧ ()()
X C Plate	Per Gross, 1 70	1 80	2 ()()	-2 - 30	2 70	3 00	$-3 \pm 0$	1/20

ONE GROSS IN A BOX.

#### MOELLER HAME TUCS.







Two Loop.


1 70

ur.
Ì

No Loop, in Sets of Four.			
Size	nches, 114	1 ½	134
Japanned or X C PlatePe	er Set, \$0.90	1 10	1 20
Two Loop, in Sets of Four.			
Size Inches, 1	4 11/2	134	2

PACKED AS WANTED

## Moeller Hame Tug Hooks.




Japanned or X C Plate, for No Loop Tugs; Size, 14, 1½ or 1¾ Inch	, ≸0 50
Japanned or X C Plate, for Two Loop Tugs; Size, 14 or 1½ Inch	50
Japanned or X C Plate, for Two Loop Tugs; Size, 134 or 2 Inch	70

Two Dozen in a Box.

## Adjustable Slide Hame Tugs.



No. 479. No Loop.



No. 478, Two Loop,

No Loop.	in	Sets	of	Four.

Size	1 1/2	134
No. 479. Japanned or X C Plate	1 10	1/20

#### Two Loop, in Sets of Four.

Size	i, 14	112	134
No. 478. Japanned or X C Plate	, \$0.90	1 20	1 40

PACKED AS WANTED.

# J. M. Eilers & Co., Cincinnati, O.

#### BAC SNAPS.







No. 220 R. Round Eye.

No. 220. F	₹oyal, L	oop E	Eye.
------------	----------	-------	------

SizeInches,	1-2	5-8	3-4
X C Plate, with Rust Proof Springs	\$2 10	2 40	2 40
Nickel Plated, with Rust Proof SpringsPer Gross,	2 80	3 (00	3.40

ONE GROSS IN A BOX.

#### No. 220 R. Royal, Round Eye.

X C Plate, 3-8 Inch Eye, Rust Proof Springs	.Per Gross, \$2-40
Niekel Plated, 3-8 Inch Eye, Rust Proof Springs	Per Gross, 3 00

ONE GROSS IN A BOX.



No. 23. Swivel, Loop Eye,



No. 23 S. Swivel Round Eye.

#### No. 23. Swivel, Loop Eye, With Rollers.

Size	Inches,	1-2	5-8	3-4	7-8
Nickel Plated	Per Dozen,	\$0.50	0.50	0.50	0.50


ONE GROSS IN A BOX.

#### No. 23 S. Swivel, Round Eye.

ONE GROSS IN A BOX.



No. 21. Loop Eye



No. 220 B. Loop Eye.

#### No. 21. German Baby, Loop Eye.


Size Inches,	1-2	5-8	3.4
Japanned or X C Plate	\$2 10	2 40	2.70

ONE GROSS IN A BOX.

#### No. 220 B. Royal Blanket, Baby, Loop Eye.

Size	Inches,	7-8	1	1 1 s	112	2
X C Plate, Rust Proof Springs	Per Gross,	<b>#3</b> -00	3 20	3 50	4 00	4.70

78 TO 11/2 INCH, HALF GROSS IN A BOX. LARGER, ONE-THIRD GROSS.





#### German Loop Eye, Heavy Pattern.

SizeInches,	5-8	3-4	7-8	1	1 1/4	1 1/2	1 3/4	2
Bronzed, with Flat SpringsPer Gross,	<b>\$3</b> 12	3.12	3 12	$^{3}$ 12	5 50	7 20	9 10	10 40
Bronzed, with Flat Springs, Extra Long Heavy Pattern, 1 Inch				·· ·· · · · · · · · · · · · · · · · ·		1	Per Gross	, \$6 00

5% to I Inch, Half Gross in a Box. Larger, Quarter Gross.

#### Cerman Round Eye.

Size	5-8	3-4
Bronzed, with Flat Springs	\$4 40	5 40

HALF GROSS IN A BOX.




No. 7. English Loop Eye.

#### Forged Loop and Hook, Blued Steel Springs.

Size	Inches,	7-8	1	118	1 14	1 1/2
Japanned, Length, 312 Inches						
Nickel Plated on Solid Brass, Length 312 Inches	Per Dozen,	3 30	3 30	*****		
Solid Brass, Length, 31, Inches	Per Dozen	3 30	3.30			

PACKED AS WANTED.







No 452. Breeching.

# No. 8. English Billet Open Eye. Blued Steel Springs.


Nickel Plated on Solid Brass, Length 31, Inches, 12 Inch Open Eye	)
Solid Brass, Length, 3 <sup>1</sup> <sub>2</sub> Inches, <sup>1</sup> <sub>2</sub> Inch Open Eye	

PACKED AS WANTED.

#### No. 452. Breeching.

HALF GROSS IN A BOX.





Polo Loop Eye.


Derby Loop Eye

#### No. 70. Covert Polo Loop Eye, Rust Proof Springs.


•								
Size	3-4	7-8	1	1 1 8	1 14	112	1 3	22
Initation Rubber, Gilt Springs	4 40	4 40	1 40	6 20	7.50	8.30	9.20	12.90

#### No. 1. Covert Derby Loop Eye, Rust Proof Springs.

58 to 1 Inch, Half Gross in a Box. Larger Sizes, Quarter Gross.



Derby Round Eye.




Derby Trace.

#### No. O. Covert Derby Round Eye.

Size	Inches,	5-8	3-4
X C Plate, Rust Proof Springs	er Gross	\$5,00	5.00

#### No. 735. Covert Derby Trace Carrier.

ALL ABOVE HALF GROSS IN A BOX.



Derby Bit



Buffalo Bit.


#### Covert Derby Bit.

HALF GROSS IN A BOX.

#### No. 421. Buffalo Bit.

Japanned.Flat Springs, Length, 2 Inches.Per Gross, \$4-20X C Plate.Flat Springs, Length, 2 Inches.Per Gross, 4-20

ONE GROSS IN A BOX.





SizeInches, 5-8	3-4	7-8	1	118	1 4	1 ½	1 34	2
X C PlatePer Gross, \$4 80	4.80	4 80	4.80	6 50	7.70	8.70	9 50	10 80

58 TO 118 INCH, HALF GROSS IN A BOX. LARGER SIZES, ONE-THIRD GROSS.

# No. 19. Covert Trojan, Round Eye.

SizeInches. 5-8	3-4
X C PlatePer Gross, \$5.40	5 70

HALF GROSS IN A BOX.





Covert Trojan, Open Eye.

No. <b>520.</b>	$\mathbf{X}$ (	' Plate Bit Snap.	Length 3 Inches, LightPer D	ozen, \$0 50
			p. Length 3 ½ Inches, MediumPer D	
No. <b>522.</b>	$\mathbf{x}$ $\mathbf{c}$	Plate Trace Snap	). Length $3\frac{3}{4}$ Inches, HeavyPer D	ozen, 90


Nos. 520 and 521, Half Gross in a Box. No. 522, One-third Gross.

### Covert Double Snaps.

No. 510,	$\mathbf{X}$ C	Plate.	Length 3 Inches, Light	50 S4
No. <b>511.</b>	$\mathbf{X}$ C	Plate.	Length 4 Inches, Medium Per Dozen,	1 00
No. 512.	$\mathbf{X}$ C	Plate.	Length 434 Inches, Heavy	I 24

Half Gross in a Box.





Covert High Crade Open Eye.


	•	•
No. 44. X C Plate Bit S	nap. Leugth 3 Inches, Light	Per Dozen, \$0.70
		Per Dozen, 80
		Per Dozen, I 10
No. 5. X C Plate Giant	Trace Snap. Length 5 Inches, Extra Heav	Per Dozen, 3 50

NOS. 44 AND 46, HALF GROSS IN A BOX. NO. IS AND 5, ONE-THIRD GROSS.

#### Covert Patent Round Eye Swivel.

No. 40.	X C Plate.	3-4 Inch Eye, Heavy. , Length 312 Inches	90
		1 Inch Eye, Extra Heavy. Length 41, Inches	

No. 40, Half Gross in a Box. No. 3, Quarter Gross.







No. 11, Loop Eye.

No. 10. L	ock, Loo	p Eye.
-----------	----------	--------

Size		
34 TO I INCH, HALF GROSS IN A BOX. LARGER, QUARTER GROSS.		

# No. 11. Trigger Loop Eye.

Size,	5-8	$^{3-4}$	7-8	1	1 14	1 12
X C Plate Per Dozen, \$0	J 76	0.76	0.76	0.76	1 00	1 20
Imitation Rubber, Gilt Tongues	76	76	76	76	1 (0)	1 20

5% to 1 Inch, Half Gross in a Box. Larger, Quarter Gross.



No. 4. Loop Eye.



Yankee Swivel Loop Eye.

#### No. 4. Hubbard Loop Eye.


SizeInches,	5-8	3-4	7-8	1	1 14	1 12
X ('Plate, with Brass Lever Springs	\$0.76	0.76	0.76	0.76	1 00	1/20

5% TO I INCH, HALF GROSS IN A BOX. LARGER, QUARTER GROSS.

#### Yankee Swivel Loop Eye.

Size Inches, 7-8	1	1 4	1 12
X C Plate, with Brass Lever SpringsPer Dozen, \$1 10	1/20	1/30	I 40

QUARTER GROSS IN A BOX,



Imperial Loop Eye



Gem Loop Eye.

#### Imperial Loop Eye.

Size Inches, 5-8	3-4	7-8	1	118	1 14	1 12	134	2	<b>2</b> 1 <sub>4</sub> ′	• 1 r <sub>2</sub>
Imitation RubberPer Dozen, \$0.66	0.66	0.66	0.66	0.76	0.80	1.00	I 20	1 40	I 11	1.50

5% to I Inch, Half Gross in a Box. Larger, Quarter Gross.


#### No. 32. Gem Loop Eye.

Size	Inches, <b>5-8</b>	3-4	7-8	1	1 1/8	1 14	1 12	134	2
X C Plate	Per Gross, \$5-40	5 <del>4</del> 0	5 40	5 - 40	7 50	8 60	9 50	10/80	12/60
<b>Imitation Rubber, Gilt Tongues</b>	Per Gross, 5-40	5 40	5 - 40	5 10	7 - 50	8 60	9 50	10/80	12 60
Nickel Plated	Per Dozen, 1 I0	I 10	1 10	I 10	1.50	1 70	1.90	2 20	2 60
Brass Plated									

 $\frac{52}{58}$  to 1 Inch, Half Gross in a Box. Larger, Quarter Gross.

#### COVERT "YANKEE" HARNESS SNAPS.

Brass Lever Springs.





No. 810. Loop Eye, X C Plate.

118 114 1 1/2 134 5 40 5 90 6 00 7 - 3010 40 11 90 16 90 17 50 5% TO 11% INCH, HALF GROSS IN A BOX. LARGER, QUARTER GROSS.

No. 815. Round Eye, X C Plate.

5-81 Price Per Gross, \$5 40 5.70 10 40

HALF GROSS IN A BOX.







Double.

Open Eye, X C Plate.

No. 825.	Chain Snap	\$0.60
No. <b>826.</b>	Trace Snap	1.00
No. 827.	"Giant" Snap, Extra Heavy	2.70

Nos. 825 and 826, One-third Gross in a Box. No. 827, Quarter Gross.

Double Snaps, X C Plate.

No. 854.	MediumPer Dozen, \$0	84
No. <b>855.</b>	Heavy Per Dozen, 1	44
No. <b>856.</b>	Extra Heavy	70

HALF GROSS IN A BOX.







Swivel.

Round Eye, Chain, X C Plate.


No. 820.	3 8 Inch Eye, Chain Snap	\$0.50
No. <b>821.</b>	1-2 Inch Eye, Trace Snap Per Dozen.	90
No. <b>822.</b>	5-8 Inch Eye, "Giant" Snap, Extra Heavy	2 50

Nos. 820 and 821. One-third Gross in a Box. No. 822, Quarter Gross.

Round Eye, Swivel, X C Plate.

No. 832.	3-4 Inch Eye Per Dozen, \$0.80	0
No. 834.	I Inch Eye Per Dozen, 1 3	()

#### BREAST CHAIN SNAPS.





#### No. 850. Covert Yankee Center Breast Chain Snap.

X C Plate.	Length 5 1/2 Inches	Per Dozen, \$\psi\$	\$5.00

### No. 86. Imperial Breast Chain Snap.

X C Plate..... Per Dozen, \$4 00



#### Breast Chain Roller Snap.

ALL ABOVE, ONE DOZEN IN A BOX.





Covert Yankee Martingale Snaps.

No. 846.	X C Plate.	1 ½ Inch Loop
		134 Inch Loop


QUARTER GROSS IN A BOX.

### Covert Yankee Swivei Trace.

Numbers	868	869	870	871
Size of D Inches, 1 <sup>1</sup> 2	1 34	2	$2^{i_{4}}$	$2^{1}$
X C Plate. Screw and Roller Per Dozen. \$3.00				

ONE DOZEN IN A BOX.


#### BREAST STRAP SNAPS AND BUCKLES.



No. 459



No. 138.



No. 413.



Breast Strap Toggle. Cut shows Toggles on Ends of Breast Strap.



Combination Snap and Slide.


-			
No 8	2 Breas	Strap	Toggles.

# HALF DOZEN PAIRS IN A BOX. No. 46. Combination Snaps and Slides.

 Size
 Inches, 1½
 1¾


 X C Plate
 Per Dozen, \$2 70
 2 90

ONE DOZEN IN A BOX.



No. 474.

SizeInches,	1 1/2	1 34
No. 454. X C Plate Per Dozen, \$	1.70	2 00






Yankee.

Size	Inches,	1,12	134	2
Yankee X C Plate, Loose Rollers, with Brass Lever Springs.	Per Dozen,	\$2 30	2 60	2 90




No. 439,

Size	, 11/2	1 34	2
No. 439. X C Plate, Loose Roller, Lever Snaps			



No. 409.


Size	Inches,	1 12	1 34	2
No. 409. X C Plate, Loose Roller, Swivel Snap	Per Dozen,	\$3.30	3 50	3 80



Bristol

SizeInche	$s_1 = 1^{-1}2$	$-\mathbf{E}_4$
Bristol, X C Plate, Large Roll and Rivet	1, \$3 20	3 40


#### CHOKE STRAP ROLLER SNAPS.



Size	Inches,	11/2	134
No. <b>845.</b> X C Plate.	With Screw and RollerPer Dozen,	<b>\$1</b> 20	1 40

#### Boston Backers.


#### Combined Bolt Snap And Screw Dee With Loop.




 Size
 Inches,
 1½
 1¾
 2
 2¼

 No. 330.
 X C. Plate. In Sets of Four
 Per Set,
 \$1.30
 1.40
 1.50
 1.60

# Combination Loop and Roller Breast Snaps.







Cut shows Martingale or Choke Strap, being Inserted in Loop.

Saves from 8 to 10 Inches on Martingale or Yoke Straps. 6 to 8 Inches on Breast Straps. Does away with Collar Strap, which is always inconvenient and usually out of repair.

Volvo Stran in Now Daviso is attualed to Breast Stran

Yoke Strap in New Device is attached to Breast Strap.

One Clip of Snap hitches Breast Strap and Yoke Strap to or detaches from wagon.

Screw should always be riveted on end, after Strap is adjusted and Loop attached to Snap.

Size		Inches, 11	2 34
No. 97.	X C Plate.	Bronzed Rollers Per Dozen, \$3 5	50 4 00



# BUCKLES.



Bag	St	ra	p
-----	----	----	---

	,	Halter	Buckles

Size	5-8	3-4	7-8	1
X C Plate Per Gross, \$1 10	1 30	1 50	1.70	1-90
ONE Chose IN A ROY				

#### Bag Strap Buckles.

SizeInches, 3-8	1-2	5-8	3-4	7-8	1
Nickel Plate Per Gross, \$1 00	1 00	1 20	1 50	1 80	2 - 30
36 to 36 Inch. Two Gross in a Boy. 76 to 1 Inch. One Go	ROSS				



shoe.

Skate.

Sho	e Buckles. Imitation Roller.					
Size		1-2	5-8	3-4	7-8	1
Japanned	Per Gross, \$0-80	0.80	0.84	1 10	1 40	1.50
X C Plate	Per Gross, 84	84	I (0)	1 20	1 60	1/80
	ONE GROSS IN A BOX.					

### Skate Buckles. Loose Roller.

Sizeluches, 3-	-8 1-2	5-8	3-4	7-8	1
Japanned	84 - 0.84	1 00	1 20	1 50	1 80
X C PlatePer Gross, 1	00 - 1 00	1/20	1 40	1.70	2 00
One Gross in a Box.					



Fly Net.



Spur Stray



Roller Buot



# Fly Net Buckles.

Japanned.	3-8 and 1-2 Inch	Per Gross, \$0-80
	One Gross in a Box.	

# Spur Strap Buckles.

Sizelnches, I-2	5-8
X C Plate	0.90
ONE GROSS IN A ROY	

### Roller Boot Buckles.


Sizelnches, 3-8	1-2	5-8	3-4
Nickel Plate Per Gross, \$1 60	1 60	2 (0)	2 20
Two Gross in a Box.			

# Novelty Buckles.

Nickel Plate.	Size 3-8 Inch
	One Gross in a Box.

#### BRIDLE BUCKLES.






No. 14. Wrought Sensible Bridle.

Size	Inches,	1-2	5.8	3-4	7-8	1	1 1/4
X C Plate	Per Gross,	\$0 S0	1 00	1 20	1.40	2 00	3 30

#### No. 131. Kangaroo Bridle.

SizeInches,	1-2	5-8	3-4	7-8	1	14
X C PlatePer Gross,	\$1.10	1 40	1.70	2 10	2 40	3 30






No. 171. English Wire Center Bar Bridle.

SizeInches,	1-2	5-8	3-4	7-8	1	11/8	1 1/4
X C PlatePer Gross,	\$1.10	1 40	1 70	2 10	2 - 40	2/80	3 30

#### No. 161, Ideal Bar Rein Bridle.

Size	1-2	5-8	3-4	7-8	1	11/8	1 1/4
X C PlatePer Gross,	\$1.10	1 50	1 90	2 40	2.80	3 50	1 40





No. 308. English Bridle.

Size	3-8	1-2	5-8	3-4	7-8	1	118	1 4
Nickel on Composition Per Gross,	\$3.20	3 20	3 60	4 - 30	5 40	6.40	7 50	9 00
Solid Brass	3 20	3 20	3 60	4 30	5 40	6 40	7-50	9.00
Solid White MetalPer Gross,	4/20	1/20	1.80	5 50	6-60	8 00	9.50	11 60

# No. 36. Imitation Stitched Bridle.

Sizelnches,	3-8	1-2	5-8	3-4	7-8	1
Russet, CoveredPer Gross,	\$1 10	1.40	1.50	1.80	2 20	2 60



#### No. 92. Roller, Wrought Steel, Bent Heel.

SizeInches, <b>5-8</b>	3-4	7-8	1	$\mathbf{I}^{1}_{\mathrm{S}}$	$1^{-t_4}$	1 1 2	1 34	2
Japanued Per Gross, \$0.70	0.90	I 20	1 40	1.70	1 90	2 20	2 70	3 60





No 51. Dropped Heel.

#### Malleable Iron Barrel Roller.

#### No. 50 or 51.

SizeInches, 1-2	5-8	3-4	7 S	1	115	114	112	134	2	$2\tau_{\!_{\!4}}$	212
JapannedPer Gross, \$0 90	1 00	1 20	1 40	1 60	1 50	2 20	2 60	3 30	1 ()()	4 60	5 30
X C PlatePer Gross. 1 00	1 20	1 40	1 60	I 80	2 20	2 60	3 30	1 (10)	4 60	5 30	$G_{-}(0)$

 $^{1}_{2}$  AND  $^{3}_{8}$  Inch, Two Gross in a Box.  $^{3}_{4}$  to  $1^{4}_{8}$  Inch, One Gross.  $1^{4}_{4}$  and  $1^{4}_{2}$  Inch, Half Gross.  $1^{3}_{4}$  to  $2^{4}_{2}$  Inch, Quarter Gross.



No. 52.



No. 77.

## No. 52. Heavy Pattern.

Size	7-8	1	11,	14	$1^{-1}2$	1 34	2	21,	$\mathbf{P}_{1^{2}}$
JapannedPer Gross, \$1-10	1 (30)	1 90	2 40	2.70	3 40	1-10	1 80	6.10	() 5()
X C Plate Per Gross, 1 60	I 90	2 10	2 90	3 40	1.10	5 10	5 50	ī 10	<u>-</u> ~()

 $^34$  to 1 Inch. One Gross in a Box.  $1\,^4_4$  to  $1\,^4_2$  Inch, Half Gross.  $1\,^34$  to  $2\,^4_2$  Inch, Quarter Gross.

#### No. 77. Diamond Roller, Heavy Pattern.


Size	 Inches,	7-8	1	$1^{4}$	$-1^{\pm_2}$
X C Plate	 Per Gross,	\$1 (0)	2 40	3 40	4-10




No. 62. Wire Horse Shoe.

Size	5-8	3-4	7-8	1	11/8	11/4	1 1/2
JapannedPer Gross, \$0 70	0.80	1 00	1 30	1.70	2 - 40	2 70	4 10

 $\frac{1}{2}$  to  $\frac{7}{8}$  Inch, One Gross in a Box. 1 Inch to  $1\frac{1}{2}$  Inch Half Gross.






No. 132.


# No. 140. Sham Roller.

Size Inches, 1-2	5-8	3-4	7-8	1	138	11/4	1 ½
JapaunedPer Gross, \$1 00	1 20	1 60	2.10	2 40	3 00	3 70	4 90
X C PlatePer Gross, 1 10	1.50	1 90	2 - 40	2.80	3 50	4 40	5 60

#### No. 132. Kangaroo.

Size	Inches,	1-2	5-8	3-4	7-8	1	114	1 1/2
X C Plate	Per Gross,	\$1-20	1.70	2 10	2.70	3 30	4 90	6 10






#### No. 120. Bar Rein.

SizeInches,	1-2	5-8	3-4	7-8	1	118	134	1 1/2
JapannedPer Gross,	\$1 OO	1 20	1 60	2 - 10	2 - 40	3 00	3 70	4 90
X C PlatePer Gross,	1 10	1 50	1 90	2/40	2.80	3 50	4 40	5 60


# No. 150. Loop Roller.

SizeInches, 12	5-8	3-4	7-8	1	1 1/8	I 14	1 1/2
JapannedPer Gross, \$1 20	1 30	1.70	2/20	2-50	3 20	3 80	4 90
X C Plate Per Gross, 1 40	1 60	2.10	2.50	3 10	3 70	4 40	5 60

All Above  $\frac{1}{2}$  to  $\frac{3}{4}$  Inch, One Gross in a Box.  $\frac{7}{8}$  to  $\frac{1}{8}$  Inch, Half Gross.  $\frac{1}{4}$  and  $\frac{1}{2}$ , Quarter Gross.



No. 93. Union Loop Roller.




No 93. Union Loop Roller as Applied.

#### No. 93. Union Loop Roller Buckles.

Especially adapted for use on Hame, Breeching, Hold-back, Breast, Choke, Spreader or Stirrup Straps, or for any other Harness Parts, where Double Loops are used in connection with Buckles.

Size	5-8	3-4	7-8	1	1 1 ś	1 <sup>1</sup> +	1 12	134
JapannedPer Gross, \$2 70	2.70	2.90	3 30	3.80	4 40	5 20	6-60	9.30
X C Plate Per Gross, 3 20	3 40	3.70	4 20	4.50	5 40	6-30	7 70	10 40

1/2 to 34 Inch, One Gross in a Box. 78 to 11/8 Inch, Half Gross. Others, Quarter Gross.



Noble's Billet Buckle.



Noble's Billet Buckle Applied.

#### Noble's Billet Buckles.

Save Leather, besides adding to the appearance of Harness. A great advantage wherever Billets are ordinarily used.

Size	Inches, 1-2	5-8	3-4	7-8	1	11/8	174	$11_2$
Japanned	Per Gross, \$3-20	3 40	3.70	4 50	1.70	5 40	5 50	7 00
Y C Plate	Per Gross 3 60							



No. 1880.




No. 1880 Applied.

N o	1880.	Dain	Ruck	loc

SizeHnches, 5-8	3-4	7-8	1	1 1 s	14
Jananned Per Gross, \$1 60	1.70	2 20	2 30	2 80	a 20
X C Plate Per Gross, 1 90	1.90	2 50	3 00	3 50	3 90

12 TO I INCH, ONE GROSS IN A BOX. OTHERS, HALF GROSS



Conway Loop Buckle.




Conway Loop Buckle as Applied.


#### Conway Loop Buckles.

		-								
Size	Inches, 3-8	1-2	5-8	3-4	7-8	1	1 1/8	1 1,	1,12	1 34
Japanned	Per Gross, \$1 40	1.50	1.70	2 00	5 30	5 30	3 80	1 10	6 30	11
X C Plate	Per Gross, 1 40	1 50	1.70	2.00	2.30	5 80	3 80	1.40	6 30	111
Nickel Plated	Per Gross, 3-80	4 00	1.30	4.70	5 (H)	5 - 10	6 00	5 70	11 10	T*) I()
Proce Distad	Pur Gross 2 80	00.1	4.30	1.70	5 00	5 40	6 00	8 70	11 - 40	15 - 40

38 to 12 Inch, Two Gross in a Box. 34 to 1 Inch, One Gross. Others, Half Gross








No. 98 Loose Roller

No. 14. Imitation Roller.	NO. 25. 130	ose Roner	•	
Size	Inches, 5-8	3-4	7-8	1
Nickel on Iron				2.90
Imitation Rubber, Gilt Tongue	Per Gross, 1 60	2 00	2 10	2.90
Sargeant Rubber, Gilt Tongue				50
ONE GROSS IN A BOX.				

### No. 23. Loose Roller.

X 0. 10. 100	00 110.							
SizeInches,	5-8	3-4	7-8	1	118	114	1 1/2	13,
Nickel on IronPer Gross,	\$1 SO	2.00	2.40	2 90	3 80	4 70	6.20	8 00
Imitation Rubber, Gilt Tongue Per Gross,	1 80	2 00	2 40	3 90	3 80	4 70	6.20	8.00
Nickel on CompositionPer Dozen,	36	41	60	70	90	1/20	I 60	-2.70
Solid BrassPer Dozen,	36	44	60	70	90	I 20	1 60	2.70
Solid White MetalPer Dozen,	84	1 16	1.50	1 70	2.70	3 20	3 80	
Silver Close Plate on Solid White MetalPer Dozen,	2.70	2 90	3/20	3 60	1/20	4 80	6 20	
Aluminum BronzePer Dozen,	1 20	I 60	1 90	2 - 40	3 60	$\pm 30$		

5% TO 7% INCH, ONE GROSS IN A BOX. LARGER, HALF GROSS.



No 49, Roller.



No. 39. Griffiths Girth,

No. 49.	Malleable	Iron.	Sensible	Roller.

SizeJapanned with X C Tongue and Roller							
To 78 Inch, One (	Gross in a Box. I to	$11\frac{1}{2}$ In	сн, Паг	F GROS	s.		


# No. 39. Criffith's Cirth

No. 39. Grimith's Girth,			
SizeInches,			1
Japanned Per Gross,	\$2 40	3 10	3 80
Imitation Rubber, Gilt Tongue and Roller Per Gross,	3 60	3 80	4 40
Nickel on Iron	3 60	3 80	4 - 40
Nickel on Composition Per Dozen,	I 00	1 20	1 30
Solid Brass Per Dozen,			
Solid White Metal Per Dozen,	I 50	I 50	F 70
Aluminum Bronze Per Dozen,			2.30

HALF GROSS IN A BOX.



No. 99 English Guth



No. 101. English Stirrup.

No.	99.	English	Cirth.


Sizelnches, 1	1.47
X C Plate Per Dozen, \$0.30	0.40

#### HALF GROSS IN A BOX.

No. 101. English Stirrup.				
SizeInches,	1	1 1 s	1 14	$-1^{-1}2$
X C Plate	\$0.36	0.11	0.50	0.64







Sensible

Wire	Bent	Heel	Har	ness.
------	------	------	-----	-------

SizeInches, 3-8	1-2	5-8	3-4	7-8	1	1 ts	1 1/	112	1 34
JapannedPer Gross, \$0.70		1 00		$1^{-60}$	2.00		3 00	4 10	
Japanned, with X C TonguePer Gross, 90	90	-1.10	1 40	1 80	2.50	3 00	1.10	5 00	
X C PlatePer Gross, 90		1 10	1.40	1 80	2.50	3 00	4.10	5 00	
Imitation Rubber, Gilt TonguePer Gross, 1 60	1 00	1/30	1 50	I 92	2.70	3 40	4 50	5 70	*****
Nickel on CompositionPer Gross, 1 90	1 90		3 40	1.60	5 90	S 00	9.90	13/70	29 00
	1 90	2.50	3 40	£ 60	5 90	8 00	9 90	13-70	29 00

1/2 TO 7/8 INCH, ONE GROSS IN A BOX. LARGER, HALF GROSS.

#### Sensible Harness.

SizeInches,	1-2	5-8	3-4	7-8	1	11/8	14	112	1 34
X C Plate, Straight HeelPer Gross,	£0 90 =	1 10	1 40	1 90	2 40	3 20	3 90	5.00	*****
Nickel on Composition, Bent HeelPer Gross,	<sup>*</sup> 2 00	2 60	3 70	4 60	6.70	8.50	11/50	15/20	19/20
Solid Brass, Bent HeelPer Gross,	2 ()()	2 60	3 - 70	1 60	6 70	8 50	11-50	15 - 20	19 20

1/2 TO 7/8 INCH, ONE GROSS IN A BOX. LARGER, HALF GROSS.



Elberon Pattern.



Summit Pattern

Elberon Pattern.									
Size. Nickel on Composition Solid Brass.	Per Dozen,	\$0.30	0.40	0.50	(0.70)	0.90	1 10	1 50	2.10


 $^3{}^+_8$  to  $7{}^+_8$  Inch, One Gross in a Box. Larger, Half Gross.

S	mm	. i +	Da.	++0	rn

Size	Inches,	1-2	5-8	3-4	7-8	1	118	1 14	1 12
Nickel on CompositionPe	er Dozen,	\$0.41	0.51	0.70	0.90	1 10	1 50	1 90	2 40
Imitation Rubber, Gilt Tongue, Gilt FacePe	er Dozen,	44	5 <del>[</del>	70	90	1.40	1 50	1 90	2 40
1/2 TO 7, INCH, ONE GI	ROSS IN A	Box. I	LARGER,	HALF G	ROSS.				




No. 100.



No. 110

. 10. 100.	-411, I	111		
No. 100. Wire Bent Heel Pattern, Guarded Tongues.				
Size	5-8	3-4	7-8	1
Nickel on Composition Per Gross,	\$3, 36	1 10	5 60	6.60
Imitation Rubber, Gilt Tongues	3 36	1 40	5 60	6 60
No. 110. Sensible Bent Heel Pattern, Guarded Tongues.				
SizeInches,	5-8	3-4	7-8	1
Nickel on Composition Per Gross,	\$3, 60	1.80	6 00	7 (0)
Solid Brass Per Gross.	3 60	1.80	6 00	7 40

ONE GROSS IN A BOX.







No. 70. French Wire, Loose Roller.

No. 10, Plench wite,	No. 10. French Wire Harness.			.40.	in. Tresse	ii wiic, i	Jose Rone	
Size	lnches, <b>1-2</b>	5-8	3-4	7-8	1	1 1/8	1 1/4	11/2
Initation Rubber, Gilt Tongue	Per Gross, \$1-40	1 50	2 00	3 30	3 50	4 30	5 20	7 50
Nickel on Composition	Per Gross, 2 70	3 60	4 50	6.30	8 00	9 80	12-50	-17 - 00
Solid Brass	Per Gross, 2 70	3 60	4.50	6-30	8 00	9 80	12-50	-17 - 00
Solid White Metal	Per Dozen, 40	50	60	90	1 10	F 60	1 90	2 - 20
Silver Close Plate on Solid White Metal.		2.00	2.30	2.50	3 20	3 90	4.80	7.70

#### No. 70. French Wire, Loose Roller.

Size	Inches,	5-8	3-4	7-8	1	11%	1 1/4	1 1/2
Nickel on Composition								$2 \overline{20}$
Solid Brass								2 20
Solid White Metal	Per Dozen,	1 00	1 30	F 70	2 30	2.70	3 90	4 (9)
Silver Close Plate on Solid White Metal	Per Dozen,	2.80	2.90	3 30	3 90	4 40	5 30	8 30



No. 75. Swedge Pattern,



No. 66 Swedge, Loose Roller.


No. 75	Swedge	Pattern	Harness.
110. / J.	SWEUZE	Fattern	mariicaa.

Size	Inches.	1-2	5-8	3-4	7-8	1	138	1 1/4	1 1/2
Nickel on Composition	Per Dozen,	\$0.21	0.32	0 42	0.60	0.72	0.90	F 20	1 70
Solid Brass	Per Dozen,	21	32	42	60	72	90	1/20	1.70
Solid White Metal	Per Dozen,	66	~ 1	F 16	1 50	2 20	2 80	3 30	-4.00
Silver Close Plate on Solid White Metal	Per Dozen,	2 30	2 50	5 80	3 20	4/00	4 - 30	5 30	8 60
		_							

#### No. 66. Swedge, Loose Rollers.

Size	Inches,	5-8	3-4	7-8	1	118	114	112
Nickel on Composition	Per Dozen,	<b>£</b> 0 80	1 (0)	F 10	1 30	F 70	2 - 20	2 40
Solid Brass	Per Dozen,	80	1 00	1 40	1 30	1.70	2 - 20	2 - 40
Solid White Metal	Per Dozen,	1 30	F 70	2 30	3 10	3 60	5 10	5 30
Silver Close Plate on Solid White Metal	Per Dozen,	3 30	3.70	3 90	1 40	5 00	5 80	9 - 10





English wire Center Bar				Sweds	ge Center	Dat.		
	English Wire Center Bar	Harnes	ss.	,				
Size	Inches, 1-2	5-8	3-4	7 - 8	1	118	1 1/4	1 1/2
X C Plate		F 70	2 10	2.70	3 30	4 20	4 90	6 00
Nickel on Composition	Per Dozen, 50	56	80	96	1 14	1 50	1.90	2 30
Solid Brass	Per Dozen, 50	56	80	96	1 14	1 50	1 90	2 - 30
Solid White Metal		1.10	¥ 60	2.10	2 10	3 60	4.20	5 30
Silver Close Plate on Solid White Met	alPer Dozen, 2 60	2.80	3 00	3 30	1 00	4.50	6.00	7.70
	Swedge Center Bar Ha	arness.						
Size		5-8	3-4	7-8	1	1 18	14	112
Nickel on Composition		0.90	1.00	1.40	1 30	1.70	9 OO	2 50
Solid Brass	Per Dozen, 80	90	1.00	1.40	1 30	1.70	2 00	2 50
Solid White Metal		1.70	2 10	2 40	2 90	1 20	1.90	6.50
Silver Close Plate on Solid White Mel	alPer Dozen, 3 10	3 (10)	1 10	4 90	5 80	7 70	9.90	15 - 20







No. 13.

No. 98. Englis	h Wire	Bent	Heel	Harness.
----------------	--------	------	------	----------

Size	Inches, 3-8	1-2	5-8	3-4	7-8	1	1 14
Aluminum Brouze							
No. (3. We:	st End Harness.						

Size	Inches, 1-2	5-8	3-4	7-8	1	1 18	1 14	1 1,
Nickel on Composition		0.50	0.70	0.84	1.10	1 41	1 84	2 30
Solid Brass	Per Dozen, 44	50	70	84	I 10	1 44	1.84	2 30
Solid White Metal	Per Dozen, 70	90	1 10	1 50	2 20	2 80	3 60	[-00
Silver Close Plate on Solid White Meta	Per Dozen 9 00	-) -)()	9.50	-> 00	8.30	1.00	5.00	8.50




No. 19. Imitation Stitched Harness.

SizeInches, 3-8	1-2	5-8	3-4	7-8	1	1 4
Imitation Rubber, Gilt TonguesPer Gross, \$1 50	1.50	2 00	2 30	2 90	3 40	1 80



No. 3. Bridle,



No. 5 Harness


#### No. 3. Plain Wire Bridle.

Size	3-8	1-2	5-8
Sargeaut's Rubber Finish, Close Plated Gilt Tongues	\$0.24	0.24	0.28

#### No. 8. Plain Wire Harness.

SizeInches,	1-2	5-8	3-4	7-8	1	113	1 4
Sargeant's Rubber Finish, Close Plated Gilt Tongues Per Dozen,	\$0.26	0.28	0.32	0.40	0 11	0.50	0.60

# WHITE CELLULOID COVERED BRIDLE AND HARNESS BUCKLES.



No. 81 C. Bridle and Harness

Size		1 2	5-8	3-4	7-8	1
No. 81 C.	Bridle, Wire Seam, Gold Close Plated TonguesPer Dozen, \$1-3	0 1 30	1 50			
No. <b>81 C.</b>	Harness, Wire Seam, Gold Close Plated TonguesPer Dozen, 1 3	0 I 30	1 50	1 50	1.70	1.70

#### Cenuine Hard Rubber Covered Buckles.



No. 70, B and 11,



No 80, B and 11.

Size		3-8	1-2	5-8	3-4	7-8	1	118	1.4
	Bridle, Round Wire, Gilt TonguesPer Dozen,								
No. 70 H.	Harness, Round Wire, Gilt TonguesPer Dozen,	76	76	~~	88	1 00	1 00	1/20	1 20
No. 80 B.	Bridle, Wire Seam, Gilt TonguesPer Dozen,	76	76	88	88			*****	
No. 80 H.	Harness, Wire Seam, Gilt Tougnes Per Dozen,	76	76	- 88	88	1 00	1 00	1 20	1 20



No. 70 G




No. 70 R




No. 70 L. R.

Size	3 4	7 8	1	13 <sub>8</sub>	1 14
No. 70 G. Girth, Imitation Roller, Gilt Tongues	1 00	1 10	1 10	1 40	I 40
No. 70 R. Roller, Gilt Tongue and RollerPer Dozen, 1 50	1.50	2/30	2 30	3 00	3 00
No. 70 L. R. Loop Roller, Gilt Tongue and RollerPer Dozen,	2 50	2.70	2.70		

# CHAMPION TRACE BUCKLES.



No Loop.




Three Loop.

# No Loop.

Size1nches,	1 4	112	1 34
Japanned Per Dozen,	\$0.56	0.64	0.70
X C Plate Per Dozen,	64	70	84
Nickel Plated Per Dozen,	1.70	1 80	2.00
Brass Plated Per Dozen,			2 (R)


# Three Loop.

Size	Inches, 14	112	134	2
Japanned	Per Dozen, \$0 70	0.80	0.90	1 20
X C Plate	Per Dozen, 80	90	1 00	I 30
Nickel Plated		2 10	2 30	2 70
Brass Plated		2/10	2 30	$\frac{2}{2}$ 70




# Champion Concord Trace Buckles.

Size	1 12	1 34	2
Japanned Per Dozen,	\$1 20	I 40	1 60
X C Plate Per Dozen,	1 40	1 (50)	5 00



No Loop.




Three Loop.

# No Loop.

Size	Inches,	114	1 1/2	1 34
Japanned	Per Dozen,	#1 OO	1 10	1 30
X C Plate			1 30	1 50
Nickel Plated			4 20	4 80
Brass Plated			4 20	4 80
Three Loon.	•			

Size Inches,	1 1,	114	1 34	2
Japanned Per Dozen,	\$I 20	1 - 40	1 60	2.00
X C Plate Per Dozen,	1 10	1 60	1.80	2 20
Nickel Plated Per Dozen,	4 80	5 20	5 70	6 20
Brass PlatedPer Dozen,	1.80	5 20	5 70	6 - 20

ONE DOZEN IN A BOX.





# Double Grip Concord Trace Buckles.

SizeInches,	1	12	1 34
Japanned Per Dozen,	51	80	2 (10)
X C Plate Per Dozen,	1	80	5 00

# CHAMPION TRACE BUCKLE PARTS.







#### Bails.

SizeInches, 114	1 ½	134	2
Japanned Per Dozen, \$0.26	0 28	0.30	0.36
X C PlatePer Dozen, 30	34	36	44

Two Dozen in a Box.

#### No Loop Frames.

Size	Inches, 1 1 <sub>4</sub>	1 12	1 34
Japanned Pe	r Dozen, \$0.52	0.60	0.72
X C Plate	r Dozen, 60	72	88

Two Dozen in a Box.

#### Three Loop Frames.

Size	$1^{-1}\frac{1}{2}$	1 34	2
Japanned Per Dozen, \$	0-66	0.72	0.88
X C Plate Per Dozen,	72	84	1 16

Two Dozen in a Box.

# Double Crip Trace Buckle Parts.





Tongue.

# Screw Bails with Rollers.

Size	1nches, 1 1/4	$1^{+1}$	1 34	2
Japanned	Per Dozen, \$1/20	I 30	1 40	1.60
X C Plate	Per Dozen, 1 20	1 30	1 40	I 60
Nickel Plated	Per Dozen, 1 90	2 10	2 30	2.50
Brass Plated		2 10	2 30	2.50

Two Dozen in a Box

#### Tongues.

1011	5403.			
Size	Inches, 114	1 15	<b>1</b> 3 <sub>4</sub>	2
Japauned				0.70
Y C Dlate	T) T)		1111	~

Two Dozen in a Box.


# Wrought Iron Tongues for Rings.



SizeIn	iches,	$24_2'$	234	3	$3^{\frac{1}{2}}$	4	41/2
JapannedPer G	ross,	\$2 00	2 00	2 00	2 20	3 00	3 20


PACKED AS WANTED.

# TRACE BUCKLES.



No. 54. Barrel Roller.


Size	1 1/2	1 34	<b>2</b>
Japanned Per Dozen,	<b>\$</b> 0−96	1 24	1 44
X C Plate	1 20	1 50	1 70






No. 53.					
	No. 53. Barrel Roller Ti	race or Pole Strap.			
Size		Inches, 1 1 <sub>4</sub>	112	134	2
Japanned			0.56	0.64	0.76
X C Plate		Per Dozen, 61	70	76	90
	No. 55. Sunk Bar Tra	ce or Pole Strap.			
Size		Inches, 114	112	1 34	2

ALL ABOVE, TWO DOZEN IN A BOX.








# English Wire Bent Heel Trace.


Size	Inches, 7-8	1	1 1/8	1 14	112	134
Japanned	Per Dozen, \$0.25	0.36	0.44	0.54	0.68	1 01
Japanned with X C Tongues	Per Dozen, 0-36	0.44	0.48	0.60	0.86	1 36
X C Plate	Per Dozen, 0 36	0.11	0.48	0.60	0.86	1 36
Imitation Rubber Gilt Tougues	Per Dozen, 0 40	0.48	0.54	0.68	1 00	1.70
Nickel on Composition	Per Dozen, 0-76	0.96	1 20	1.50	2 20	1.50
Solid Brass		0.96	1 20	I 50	2 20	1.50

#### Sensible Trace.

SizeInches,	7-8	1	1 x <sub>5</sub>	1 1/4	1/2	1.34	
X C Plate, Straight Heel	0.36	0.48	0.60	0.70	1 00	*****	
Nickel on Composition, Bent Heel Per Dozen.	0.35	1 08	1 36	1 68	2 50	1.50	
Solid Brass, Bent Heel Per Dozen,	0.55	1 08	1 36	1 68	2.50	1 80	



No, 133,



No. 163,

#### No. 133. Kangaroo Trace.

Size	Inches, 7-8	1	1 1 S	14	$1^{I_2}$
X C Plate		0.45	0.60	() 7()	() 80

# No. 163. Ideal Trace.

Size	Inches,	7-8	1	1 18	14	$1^{\pm}_2$
Japanned	Per Dozen, ;	50 38	0.48	0.56	0.61	0.65
V.C. Diata	Por Dogou	1.1	5.1	6.1	65	0.1





Elberon Pattern.

#### French Wire.


luches, 7-8	1	1 1/8	1.4	1 1/2
	0.70	0.80	1 00	1 30
Per Dozen, 1 10	1 30	1 60	2 00	3 10
Per Dozen, 1 10	1 30	1 60	2 00	3 10
Per Dozen, 2 00	2 - 40	2.70	3 30	4 30
Per Dozen, 6 00	6-60	7 50	8 80	12 40

#### Elberon Pattern.

Size	Inches, 7-8	1	1 1/8	1 ¼	1 ½
Nickel on Composition	Per Dozen, \$1-40	1 80	2 30	2.70	4 10
Selid Brass,	Per Dozen, 1 40	I 80	2 30	2 70	4 10



Swedge Pattern,



Summit Pattern.


#### Swedge Pattern.

Size	Inches, 7-8	1	1 1 S	1 14	$1 I_2$
Nickel on Composition	Per Dozen, \$1-10	1.50	1.80	2 30	3 40
Solid Brass	Per Dozen, 1 10	1 50	1.80	2 30	3 40
Solid White Metal, Heavy Pattern	Per Dozen, 3-30	3 60	1 20	5 00	9.00
Silver Close Plate on Solid White Metal	Per Dozen,	9-10	10/80	15 40	17 40

#### Summit Pattern.

Size	Inches,	7.8	1	115	1 14	1 12
Imitation Rubber, Gilt Tongue, Gilt Face	Per Dozen,	\$1.70	1.90	2 30	3 (0)	4.00
Nickel on Composition	Per Dozen,	1.70	1.90	2 30	3 00	1.00






No. 8. Plain Wire Trace.

Size Inches, 7-8	1	1. s	14	1 12
Sargeant's Rubber Finish, Close Plated Gilt Tongues	1 10	1 50	2 00	2 80
No. 48. Band Trace.				
Size Inches, 7-8	1	118	1 1 <sub>4</sub>	1 12
Imitation Rubber, Gilt Tongues	0.90	1 00	I 40	I 60)

# Tilbury Tug Buckles.








No. 71.

# No. 99. French Wire.


Size Inches, 118	1 14	13 <sub>8</sub>	1 12
Nickel on Composition	6.00	6.50	6 60
Solid Brass	6 00	6.50	6.60
Solid White Metal	10.70	11/90	12/30
Silver Close Plate on Solid White Metal	18 20	19 80	23 To

# No. 74. Swedge Horse Shoe.

Size	Inches, 1	. 1 <sub>4</sub> 13 <sub>8</sub>	1 12
Nickel on Composition		00 6 50	6-60
Solid Brass	Per Dozen, 6	00 6 50	6-60
Solid White Metal	Per Dozen, 10	70 - 11 90	12/30
Silver Close Plate on Solid White Metal		70 22 30	21.80







Swedge Center Bar.

11 00

12/00

 $12 \ 00$ 

13.00

13 30


14 00

17 50

19 00

# English Wire Center Bar.


Si/e	Inches, 7-8	1	1 1/8	1 14	1 1/2
X C Plate	Per Dozen, \$0 14	0.54	0.64	0.70	0.90
Nickel on Composition		2 90	3 20	3 90	5 20
Solid Brass		2 90	3 20	3 90	5 20
Solid White Metal	Per Dozen, 6 40	7 10	8 20	9 40	12 00
Silver Close Plate on Solid White Metal	Per Dozen,		10 00	11 60	16 - 20
Swed	ge Center Bar.				
Size	Inches, 7-8	1	118	11/4	11/2
Nickel on Composition		5 20	5 80	6.20	8 00
Solid Brass		5 20	5 80	6 20	8 00




# No. 13. West End Trace.

SizeInches, 7 8	- 1	118	1 14	13/8	1 1/2
Nickel on CompositionPer Dozen, \$1.60	2 (0)	2/40	3 00	4 00	5 00
Solid BrassPer Dozen, 1 60	2 ()()	$\frac{9}{2}$ 40	3 00	4 00	5 00
Solid White MetalPer Dozen, 3 30	3 60	1 20	2 ()()	7 20	9 (10)
Silver Close Plate on Solid White Metal	6-60	7 50	8 80	10.00	12 40







# No. 98. English Wire Tug Buckles.


SizeInches,	3-4	7-8	1	1.38	114
Aluminum Bronze	\$2.50	2 50	3 00	3 50	4 40

### No. 45. Narrow Band Tug.


SizeII	nches,	3-4	7-8	1	$\mathbf{L}_{\mathbf{S}}$	1 1,
Aluminum Bronze Per I	Dozen,	\$2.70	3 10	3 50	3 80	5 40

# WHITE CELLULOID COVERED TRACE BUCKLES.


Gold Lined.



# Cenuine Hard Rubber Covered Trace Buckles.









No. 91 T,

Size	3-4	7-8	1	1 18	1 14	13/8	1/2
No. 70 T. Round Wire, Gilt Close Plated Tongues	<b>\$</b> 3 80	4 20	1/20	4.90	1.90	5.70	5 70
No. 91 T. Narrow Band, Gilt Close Plated Tongues	7 50	8 00	8 00	8 70	8.70		




No. 90 T.




No. 95 T.

Size	7-8	1	1 1 <sub>8</sub>	1 14	1 3 s	$1^{+}_{2}$
No. 90 T. Regular Band, Gilt Close Plated Tongues Per Dozen,	\$5 00	8 00	8.70	5.70	9 = 40	9.40
No. 95 T. Regular Band, Solid Gilt Lined, Gilt Close Plated Tongues, Per Dozen,	9 20	9.20	10 00	10.00	11 00	11 00

With Side Loops.







No.	30.	English	Wire	Center	Bar.
	$\sim$ $\sim$ $\cdot$			0011101	<b>-</b> 4

Size	Inches, 11/8	14	1 3/8	11/2
Nickel on Composition	Per Dozen, \$ 7 00	7 20	8 00	10 00
Solid Brass	Per Dozen, 7 00	7 20	8.00	10 00
Solid White Metal	Per Dozen, 13 50	13/70	15/20	19.50
Silver Close Plate on Solid White Metal	Per Dozen,	21 - 50	24/00	26 - 40

#### No. 73. Swedge Center Bar.

Size	1 1,	1 3/8	1 1/2
Nickel on Composition Per Dozen,		, -	13 00
Solid Brass Per Dozen,			13 00
Solid White Metal Per Dozen,	14 40	16 20	19/80
Silver Close Plate on Solid White Metal	29 - 70	32 20	36 30





# No. 20. French Wire.


Size	Inches,	$1^{\text{T}}_{\text{S}}$	14	138	1 1/2
Nickel on Composition	Per Dozen,	\$ 7 00	8 (0.)	9-60	11 00
Solid Brass	Per Dozen,	7 ().)	8.00	9 60	11 00
Solid White Metal	Per Dozen,	12/60	13 00	14 (0)	15/30
Silver Close Plate on Solid White Metal	Per Dozen,		20.70	23 20	26 - 40

#### No. 91, Swedge Horse Shoe.

Size Inches,	1 14	138	1 1/2
Nickel on Composition	\$ 9 00	10 00	12 (6)
Solid Brass			
Solid White Metal	13.70	15 20	20.00
Silver Close Plate on Solid White Metal Per Dozen,	26 40	28 90	31 40

With Side Loops.





Size			Luchen		1.17	1.17	1 3/
Nickel on Composition		 	Per Dozen, 🤄	\$ 8 30	9 10	9 90	10 50
Solid Brass		 	Per Dozen,	8.30	9.10	9.90	10 80
Solid White Metal		 	Per Dozen,	H 30	11.90	13 20	15 90
Silver Close Plated on Solid White Meta	l	 	Per Dozen,	14 00	14 90	16.50	19.80
Size					1.		
				11101146	L 1.	3 .	1 1.
							_
Nickel on Composition		 	Per	Dozen,	\$14.00	15 60	I > 00
Nickel on Composition,		 	Per	Dozen, Dozen,	\$14 00 14 00	15 60 15 60	IS 00 IS 00
Nickel on Composition		 	Per	Dozen, Dozen,	\$14 00 14 00	15 60 15 60	IS 00 IS 00

# Hand Forged French Shaft Tugs.




Cut illustrates West End Buckle

#### West End Pattern.

Size	Inches 110	11.	138
Nickel on Composition	Per Pair, \$13.50	18 50	13 50
Solid Brass		13 50	13.50
Solid White Metal		14 20	14.50
Silver Close Plated on Solid White Metal	Per Pair, 15 00	15 00	15 ()0)
Size	Inches, 118	1 1,	138
Size		1 1 <sub>4</sub> 15 70	13 <sub>8</sub> 15-70
		15 70	,
Size	Per Pair, \$15-70 Per Pair, -15-70 Per Pair, -16-50	15 70 15 70 16 50	15 70


#### EXPRESS BUCKLES.





No. 20. Extra Heavy Wire, Imitation Rollers.

SizeInches,	118	1 1/4	1 1/2	134	2	24
Nickel on CompositionPer Dozen, \$	T 70	2 00	2 50	3 20	3 70	4 50
Sofid Brass Per Dozen,	1 70	2 00	2 50	3 20	3.70	4.50

# Fine Pole Strap Buckles.







No 175. Loose Roller,


# No. 174. Wire Drop Heel. Imitation Roller.


Size	Inches,	1 * s	1 14	1 1/2	134
Nickel on CompositionPe	r Dozen,	\$2.50	3 30	1 20	6 50
Solid BrassPe	r Dozen,	2 - 50	3 30	4 20	6.50

# No. 175. Wire Drop Heel. Loose Roller.

Size	Inches,	1 1	14	$1_{-2}$	
Nickel on Composition	Per Dozen,	\$7	50	10 00	)
Sofid Brass	Per Dozen,	7	50	10 00	)


#### CROWN EXPRESS BUCKLES.





Crown	Express	Harness.
CIOVVII	EXPICSS	mainess.

SizeInches, 5-8	3-4	7-8	1	1 · s	1 14	1 1 2	134	2	$2  \iota_2$
Nickel on CompositionPer Dozen, \$1 00	1 10	1 20	1 50	2 (8)	2 30	2 80	3 60	4 (0)	4.70
Solid Brass Per Dozen, 1 00	1/10	1 20	1 50	2 00	2/30	2 80	3 60	4 00	1/70




#### Crown Center Bar Express Tug.

Size	1 1 s	$1^{-1}_4$	1 12
Nickel on Composition Per Dozen, \$6.00	6.70	8 00	9.40
Solid Brass Per Dozen, 6 00			

ALL ABOVE, PACKED AS WANTED.


# Top Cuard Hip Strap Buckles.



# Prevents Horse's Tail from Catching.


Sizelnches, 5 8	3-4	7-8	1	$-1$ $\tau_{8}$	-14	1 12
Nickel on Composition	1.30	1.40	1.70	1.80	2 30	3 20
Solid Brass l'er Dozen, 1 20	1 30	1.40	1-70	1 80	5 30	3 20


#### EXPRESS BUCKLES.



No. 203. Swedge Center Bar Pattern.

SizeInches,	1 18	1,4	1 1/2
Nickel on Composition Per Dozen,	\$4.00	4-50	5 50
Solid BrassPer Dozen,	1 00	4 50	5 50






No. 201. Light Boston Oval Pattern.

Size	Inches, 1 T	14	1 1/2	134
Nickel on Composition	r Dozen, \$4 00	1.50	5 50	6 00
Solid BrassPer	r Dozen. 4 00	F 50	5 50	6.00

# No. 101. Heavy Boston Oval Pattern.


Size	Inches,	1 14	1 12
Nickel on Composition	Per Dozen,	\$5 00	6 00
Solid Brass	.Per Dozen,	5 (0)	6.00

# FINE EXPRESS BUCKLES.



Number 32. Light Boston Band Pattern.


SizeInches, 115	1 4	1 1/2
Nickel on Composition. Length, 4½ Inches	1.50	5 50
Solid Brass. Length, 4½ Inches	1.50	5 50



Number 132. Heavy Boston Pattern.


Size	I	nches.	14	+ 1	1	2
Nickel on Composition, Length, 54 Inches	Per I	Dozen,	\$4 (	)O !	) ()	()
Solid Brass, Length, 51/4 Inches	Per I	Dozen,	5 (	90.	) ()	1

# FINE EXPRESS BUCKLES.




#### Number 65.

Size	1 1/2
Nickel on Composition	2 40
Solid Brass, High Polish Per Pair, 2 20	2 - 40




# Number 71.

Solid	Brass,	High Polish,	, 1 ½ Inches	Per Patr	. 24	20
Solid	White	Metal, High	h Polish, 1:2 Inches	Per Pair	ή 6	5(




Number 90.




Number 88.

Any Name and Address in Raised Letters put in Panels on Skirt of Buckle without extra charge.

#### FINE EXPRESS BUCKLES.



Number 61.



#### Number 85.

Any Name and Address in Raised Letters put in Panels on Skirt of Buckle without extra charge.

#### FANCY BELT BUCKLES.






#### Number 331.

Size	1	14	1 12
Imitation Rubber Per Dozen, Nickel Per Dozen,	\$0.20 20	0.21	0 30 30
Gold Gilt Per Dozen,	50	50	70
Number 3412.			
Size	1	118	1 4
Nickel Per Dozen,	<b>≴</b> 0-36	$\Theta = \frac{1}{2}\Theta$	0.44
Gun Metal Per Dozen,	(5()	70	80







#### Number 3612.

Size	Inches, 1	14	1 1/2
Imitation Rubber	Per Dozen, ‡0	a) () 36	0.40
Nickel	Per Dozen,	36 36	40
Oxidized Copper			80
Number 53412.			

Size	***************************************	Inches, 7-8	1
Nickel			0.70
Gun Metal		Per Dozen, 90	1 ()()
	Section 1999		





#### Number $1254^{\tau_2}$ .


Size	Inches, 3-4	1	1.14
Imitation Rubber	Per Dozen, \$0-70	0.50	1 00
Nickel	Per Dozen, 70	50	1 00
Gun Metal	Per Dozen, 1 00	I 10	1 40
Gold Gilt	Per Dozen, 1 00	1 10	I 10
Number 586			


 Size
 Inches, 1½ 1¾ 2

 Nickel
 Per Dozen, \$1 20 1 40 1 50

 All Above Packed as Wanted.

#### FANCY BELT BUCKLES.






Number 627.

Si/e		1 14
Nickel on Composition	Per Dozen, \$2 00	2 30
French Gilt on Composition		3 00
Gun Metal on Composition		3 00
Number 1257.		
Size	lnches, 1	114
Nickel on Composition		-2.00
French Gilt on Composition		2.70
Gun Metal on Composition		2.70

#### BELT HOOKS.





30

60

20

0.24

**-(t)** 

0.30

11

EI

 $N_{10} = 227^{4}_{24}$ 

Number 2275.

Size Inches,	1	1.4	1 12
Imitation Rubber Per Dozen, \$	to 20	0.20	0.20
Nickel Per Dozen.	20	20	20
Gilt	30	30	30
Number 4271.			
SizeInches,	3 4	1	112
Imitation Rubber Per Dozen, S	io 20	0.24	0.30



No.  $13071_2$ 



Nickel..... Per Dozen, 20



Number 1307 ..

Sizetuches,	1	14
Nickel	\$0.20	0.30
Gnn Me(al	50	50
Gold Gilt Per Dozen,	50	50
Number 49612.		
Sizeluches, I	14	112

Gun Metal ...... Per Dozen,

Gold Gilt Per Dozen

PACKED AS WANTED.

2 50 8 00

#### OVERCHECK LOOPS.







10×10			3	
No. 3.	No. 5,	No.	. 7.	
	No. 3. Indiana Crown.			
et		Inches	1 1)	5-8
				2 00
Nicket Plated		Per Gross,	F OO	1 ()()
	No. 5. Wabash Roller.			
· ·		Inches	1 0	5-8
				3 30
				F 50
Mickel Flated			1 4,00	1 -,
	No. 7. Wabash Crown.			
Size		Inches,	1-2	5-8
Japanned		Per Gross, \$	\$4.00	1.00
Nickel Plated		Per Gross,	6.00	6 00
			11	
No. 8.	No. 12	No. 1	99,	
	No. 8. Smith's Roller.			
Size		Inches.	1-2	5.8
				£ 10
•				8 00
	No. 12. Strong's Oval Pattern.			
3174	No. 12. Strong's Oval Fattern.	Inches	1.0	5-8
				3 80
-				6 90
MCRCI I LICCO			1, 1,17	17 .717
	No. 199. Layer Oval Pattern.			
				5-8
lmitation Rubber		Per Gross, \$	1 50	1.70
		Control of the second		
	11			
	The state of the s			
No. 16.	No 2	No. 19.		
	No. 16. Standard,			
			1-2	-5-8
-			1 00	4 00
			S ()()	> 00
Gilt	······································	Per Gross, S 00	< (II	× ()()
	No. 2. Layer.			
31.0	· ·	finals:	1 0	<b>=</b> 0
				-58 -200
				2 00 4 00
NICKEL PIRUEG,		Per Gross,	± ()()	± (H)
	No. 19. Layer.			
	•			

 Size
 Inches, 3-8

 Rubber Compound
 Per Gross, \$1.80


 Nickel Plated
 Per Gross, 2.50

 Gilt
 Per Gross, 3.00

#### OVERCHECK HOLDERS.







N ~ 20	Harter's	Divotod

Japanned, 3-4 Inch Eye	Per Dozen, \$0-70
Nickel Plated, 3-4 Inch Eye	Per Dozen, I 00
No. 49. Wabash Riveted.	
Japanued, 3-4 and 7-8 Inch Eye	Per Dozen, \$1-20
Nickel Plated, 3-4 and 7-8 Inch Eye	Per Dozen, I 60



So 55.



Read's


### No. 55. Swivel Eye. Wornout Leather Loop can easily be replaced.

Japanned, 3-4 Inch Eye	Per Dozen, \$1 20
Nickel Plated, 3-4 Inch Eye	Per Dozen, 1 60
Gilt, 3-4 Inch Eye	Per Dozen, I 60

### Read's Patent. Oil Tempered Spring Steel, Lined with Leather.

Imitation Rubber, 5-8 or 3-4 Inch Eye Per Dozen,	\$2 00
Nickel Plated, 5-8 or 3-4 Inch Eye	-2 - 00

#### Spring Overcheck Holders.



No 3. Hicks.









No. 1. Theobald's,

No. 3. "Hicks" Nickel Plated 3-4 Inch Eye	Per Dozen, \$	\$3.50
No. 5. "Elgin" Imitation Rubber, 3-4 Inch Eye	Per Dozen,	3 60
o 1. "Theobald's" Imitation Rubber Body with Gilt or Nickel End. 3-4 Inch Eve	Per Dozen, I	(0.80




Finish				Gill
No. 2. Smith's	Each,	\$I (0)	1 00	1 00






No. 155. Swivel Bar.

Japanned, 1-2 Inch Eyes
Nickel Plated, 1-2 Inch Eyes Per Dozen, I 80
One Dozen in a Box





Attached to throat latch of bridle. Buckle of throat latch passes through large hole in the loop and strap is then forced into smaller loop at the top, preventing guard from dropping off when bridle is removed from the horse.

	No. 1. Plain.
Japauned	
Nickel on Composition	Per Dozen, 6 00
Gilt	Per Dozen, 6 00
	No. 2. With Silk Tassels.
Japanned. Assorted Color Tassels	Per Dozen, \$6 00
The state of the s	
Nickel on Composition. Assorted Color Tassels.	Per Pozen, \$5.00

#### STEEL BILLETS.



#### Polished Soft Steel.

Narrow,	Flat, Length 4 Inch x 3-16 Inch Wide, For use on Line Ends	\$9.10	Per Gross, \$0	96
Wide.	Flat, Length 4 Inch x 4-16 Inch Wide, For use on Line Ends Per Dozen,	10	Per Gross,	96

#### Neck Strap Line Terrets.

#### Prevents Lines from being caught under Points of Shafts.






#### Read's Patent.

Nickel Plated or Imitation Rubber, With Screws	Per Dozen Pairs, \$3 00	)
--	-------------------------	---

#### Harsh's Patent.

Nickel Plated or Imitation Rubber, With Screws. ... Per Dozen Pairs, \$3 00


ONE DOZEN PAIRS IN A BOX.







#### Adsit's Rein Supporters.




#### REIN SUPPORTERS.






No	1940
- 4	1.00


Finish	Imitation Rubber	Nickel
"Harsh's". 3-4 and 7-8 Inch	\$1.80	1 80
No. 1902. 5-8 and 3-4 Inch	2 00	2 50





Read's Patent.

Finish	Imit	ation Rubber	Nickel
Read's	Per Dozen Pairs.	\$3.00	3 00




No. 143. Victor.


Made of Light Metal. No Hooks to catch Horse's Tail. Easily applied to Harness at any Elevation desired. Prevents Lines from Dropping at Horse's Sides. Can also be used on Neck Straps to Prevent Lines from Catching on Thill Ends.

Finish	Imitation Rubber	Nickel
No. 143. Victor	\$2.70	3.50

Japanned,

#### WABASH SAFETY TRACE HOLDERS.





Single,	Double.	
Single Trace Holders	 Per Dozen Pairs, #	62 00

#### Trace Splices and Lengtheners.









Trace Splice. How Applied. As Applied.

No. 10. Japanned, Malleable Iron, For Buggy Traces. Per Dozen, \$0.30

No. 15. Japanned, Malleable Iron, For Team Traces. Per Dozen, 40







Haglock's Jointed Trace Splice.

Haglock's Trace Splice applied,

Trace Lengtheners.

#### 



Trace Support Loop.

Trace Support Loops and Clips.



Trace Support Clip.

#### Trace Support Loops.

Size		1 1/2
No. 334.	Japanned, Malleable Iron	0.36

#### Trace Support Clip.

To be used with Ring to prevent Tugs from Sagging.

Japanned, Hand Forged		Per Dozen, \$	50 TO
-----------------------	--	---------------	-------

#### DASH LINE HOLDERS.

Brass Coil Springs.



As Applied to Side of Dash

No. 180.	Japanned, Malleable Iron Each,	\$0.60
No. 180 N.	Nickel Plated, Bell Metal	\$3()
No. <b>180 B.</b>	Brass, Bell Metal, Fine Finish	90



Fernald's.



Fernald's as Applied



Fernald's Patent.

Applied without Screws or Bolts, Shaped to fit over Rib of Dash. Can be used on Side or Top. 

#### Read's Patent.


Applied to Side of Dash.

ALL ABOVE, ONE DOZEN IN A BOX.









As Applied

Briar Wood, Steel Screw Center	 Per Dozen,	\$1 10	j
Black Fibrone, (A Hard Earthen Composition), Steel Screw Center	 Per Dozen,	90	ļ
Black Genuine Hard Rubber, Steel Screw Center	 Per Dozen,	2 70	)
Russet Genuine Hard Rubber, Steel Screw Center	 Per Dozen,	2 70	į

ONE DOZEN ON A CARD.

#### HANDY LINE FASTENERS.







Fastener Partly Applied.

Fastener as Applied.

Size Inches, 5-8	3-4
Japanned, Malleable Iron	3 30
Nickeled, Malleable Iron Per Gross, 5 00	5 50
One Gross in a Box.	





#### Rein

Slides.	

#### No. 229. Bar Hitch Strap Slides.

Used on Sliding Loop Hitch Reins.

SizeInches, 3	5-4 7-	-8 1	14
X C Plate Per Gross, \$1	1 70 2	20 2 60	) 4 10



Spread Rollers.




No. **41.** No. **320.** 



#### Steel Spreader Chains.

Length Inches, I	0 - 12
No. 00. Nickel Plated, Heavy 134 luch Ring Per Dozen, \$1	40 1 60

Two Dozen in a Box.







No. 115

No. 2. Stamped Improved Pattern. Edges Turned. Chafing of Strap Impossible.

Size		3-4	7 -8	- 1	118	114	11/2	1 34
Japanued		0.30	0.34	0.40	0.50	0 62	0.90	
X C Plate		30	34	10	5()	62	90	
Nickel on Composition	Per Dozen, 46	50	62	30	1 00	1 10	1.50	2 40
Solid Brass		50	62	80	1 00	1 10	1 50	2 (0
	No. 115. Wooding's Flexi	ble Patt	ern.					
Size	Inches	5.8	2.4	7.8	1	110	14	1 1/2
Nickel on Composition						1 00		1 50
Solid Brass	Per Dozen	, 46	50	62	50	1 (00)	1 10	1 50



No. 100.

Solid Brass.....



No. 20

1 24

	No. 1	00.	Ber	rer	า′ร	Pa	ten	t
--	-------	-----	-----	-----	-----	----	-----	---

Size	Per Dozen, \$0-50	0.62	0.72	0.90	1 10	1 24	1-56
	Hubbard's Patent.	·/-	1-	•///	1 1.7		
Size	Inches. 5-8	3- <b>4</b> 0 46	7 8 0 56	1 0.68	1 1/8 0 90	$\frac{1}{1} \frac{1}{4}$ $\frac{1}{1} = 00$	$\frac{1}{1} \frac{1}{3} \frac{1}{4}$
Nickel on Composition	Per Dozen, * 16	56	68	80	1 60	1 24	1.56

46

56

Per Dozen,



Shield Buckle.



As Applied.

#### No. 168. Shield Buckles.

Size	ches, 5-8	3-4	7-8	1	11,	1 14
Japanned Per G	ross, \$2 10	2 60	2 90	3 60	1.80	5 60
X C Plate Per G	ross, 2 10	2 60	2 90	3 60	1 80	5 60
Nickel on CompositionPer Do	ozen, 80	1 00	1 - 20	1 40	1.70	2 10
Solid Brass Per De	ozen. 80	1 00	1 20	1 40	1.70	·) 1()

Can be used on any kind of Loop or Return Strap. No Stitching required. The Shield feature makes it particularly useful on the Overcheck or Breeching; Takes the place of Buckle and Shield, is easily applied.

#### BUCKLE SHIELDS.






No. 45. Buckle and Shield.


As Applied.


### No. 45. Imperial Buckle and Shield,

Size	5-8	3-4	7-8	1	11/8	11/4
Nickel on Composition Per Dozen,	\$1 00	1 00	I-10	1 30	1 70	1 90
Solid Brass Per Dozen,	1.00	1 00	1 10	1 30	1.70	1 90









#### High Crade Fancy Buckle Shields.

#### Prices the Same for any of Above Numbers.

Size	7-8	1	14
Solid Red Brass			
Solid Nickel Per Dozen, 4 00	1.50	5 00	6 50

## In Ordering Specify Number.

#### CAC RUNNERS.

Malleable.







No. 381.

Size		luches,	5-8	3-4
No. 374. J	lapanned	Per Gross,	\$2 ()	90 2 00
No. 374. A	C Plate	Per Gross,	$^{2}$ 1	0 = 2.10
No. 372. J	Japanned	Per Gross,	2 I	0 2 IO
No. 372. A	C Plate	. Per Gross,	2 6	30 2 60
No. 381. J	fapanned	Per Gross,	3 4	0 3.70
No. 381. X	C Plate	Per Gross,	3 4	0 8.70







No 380,

Size	Inches,	.5	8	3 4	-
No. 383.	Japanned, Flexible Per Gross,	5:3	20	3 30	ŀ
No. 383.	X C Plate, Flexible	3	30	3 50	ŀ
No. 387.	Japauued, Flexible Buckle Per Gross,	3	20	3 30	)
No. 387.	X C Plate, Flexible Buckle Per Gross.	3	30	3 50	}-
No. 380.	Japanned, Flexible Buckle	3	20	3 30	)
No. 380.	X C Plate, Flexible Buckle	.1	30	3 50	)
No. 380.	Brass Plated, Flexible Buckle	(;	<u>‡()</u>	7 20	}
No. 380.	Nickel Plated, Flexible Buckle	G	[()	7 20	d p

#### CAC RUNNERS.










No. 10.	Plain	Wire.
---------	-------	-------

Size	lnches, 5-8	3-4
No. 10.	Plain Wire, Solid Brass or Nickel on Composition	1.70
	Plain Wire, Solid White Metal Per Dozen, 4 40	5 00
No. 20.	Band, Solid Brass or Nickel on Composition	1 70
No. 30.	Swedge, Solid Brass or Nickel on Composition	1.70
No. 30.	Swedge, Solid White Metal Per Dozen, 4 40	5 00
No. 40.	Heavy Band, Solid Brass or Nickel on Composition	2 - 40









Q	

No. 28 Plain Wire. Balloon Gag.

#### Dowlin's Pattern.

Numbers	Small.	2 Large.
Japanued Per Gross,		1 90
X C Plate Per Gross,		2 00
Nickel on Composition Per Dozen,	80	1 00
Solid Brass Per Dozen,		1 00

#### Johnson's Pattern.

Imitation Rubber Per Dozen, \$0.40
Nickel on Composition Per Dozen, 1 30
·

#### Ring Cags.

Size Inches,	$7-8 \times 1_{18}$	1 x 1 4
Nickel on Composition or Solid Brass	\$2 20	2 40
Solid White Metal Per Dozen,	5 (0)	5 80

#### Plain Wire Balloon Cags.

No. 28.	Nickel ou Composition or Solid Brass	er Dozen,	\$1.50
No. 28.	Solid White Metal	'er Dozen,	5(00)

### CAC CHAINS.

With 5-8 Inch Eyes.




Short Wire		
Short Wire	. Nickel on Composition	Solid Brass
Short Wire	\$1 10	1 10
Nashua	r. 1 20	1 20
Merrimae	I 60	1 60
Star	F 20	1 20

# CAC CHAINS. Width of Eye..... 3-4 2 90 Diamond. Nickel on Composition ... Per Set of Four, 2 90 3 - 203 20 Heavy Wire. Nickel on Composition...... Per Set of Four, 100 4 30 Solid White Metal. ...... Per Set of Four, 6 50 1 30 7 00

#### MARTINGALE CHAINS.



















Wender. , Nickel on Composition or Solid Brass . Each, \$1.80

Square Link. Nickel on Composition or Solid Brass . Each, 2.70

O. K. . . Nickel on Composition or Solid Brass . Each, 2.10

Cable. . Nickel on Composition or Solid Brass . Each, 2.10

#### CURB CHAINS.

With Hooks Complete.



No.	24.	Wrot	ıght.	Iron.
-----	-----	------	-------	-------

Polished.	Length, 8 InchesPer Doz	zen, <b>\$1</b> 60
	Length, 8 InchesPer Doz	




#### No. 4528. Wrought Steel.

Polished.	Length, 8 Inches, 16 Links, 5-8 Inch Wide	)
Nickel Plated.	Length, 8 Inches, 16 Links, 5-8 Inch Wide	)



#### No. 3275. Wrought Steel.

Polished.	Length, 8 Inches, 20 Links, 5-8 Inch Wide	10
Nickel Plated.	Length, 8 Inches, 20 Links, 5 8 Inch Wide	30
Solid White Metal.	Length, 8 Inches, 20 Links, 5-8 Inch Wide, Rust Proof	50



#### No. 3276. Wrought Steel.

Polished.	Length, 812 Inches, 22 Links, 3-4 Inch WidePer Dozen, \$ 4 20
	Length, 812 Inches, 22 Links, 3-4 Inch Wide Per Dozen, 6-30
Solid White Metal.	Length, 812 Inches, 22 Links, 3-4 Inch Wide, Rust Proof Per Dozen, 18 00



#### No. H 30. Wrought Steel.

Polished.	Length, 9 Inches, 19 Links, 11 Inch Wide
Nickel Plated.	Length, 9 Inches, 19 Links, 10 Inch Wide
Solid White Metal.	Leugth, 9 Inches, 19 Links, 118 Inch Wide, Rust ProofPer Dozen, 24 00

ONE DOZEN IN A BOX.

### Extra Spring Curb Hooks.




Polished Iron, 15g Inch Per	Dozen, \$0	10
Nickeled Iron 15 Inch Per		

## J. M. Eilers & Co., Cincinnati, O.

#### TEAM PAD HOOKS.



No. 185. Stickney Pattern.




No. 1. Dwight's Pattern,

No. 185. St	icknev	Pattern.
-------------	--------	----------


Size of Loc	pInches,	1 14	1 12
No. 185.	Japanued Per Dozen,	\$I 60	I 90
No. 185.	X C Plate Per Dozen,	I 90	2 20
No. 185.	Nickel or Brass Plated	3 60	4.30

#### No. 4. Dwight's Pattern.

No. 4. X C Plate, 1/8 Inch Loop	 20



No. 179. Loop Bolt.




No. 183 Solid Post.

Size of Loop	Inches, 1	1 %
Size of Pad Layer	Inches, 1 14	11,
No. 179. Jápanned, Loop Bolt		0.90
No. 179. X C Plate, Loop Bolt		I 20
No. 183. Japanned, Solid Post	Per Dozen, 90	90
No. 183. X C Plate, Solid Post		I 20



No. 280. Buckeye




Welle's Lock East

#### No. 280. Buckeye.

JapannedX C Plate			.Per Dozei .Per Dozei	1. \$1 40 1. I 50
Welle's Lock-Fast Team				
Numbers	45	50	60	65
Size of Loop	Inches, 7-8	1	1 14	$1^{-1}_{-2}$
Size of Pad Layer	Inches, 14	1 12	$1^{-1}_{-2}$	1 12
Japanned		I 35	1 60	1 60
X C Plate		I 10	1 90	1 90
Nickel on Composition	Per Dozen, 5 80	5 80	7.00	7 00
Solid Brass	Per Dozen 5 80	5.80	7.00	7 00

#### TEAM PAD MOUNTINGS.

#### TO RIVET ON PADS.





#### Pad Terrets.

No. 50. Japanned	
No. 50. X C Plate	
No. 50. Nickel Plated	
No. 50. Brass Plated	
Pad Hooks.	
No. 150. Japanued	
No. <b>150.</b> X C Plate	
No. 150. Nickel Plated	
No. 150 Pages Distail	they Down at Ma





	Prop Terret	Diop Hook.
	Drop Terre	s.
No. 702.	Japanned, 15% Inch	
No. 702.	X C Plate, 15% Inch	
No. 701.	Nickel Plated, 158 Inch	
No. 701.	Brass Plated, 1% Inch	
	Drop Hook	5.
No. 700.	Japanned, 1 's Inch Loop	
No. 700.	X C Plate, 118 Inch Loop	
No. 700.	Nickel Plated, 1 ts Inch Loop	
No. 700.	Brass Plated, 1 's Inch Loop	

ALL ABOVE, ONE DOZEN IN A BOX.

## J. M. Eilers & Co., Cincinnati, O.

#### JAPANNED AND X C MOUNTINGS.





#### **Band Pattern Terrets.**

13	215	217	219	221
11,	1.5%	1 34	1 78	2
80	0.90	1 40	1.70	2 10
50	102	1.50	1.90	2/30
1	11 <sub>2</sub> 80	1 5 <sub>8</sub> 80 0 90	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

#### Band Pattern Bolt Hooks.

Numbers	404	406	408	410	412	414
To Match Terrets	13,	1 12	1.58	$1_{-3_4}$	17 <sub>8</sub>	2
Japanned	\$0.70	0.50	0.90	1 40	1.70	2 10
X C Plate Per Dozen,	70	80	90	1.50	1.90	2/30






#### Wire Ball Pattern Terrets.

Numbers	811	813	815	817
SizeInches,	$13_8$	1 1/2	1 5 s	1 34
JapannedPer Dozen,	\$0.70	0.50	0.90	1 40
X C Plate	70	80	90	1 40

#### Wire Ball Pattern Bolt Hooks.

Numbers	104	106	108	110
To Match Terretslnches,	1 3 s	1 12	1.58	1 %
JapannedPer Dozen,	\$0.70	0.50	0.90	1 40
X C PlatePer Dozen,	7()	80	()()	1 (0






#### Medium Wire Terrets.

Size	\$2 60	1 ½ 3 00	1 58 3 60
Solid Brass	2 60	3 00	3 60
Medium Wire Bolt Hooks.			
Size		3	+
To Match Terrets	1 3 8	1 12	1 1/8
Nickel on Composition Per Dozen,	49 60	3 00	3 60
Air Ket on Composition i i i i i	4,- ,,,,	., ., .,	9 (H)






#### Medium Band Terrets.

Size	1 3 S	1 12	1 38
Nickel on Composition Per Dozen,	\$2.30	3 20	I (90)
Solid Brass Per Dozen,	2 30	3 20	4 (0)
Imitation Rubber, Solid Gilt Lined	2 80	3 20	4 (8)
Modium Rand Rolt Hooks			
Medium Band Bolt Hooks.			
SizeNumber,	2	3	4
To Match Terrets	138	1 12	1 3 s
Niekel on Composition Per Dozen,	\$2 80	3 20	1.00
Solid Brass	9. 80	3 %	1 (10)





He	avy Plain Wire Terrets.				
Size,	Inches, 112	1 5/8	134	175	**
Nickel on Composition	Per Dozen, \$3-40	4 00	1 60	5 60	6.30
Solid Brass,			1 (60)		6 80
Solid White Metal		7 20	8 10	9 00	10 80
Alumiuum Brouze		\$ 00	9 00		
Heav	y Plain Wire Bolt Hooks.				
Size	Numbers, 3	4	5	6	7
To Match Terrets		1.58	1 34	1 7 %	2
Nickel on Composition		1 00	1 60	5 60	6.80
Salid Reass	Per Dozen 3 40	4 00	1.60	5 60	6.80






\$ 10

9.00

#### Heavy Plain Wire High Neck Terrets.

Size	Inches, 112	135	1 34	1-5	**
Nickel on Composition	Per Dozen, \$ 3-40	4 ((0)	4 60	5 80	6 80
Solid Brass		1.00	4 (60)	5 60	6.80
Solid White Metal		7 20	5 10	9 (0)	10 80
Silver Close Plate on Solid Nickel	Per Dozen, 46 00	17 50	15 00	21.50	25 (10)
Size	y Plain Wire Coupe Bolt Hooks.	.4	.5	6	7
		. 1	5	6	7
To Match Terrets		135	1 3,	1 -	
	to a contract to the contract of the contract	4 . 3	- 4	Τ,	2
		1.00	1 60	5 60	2 6 50
Nickel on Composition		- ,	7	5 60	






Heavy Band Express Terrets

SizeInches,	1.58	1 34	174	2
Nickel on Composition Per Dozen,	\$1.60	5 40	6.40	7 60
Solid Brass Per Dozen,	1 60	5 40	6.40	7.60

Heavy Band Express Hooks.			
SizeNumbers,			7
To Match Terret Inches, Nickel on Composition Per Dozen,		- / 0	9.00
Solid Brass Per Dozen,		8 00	9 00





#### Heavy High Neck Oval Express Terrets.

51/c				
Nickel on Composition	5 00	6 00	7 00	S (H)
Solid Brass	5 ()()	6 00	7 (8)	8 (9)
Heavy Oval Express Hooks.				
Size	4	5	6	7
To Match Terret	1 58	1 4	1.7%	2
Nickel on Composition Per Dozen, \$6	6 00	6 00	5 00	8 00
Solid Brees 1	5 (10)	6.100	5 (10)	\$ 000

ALL ABOVE, ONE DOZEN IN A BOX.

C Pad Hook





#### Heavy Oval Swedge Terrets.

Size Inches.  Nickel on Composition Per Dozen,  Solid Brass Per Dozen,  Solid White Metal Per Dozen,  Aluminum Bronze Per Dozen,	\$ 1 00 1 00 \$ 10 9 00	5 00 5 00 9 60 10 60	6 00 6 00 H 70 H3 00	7 00 7 00 13 50	\$ 40 \$ 40 16 20
	9 00	10 60	13 00		

#### Heavy Oval Swedge Coupe Bolt Hooks.

Size	Numbers.	::	4	5	6	7
To Match Terrets	Inches,	1 1 2	1 58	1 34	178	2
Nickel on Composition	Per Dozen,	4	5 00	.,,		> 10
Solid Brass	Per Dozen,	1.00	5 OO	(5-(10)	7 ()()	× 40
Solid White Metal	Per Dozen,	S 10	9 60	11/70	13/50	16 20
Aluminum Bronze						
Silver Close Plate on Solid Nickel.,	Per Dozen,	19.50	20-30	21.50	23 60	29 70





### Elberon Terrets.

Size	1 12	1 58	1 34
Nickel on Composition	\$ 5 00	5 80	6 80
Solid Brass	5 00	5 80	6 80
Solid White Metal Per Dozen,	9 00	$10^{\circ} 50$	I2 60
Aluminum Bronze Per Dozen,	10 00	11 60	
Elberon Coupe Hooks.			
SizeNumbers.	3	4	- 5
Size	14,	138	$1\beta_4$
Nickel on Composition	\$ 5 00	5 80	6 50
Solid Brass	5 00	5 80	() 50
Solid White Metal Per Dozen.	9.00	10.50	12 60
Aluminum Bronze Per Dozen,	]0 00	11 60	
Elberon C Pad Hooks.			
SizeNumbers,	3	4	.5
To Match Terrets	11,	1:,	1 34
Nickel on Composition Per Dozen.	\$ 7.60	7 60	9 00
Solid Brass Per Dozen,	7 60	7 GO	51 (91)
Solid White Metal Per Dozen.	10.80	10 80	$12^{\circ}60$
Aluminum Bronze Per Dozen,		12 00	14 00





No. 111. Fancy Terrets.

Nickel on Composition, Size, 1 <sup>1</sup> / <sub>2</sub> Inch	
Tillifation Ranner, Solid Gift Lined, Size, 1-2 inch	- 0.7

#### No. 111. Fancy Bolt Hooks.

nor randy someone	
Nickel on Composition	
Infiliation Italian I Cont one machine in the machine and the distance in the machine in the mac	



No. 1111. Fancy Post Hooks.

	•	
Nickel on Composition		Per Dozen, \$3-60
Imitation Rubber, Solid Gilt Lined .		Per Dozen, 3 60





No. 112. Fancy Terrets.

Nickel on Composition, Size, 1 to Inch 2 xxxx	 Per Dozen, \$2 00
Imitation Rubber, Solid Gilt Lined, Size, 1 2 Inch	 Per Dozen, 👱 00

#### No. 112. Fancy Bolt Hooks.

Nickel on Composition	
ATTENCE OIL COMPARION	
Imitation Rubber, Solid Gilt Lined	 





No. 313. Fancy Terrets.

Nickel on Composition, 158 Inch Heavy.  Imitation Rubber, Solid Gilt Lined, Size, 158 Inch, Heavy			Per Per		
No. 313. Fancy Bolt Hooks.					
Nickel on Composition, Heavy					



No. 1313. Fancy Post Hooks.

Nickel on Composition, Heavy Per Dozen, \$3-60
Imitation Rubber, Solid Gilt Lined, Heavy Per Dozen, 3-60





No. 116. Fancy Terrets.

	 Per Dozen, \$3-60
Imitation Rubber, Solid Gilt Lined, Size, 138 Inch, Heavy	 

No. 116. Fancy Bolt Hooks.





#### No. 328. Fancy Terrets.

Nickel on Composition. Size, 13s Inch, Heavy	Per Dozen, \$3 30
Imitation Rubber, Solid Gilt Lined, 158 Inch, Heavy	
No. 328. Fancy Bolt Hoo	ks.
Nickel on Composition, Heavy	Per Dozen, \$3-30
Imitation Rubber, Solid Gilt Lined, Heavy	



#### No. 1328. Fancy Post Hooks.

Nickel on Composition, Heavy	Per Dozen,	\$5 00
Initation Rubber, Solid Gilt Lined Heavy	Per Dozen.	5 (0)





No. 326 Bolt Hook

#### No. 326. Fancy Terrets.

Nickel on Composition. Size, 142 Inch, Heavy	
Imitation Rubber, Solid Gilt Lined. Size, 1 <sup>1</sup> 2 Inch, Heavy	
No. 326. Fancy Bolt Hooks.	





No. 319. Terret

No. 515. Pancy leffels.	
Nickel on Composition, Size, 1 58 Inch. Heavy.  Imitation Rubber, Solid Gilt Lined, Size, 1 58 Inch, Heavy.  Per Dozen, 3  Solid Brass, Size, 1 58 Inch, Heavy.  Per Dozen, 3	3 3()

No. 319. Fancy Boil Hooks.		
Nickel on Composition, Heavy	Per Dozen,	\$3.30
Imitation Rubber, Solid Gilt Lined, Heavy	. Per Dozen,	3 30
Solid Brass, Heavy	.Per Dozen,	3 30



No. 1319. Fancy Post Hooks.

Nickel on Composition, Heavy	en, \$5 10	
Imitation Rubber, Solid Gilt Lined, Heavy Per Doz	en, 5 IO	
Solid Brass, Heavy Per Doz		




No. 131. Terret.

No 131. Bolt Hook No. 131. Fancy Terrets.

Nickel on Composition, Heavy	\$3-444	
Imitation Rubber, Solid Gilt Lined, Heavy		-

#### No. 131. Fancy Bolt Hooks.

not toll tuney between	
Nickel on Composition, Heavy	82-1111
Imitation Rubber, Solid Gilt Lined, Heavy Per Dozen,	2-110






No. 36. Heavy Narrow Band Terrets.

Nickel on Composition, Size, 1 <sup>1</sup> 2 Inch	Per Dozen, 2 70
Imitation Rubber, Solid Gilt Lined, Size, 1 12 Inch.	Per Dozen, 2 70
No. 36. Heavy Narrow Band Bolt Hook	cs.
Nickel on Composition	Per Dozen, \$2.70
Nickel on Composition	Per Dozen, \$2 70 Per Dozen, 2 70



#### No. 2136. Narrow Band C Pad Hooks.

Nickel on Composition	 Per Dozen, \$1 20
Solid Brass	 
Imitation Rubber, Solid Gilt Lined	 Per Dozen, I 20



Nickel on Composition, Heavy...



No. 130. Fancy Terrets.

Imitation Rubber, Solid Gilt Lined, Heavy	Per Dozen, 2/80
No. 130. Fancy Bolt Hooks.	
Nickel on Composition, Heavy	Per Dozen, 52 80 Per Dozen, 2 80

## J. M. Eilers & Co., Cincinnati, O.

#### FINE HARNESS MOUNTINGS.





No.324.	Fancy	Terrets.
---------	-------	----------

Nickel on Composition, Heavy
No. 324. Fancy Bolt Hooks.
Nickel on Composition, Heavy
Imitation Rubber, Solid Gilt Lined, Heavy Per Dozen, 3 20



#### No. 2324. Fancy C Pad Hooks.





No. 125. Terret.

#### No. 125. Fancy Terrets.

Nickel on Composition, Size, 1 38 Inch		
Imitation Rubber, Solid Gilt Lined. Size, 138 Incl.		Per Dozen, 2 80
No. 12	5 Fanov Polt Ho	oks

Nickel on Composition	 Per Dozen,	25 70
Imitation Rubber, Solid Gilt Lined	 Per Dozen.	2 50






No. 121.	Fancy	Terrets.
----------	-------	----------

Nickel on Composition Imitation Rubber, Gilt Trimmed	
No. 121. Fa	ncy Bolt Hooks.
Nickel on Composition	Per Dozen, \$2 50 Per Dozen, 2 50 Per Dozen, 2 50



No. 1121. Fancy Post Hooks.

Nickel on Composition Per Dozen, \$4	50
Imitation Rubber Cilt Trimmed Per Dozen, 4	- 90
Solid Bruss Per Dozen, 4	. 50





No. 123. Fancy Terrets.

No. 123 Fancy Bolt Hooks.	
Solid Brass, Heavy Per Dozen,	3 60
Imitation Rubber, Gilt Trimmed, Heavy	3 60
Nickel on Composition, Heavy	3 60

Nickel on Composition, Heavy Per Dozen, \$3-60

Nickel on Composition, Heavy Per Dozen, \$3-60

Per Dozen, \$3-60





No. 375. Wire Bon Ton Terrets.

No. 375. Wire Bon Ton Bolt Hooks. 





No. 1375. Wire Bon Ton Post Hooks. 

No. 2375. Wire Bon Ton C. Pad Hooks. 





No 575, Hook.

No. 575. Fancy Bon Ton Terrets. 

No. 575. Fancy Bon Ton Bolt Hooks. 

All Above, One Dozen in a Box.





Heavy	Band	Bon	Ton	Terrets.

Size	ches, 1½	1 5/8
No. 175. Imitation Rubber, Gilt Base	ozen, \$1 50	1.80
No. 475. Imitation Rubber, Square Shoulder, Gilt Base Per D	ozen, 1 50	*****



#### No. 175. Heavy Band Bon Ton Bolt Hooks.

Size	Numbers,	3	4
To Match Terrets		1 1/2	1 58
Imitation Rubber, Gilt Base	Per Dozen,	\$1.50	1 80





No. 1175. Heavy Band Bon Ton Bolt Hooks.

No. 2175. Heavy Band Bon Ton C Pad Hooks.

ALL ABOVE, ONE DOZEN IN A BOX.

#### FINE HARNESS MOUNTINGS.

Imitation Rubber and Sargeant Rubber Finish.





Heavy Wire Pattern, All Black Terrets.

Sizelnches,	138	1 12	1 53
Imitation Rubber Per Dozen,	\$1.10	1 20	1.50
Sargeant Rubber Finish	1 80	2 30	2 90

#### Heavy Wire Pattern, All Black Bolt Hooks.

Size	2	:3	4
To Match Terretslnches.	138	1 12	1 38
Imitation Rubber	\$1.10	1 20	1.50
Sargeant Rubber Finish Per Dozen.	1 80	2 30	2 90





Narrow Band, All Black Terrets.

Imitation Rubber, Size, 1 1/2 Inch	\$1.70
Sargeant Rubber Finish, Size, 112 Inch	2.70

#### Narrow Band, All Black Bolt Hooks.

Imitation Rubber, To Match 1 1/2 Terrets	Per	Dozen,	51	70
Sargeant Rubber Finish, To Match 112 Terrets	. Per	Dozen.	-)	70

# FINE HARNESS MOUNTINGS.

Imitation Rubber and Sargeant Rubber Finish.





#### Extra Heavy Band Terrets.

Size	Inches,	1 12	1 58
Imitation Rubber, All Black	Per Dozen,	\$1.40	I 60
argeant Rubber Finish, All Black Per Dozen, 2			3 20
Heavy Band Bolt Ho	ooks.		
Sīze			
To Match Terrets	Inches,	$1^{-1}_{2}$	1 58
Imitation Rubber, All Black	Per Dozen,	\$1.40	1 60
Surgeout Rubber Finish All Black	Per Dozen	9.70	9 00






Bolt H

# Heavy Band Terrets.

Heavy Band Bolt Hooks.				
Imitation Rubber, Solid Gilt Lined	 Per Dozen, \$3 80	1/60	5 40	
Size	 Inches, $1^{\pm_2}$	1.58	1 34	

Size Number, ;	•	+	• •
To Match Terrets	12	134	134
Imitation Rubber, Solid Gilt Lined	80 - 4	60	5 40





#### Heavy Wire Terrets.

Size	lnches, 1 14	1 3/8	1 12	1 58	1 34
No. 70. Plain Wire, All Black	Per Dozen, \$1.50	5 20	5 20	6 00	6.00

# Heavy Wire Bolt Hooks.

SizeNumber, 3	4	5	G	7
To Match Terrets	$1^{3}$ s	1 1/2	1.5%	1 34
No. 70. All Black Per Dozen \$3.90	1.50	4.50	5.20	5.20





# Heavy Wire Terrets.

Size	Inches, 1 1	13 <sub>8</sub>	1 1,
No. 145. Plain Wire, Solid Gilt Lined	Per Dozen, \$9.9	0 10 50	11.70

#### Heavy Wire Bolt Hooks.


SizeNumbers,	::	4	5
To Match TerretsInches,	1 4	138	1 12
No. 145. Plain Wire, Solid Gilt Lined			





#### Narrow Band Terrets.

SizeInches.  No. 91. Width of Band, 3-8 Inch, All BlackPer Dozen,			
Narrow Band Bolt Hooks.			
Size	3	4	5
To Match Terrets	1 14	138	1 1/2





10.50


10.50

Narrow Band Raised Center Terrets.

Size	finches, $1^{1}_{+}$	138	1 12
No 101. Width of Band, 3-8 Inch, Double Seam, All Black		0 11 30	H 30
No. 106. Width of Band, 3-8 Inch. Double Seam, Solid Gilt Lined	Per Dozen, 10-5	0 12 00	12 00
Narrow Band Raised Center Bolt Hook	is.		
Size	Numbers,	4	5
To Match Terrets	Inches, 1	4 13 <sub>8</sub>	$1^{-1}$ <sub>2</sub>
No. 101. Double Scam, All Black	Per Dozen, 💲	30 9 00	9-00

ALL ABOVE, ONE DOZEN IN A BOX.

No. 106. Double Seam, Solid Gilt Lined. Per Dozen, 9 00





#### Medium Band Terrets.

Size	1 3/8	112	1 5 <sub>8</sub>	1 34
No. 90. Width of Band, 1-2 Inch, All Black	\$3 70	8.70	10 00	10-00

#### Medium Band Bolt Hooks.

Size	, <b>4</b>	5	G	7
To Match Terrets	$1$ $\frac{1}{8}$	112	1.58	1 34
No. 90. All Black Per Dozen	, \$6.70	6.70	7 10	7 40





#### Heavy Band Terrets.

Size	 Inches, $\mathbb{1}^{1}_{2}$	1 5	1 4
No. 92. Width of Band 5-8 Inch, All Black	 Per Dozen, \$8 70	10 00	10 00

# Heavy Band Bolt Hooks.

Size		5	45	6
To Match Terrets	Inches	1 12	1.58	$1^{-3}4$
No. 49 All Rholy	Per Dozen	\$6.70	7 10	7 40








No	516	and	No.	95	Bolt	Hook

No. 96. Narrow Baud, Width, 3 8 Iuch, Gold Finish		13/8 10 50 10 50	$\begin{array}{c} 1 \ 7_2 \\ 10 \ 50 \\ 10 \ 50 \end{array}$
Solid Metal Ba	and Bolt Hooks.	4	5
To Match Terrets	Inches, 11	_	1 ½ 8 30

# White Celluloid Mountings.





Cold Lined Bolt Hooks.				
Size Numbers, To Match Terrets Inches, No. S1. Wire Seam Per Dozen.	1 ' <sub>4</sub>	1 's	1 2	1 38

#### Gold Lined, C Pad Hooks.

For Double Harness.				
Size	2	**	4	5
To Match TerretsInches,	1 '4	1 '8	1'2	1 58
No. 81. Wire Seam. Per Dozen, §	30/70	11 - 40	11 - 10	12 (0)

ALL ABOVE, ONE DOZEN IN A BOX.









Trace Buck!

No. 140. Park Pattern, Trotting or Track. Gold or Silver Finish.

Terrets.	SizePrice			1 1 <sub>2</sub> 10 80
Bolt Hooks.	To Match Terrets	<b>3</b> 9-90	_	5 10 50
C Pad Hooks.	With Lock, to Match Terrets			<b>4</b> 12 60
Trace Buckles.	Size Price			1 °s 9 90

# Bolt Hooks with Check Stops.







With this Attachment the Check Cannot be Thrown. Solid Metal, Gold or Silver Finish.

Numbers	2	- 33	4	- 5
To Match Terrets	1 1	1 <sup>1</sup> <sub>+</sub>	138	1 1 2
No. 96 S. Narrow Pattern, Band	\$11.00	11 00	[2 ()1)	12 00
No. 106 S. Narrow Pattern, Double Seam	13 00	13 00	15 (0)	15 00
No. 140 S. Narrow Pattern, Band, Per Dozen,	14 ()()	11 00	15 00	15 00

#### Pad Screws.







Oval Pattern.	For Coach Pads of Any Size	Per Dozen, \$	4 00
Ball Pattern.	For Coach Pads of Any Size	Per Dozen,	> 00
Pand Datton	For Coach Park of Any Size	Per Dozen.	F ()()





#### C Pad Hooks, With Lock.

Numbers	1	2	3	4	.5	6
To Match Terrets	1 1/8	1 14	$1^3 s$	1 12	1 5/8	1 34
No. 96 L. P. Solid Metal, Narrow Band, Gold or Silver Finish	\$15 00	15 00	15-50	15 - 50		
No. 95 L. P. Solid Metal, Wide Band, Gold or Silver Finish Per Dozen,				15 50	16 00	16 00
No. 106 L. P. Solid Metal, Narrow, Double Seam, Gold or Silver Finish Per Dozen,	16 00	16 00	17 00	17 - 00		







Fly Terrets.

Numbers	1	2	• • •	4
To Match Terrets	$1^{-1}$ s	$1_{+}^{1}$	$1.5_{8}$	$1^{-1}2$
No. 70 F. T. Wire, All Black, with Gold or Silver Fly	5 8 50	> 50	9.00	Ð (B)
No. 90 F. T. Band, All Black, with Gold or Silver Fly		12 00	E3 00	13 00
No. 95 F. T. Solid Metal Band, Gold or Silver Finish		13 00	11 (10)	11 00

# Fine Harness Mountings.

\*\*\* Sargeant Rubber Finish. Has the appearance of Genume Hard Rubber Covered Mounting. Gives excellent wear and adds but a trifle to the cost of a set of harness compared with Imitation Rubber Mounting.

10-16" Solid White Metal. Should not be mistaken for so-called Solid Nickel. Solid White Metal Mounting has no plating to we or off, is highly polished and will wear white.







14/:	$\sim$	D1	Hooks.
44 11 6	·	rau	MUUNS.

Numbers		2	3	4	5
To Match Terrets					1 58
No. 70 P. All Black	r Dozen, \$5 (	5 00	5 50	5 50	5 70
Wire C Pad Hooks.					
Numbers			2	3	4
To Match Terrets		Inches,	1 1/	1 3 8	1 12
No. 145 P. Solid Gilt Lined	Pe	er Dozen,	\$10.50	11 50	12 00
Narrow Band C Pad Hooks.					

Numbers 1 To Match Terrets 1. Inches,  $1^{1}$ 8

To Match Terrets...... Inches. 11,







138

10.50

11,

10.50

1 14

9 80

Regular Band C Pad Hooks.

1 4

No. 90 P. All Black		() <()	10 50	10 50	11 50	11 50
	Solid Metal Band C Pad Hooks.					
Numbers	1	2	43	4	.5	6
To Match Terrets	Inclies, 115	1 14	$1 \cdot \varsigma$	1 1 2	138	$1_{-4}$
No. 96 P. Narrow Pattern, Gold Finish	Per Dozen, \$10-50	10 50	11.50	11.50		
No. 95 P. Wide Pattern, Gold Finish	Per Dozen			11 50	15 00	12 00

Narrow Band Raised Center C Pad Hooks.			
Numbers	22	-3	4
To Match Terrets	1 1,	1 8	$1^{-1}z$
No. 101 P. Double Seam, All Black Per Dozen,	\$11.50	15 (90)	12 00
No. 106 P. Double Seam, Solid Gilt Lined	12 (0)	13 00	];; (E)







Check Hooks.

Urbana, Al	l Black	Per Dozen,	<b>≴</b> 7 50
- Dunlap Al		Per Dozen,	7 50
McKinney,	All Black	Per Dozen,	9 00





Post Hooks.

Numbers	2	3	4	.5	6
To Match Terrets		$13_{8}$	1 1 2	1 58	1 34
No. <b>70 P. H.</b> Wire, All Black	7 50	9.50	9.50	11 50	11 50
No. 90 P. H. Band, All Black	13.50	15 00	15 00	16 00	16 00







Fly Post Hooks.

·					
Numbers	2	3	4	- 5	6
To Match Terrets	1 4	1 3 s	1 12	1 58	1 34
No. 70 F. P. Wire, All Black, with Gold or Silver Fly,Per Dozen, \$21 40	21 40	22 50	22 50	54 (8)	24 (10
No. 90 F. P. Band, All Black, with Gold or Silver FlyPer Dozen, 27 00	27 - 00	28 50	28 50	30 00	30 00
No. 95 F. P. Solid Metal Band, Gold or Silver Finish	28 50	30 00	30-00	31/50	31.50

# TROTTING MOUNTINGS. HIGH GRADE.









rug bucki

#### Bevel Band Terrets.

Aluminum Bronze	Inches, 14 Per Dozen, 38 00	13 <sub>5</sub> \$100	1 t <sub>2</sub> 8 00
Bevel Band Bolt H			
Size	Numbers. 1	2	3
To Match Terrets	Inches. 14	13 9	1 '
To Match Terrets. Aluminum Bronze	Per Dozen, 38 00	S (00)	5 00
Bevel Band C Pad F			
Size	Numbers. 1	2	:3
To Match Terrets	Inches, 14	135	14,
Aluminum Bronze	Per Dozen, \$10 00	10 00	10 00
Bevel Band Tug Bu	ckles.		
Size	4 Anches 3 4	7.8	1
Aluminum Bronze			







Tug Buckle.

#### Cilt Band, Imitation Rubber Inlaid.

Terrets, Size, 138 or 112 Inches	 Per Dozen,	\$ 7,50
Bolt Hooks, To Match Terrets	 Per Dozen,	
C Pad Hooks, To Match Terrets	 Per Dozen,	10.50

#### Cilt Band Tug Buckles, Imitation Rubber Inlaid.

Size	7-8	1
Price Per Dozen	\$1.50	5.50

# TROTTING MOUNTINGS.

HICH CRADE.









Licht	Wino	Trotting	Townsto
Light	wire	irotting	Terrets.

Size	1 3/8	1 1/2
Solid White Metal, Plain Wire	5 60	7 20
Aliminum Bronze, Plain Wire Per Dozen, 6 00	6 00	6 00

# Light Wire Trotting Bolt Hooks.

Size	. 1	2	3
To Match Terrets	14	1 78	1 1/2
Solid White Metal, Plain Wire			
Alliminum Bronze, Ham Wife	1, (/1)	(,,,,	., 00

#### Light Wire Trotting Bolt Hooks with Guard.

SizeNumbers, 1 2 3	angua unita irramig a unita irramig				
	Size	Numbers,	1	2	3
To Match Terrets Inches, 14 138 14	To Match Terrets	Inches,	1 1/4	1 3/8	1 1/2
Solid White Metal, Plain Wire				11 60	13/20
Aluminum Brouze, Plain Wire	Aluminum Bronze, Plain Wire	er Dozen,	15 - 00	12/00	12 (0)

#### Light Wire Trotting C Pad Hooks.

Light Wire Trotting C Pad Hooks.			
Size Numbers,	1	2	3
To Match Terrets	1 14	138	1 12
Solid White Metal, Plain Wire Per Dozen,	\$10.00	10 00	10.00
Aluminum Bronze, Plain Wire Per Dozen,	> 00	8.00	> 00







Light Trotting Band Terrets.

Size	 	138	1 12
Solid White Metal, Ribbon Band	 Per Dozen, \$6 00		
Aluminum Bronze, Ribbon Band	 Per Dozen, - 6-00	6 (0)	6 00

# Light Trotting Band Bolt Hooks.

51/4	 	Numbers,	1	2	+3
To Match Terrets	 	Inches,	1 14	1 '8	1 12
Solid White Metal, Ribbon Band 2	 	Per Dozen,	\$6.00	7.50	(1) (1)
Maminum Bronze, Ribbon Band	 	Per Dozen,	6.00	G 00	6 00
***************************************	 	,			

#### Light Trotting Band C Pad Hooks.


To Match TerretsInches, $1^{1}_{4}$ = $1^{3}_{8}$ = $1^{4}_{5}$	SI/E	Numbers,		.,
Solid White Metal, Ribbon Band Per Dozen, \$10,00 10,00 10,00	To Match Terrets	Inches, 1	$1^{3}_{4}$ $1^{3}_{8}$	1 12
	Solid White Metal, Ribbon Band	Per Dozen, \$10	0 00 10 00	10 00

# J. M. Eilers & Co., Cincinnati, O.

# FINE EXPRESS MOUNTINGS.








Heavy Band Pattern.

Size		1 12
Nickel on Composition	Per Set, \$2-20	2 60
Solid Brass		2 60







Extra Heavy Band Pattern.

Size	Inches, 114	$1^{-1}_{-2}$
Niekel on Composition		2 90
Solid Brass	Per Set. 2 50	2.90


The 14 inch set consists of two 14 inch Center Bar Buckles, two 15 inch Express Terrets and one Express Hook to match.

The 14 inch set consists of two 15 inch Center Bar Buckles, two 17 inch Express Terrets and one Express Hook to match.

# FINE EXPRESS MOUNTINGS.









Oval Swedge Pattern.

Size	1 1/2
Nickel on Composition Per Set, \$2 40	2.70
Solid Brass Per Set. 2 40	9.70







Heavy Oval Pattern.

#### High Neck Terrets.

Size	Inches, 14	1 1,
Nickel on Composition		
S. 11.1 D.	Per Set 9 5	

The 1½ inch set consists of two 1¾ inch Center Bar Buckles, two 1¾ inch Express Terrets and one Express Hook to match. The 1½ inch set consists of two 1½ inch Center Bar Buckles, two 1% inch Express Terrets and one Express Hook to match.

### FINE HARNESS MOUNTINGS.

No. 152. Scroll Pattern Express Terrets.

 Solid Brass
 Per Pair, \$4.50

 Solid Nickel
 Per Pair, 6.50

18" For Buckles to Match, see Pages 128 to 130.




No. 153. Scroll Pattern Express Hooks.

For Buckles to Match, see Pages 128 to 130.

# J. M. Eilers & Co., Cincinnati, O.

# FINE HARNESS MOUNTINGS.



These goods are not carried in stock but can be furnished to order within 10 days.

# FLY TERRETS.







Light Band.

Light	Wire	and	Band	Fly	Terrets.
-------	------	-----	------	-----	----------

Size Inches, 11	1
Nickel on Composition Per Dozen, §4 5	j()
Solid Brass	<b>(</b> )
Luitation Rubber, Solid Gilt Lined, Gilt Fly Per Dozen, 4-5	i()



Heavy Wire Ball.




Heavy Band

Heavy Wire Ball and Band Fly Terrets.

\$17c	 Inches, 1		1 1 2
Nickel on Composition	Per Dozen, \$10		12 (0)
Solid Brass	 Per Dozen, 10	0.00	12 00
Imitation Ruther Solid Cilt Lined Cilt Elv	Per Dozen. 10		12.00

# Fly Post Hooks.







Size	. 3	,	4
To Match Terrets	1 1	2	1.58
Nickel on Composition	\$55	<del>~</del> ()	3 00
Solid Brass	. 2	70	3 (10)
Par Dair	٠) ٠	TO:	2 (30)





# Pug Band Express.

Size	:;	+
To Match Terrets	$1.58 \text{ or } 1.3_4$	1% or 2
Japanned Per Dozen,	\$2 (10)	2.80
X C Plate	2 00	2 80
Nickel on Composition Per Dozen,	5 60	8.00
Solid Brass	5 60	8 00



# Oval Swedge Express.

Size			4	.5	6	7
To Match Terrets	1	Inches,	1.5%	1 4	178	2
Nickel on Composition		Per Dozen,	\$5.60	6.00	7 00	> 00
Solid Brass		Per Dozen	5 60	6.00	7 (00)	8 00





#### Wire Ball Express.

Size	Numbers,	4	5	- 6
To Match Terrets	Inches,	1 5s	1 34	1 78
Japanned.	Per Dozen,	\$1.70	2 (0)	2 80
X C Plate	Per Dozen,	1.70	2 00	2 80
Nickel on Composition	.Per Dozen,	5 60	6 00	7 (10)
Solid Brass	Per Dozen,	5 60	6.00	7 00

#### Regular Band Express.

Size	.5	6	7
To Match Terrets Inches, 1.8s	1.34	178	2
Japanned Per Dozen, \$1.7	0 2 00	2 40	3 50
N C Plate Per Dozen, 4.7	0 2 (0)	2 40	3 50
Nickel on Composition Per Dozen, 6 0	0 7 00	8 00	9 00
Solid Brass Per Dozen, 6 0	0 - 7.00	S 00	9 00

# C PAD HOOKS.





#### Heavy Band Pattern.

Numbers	- · · · · · · · · · · · · · · · · · · ·	4	5
To Match Terrets	lnches, 112	$1.5_8$	1 34
Japanued	Per Dozen, \$1.20	1 40	
X C Plate			
Imitation Rubber, All Black			
Imitation Rubber, Solid Gilt Lined		8.00	9.00
Nickel on Composition			
Solid Brass			





23 10

21.50

26 40

# Heavy Wire Pattern.

Numbers	. 3	4	.5
To Match Terrets	1 1/2	158	$I\beta_a$
Imitatiou Rubber, All Black	, <u>\$1</u> 90	2 20	2 40
Nickel on Composition	. 4 60	5 20	6.00
Solid BrassPer Dozen,	. 1 60	5 90	6.00
Solid White Metal	7 -20	5 00	9 00
Aluminum Bronze Per Dozen,	5 00		., 1,07
Silver Close Plate on Solid Nickel		20.70	21 50
Swedge Pattern.			
Numbers	4	5	6
To Match Terrets	I 58	I 3,	17.
Nickel on Composition	6.80	5 00	9.00
Solid Brass	6.80	5.00	9 00
Solid White Metal	10.80	13.00	15 00
Vinnium Branzo	217 111	2+1 (7()	19 00

# POST HOOKS.





# Band Pattern.

Numbers	2	3	4
To Match Terrets	1 12	1 5/s	1 34
Japanned	\$I 20	1 30	1 50
X C Plate Per Dozen,	1 80	1 90	2.00
Imitation Rubber, All Black, Heavy	2/10	2 30	2.60
Imitation Rubber, Solid Gilt Lined Per Dozen,	5 00	5 50	6.50
Nickel on Composition. Per Dozen,	5 00	5 50	6.50
Solid Brass Per Dozen.	5/00	5-50	6.50
•••			

#### Wire Pattern.

Numbers	2	3	4
To Match Terrets Inches,	11,	1 58	1 34
Japanued Per Dozen,	51 20	1 30	1 50
X C Plate Per Dozen,	1.80	1 90	2.00
Imitation Rubber, All Black Per Dozen,	2 IO	2/30	2.60
Nickel on Composition Per Dozen,	£ 60	5-50	9.00
Solid Brass Per Dozen,	4.60	5 50	9 00







# Flat Top Pattern Pedestal.

Numbers	4	5	6
To Match TerretsInches,	1 58	1 34	1 7 <sub>8</sub>
Nickel on CompositionPer Dozen,	\$ 5 40	(5-30)	8 IO
Solid Brass	5 10	6 30	8 10
Solid White Metal Per Dozen,	10.50	12 00	13 50
Silver Close Plate on Solid NickelPer Dozen,	19/80	21.50	54 80

#### Wire Pattern Bugle.

Numbers	- 5	6
To Match Terrets. Inches, 15	134	1 7 s
Nickel on Composition or Solid Brass Per Dozen, \$10	10 - 12 = 0	00-11-00
Solid White Metal Per Dozen, 16 :	20 - 21 = 0	$30 - 27 \cdot 00$
Silver Close Plate on Solid Nickel	30 11 6	io In 20

# Swedge Pattern Bugle.

Numbers	4	- 5	6
To Match Terrets		1 34	17s
Nickel on Composition or Solid Brass		12/00	-11'00
Solid White Metal Per Dozen,		23 - 10	30 60
Silver Close Plate on Solid Nickel	I4 60	18 00	52/80

#### CHECK HOOKS.







Sa	ro	ea	ni.

Finish	.Imitation Rubber	Nickel on Composition	Solid Brass
Johnson Per Dozen	, 52 40	5 00	5 00
Sargeant Per Dozen	1 20	2 40	2 40
Mckinney. No. 10, Small	, I 50	3 (00)	3 (00
McKinney. No. 11, Medium	, 1 50	3 00	3 00






Finish	mitation Rubber	Nickel on Composition	Solid Brass
Dunlap. No. 22 Per Dozen, Urbana Per Dozen,		2 40 2 40	2 40

🌃 For Gennine Rubber Danlap, Urbana and McKinney Hooks, see Pages 174.





The spring on the Peerless Hook is a flat piece of steel, riveted to the Hook itself, making it impossible to work loose.





Dennis.

Chitton.	Clinton.	Dennin	
FinishPrice	Per Dozen,	mitation Rubber \$3-50	Nickel 3/50

#### Dennis Patent.


Used on Flexible Saddles.

FinishImitation Rubber	Niekel	Brass
Price Per Dozen, \$4.00	4 00	4 (0)

#### BREAST COLLAR TERRETS.







No. 50. Loose Ring Round Wire Pattern.

C	1 12
Nickel on Composition	5 30
Solid Bross	9 90
Gold Plated Per Dozen, 4 80	6.00

#### No. 51. Loose Ring Oval Wire Pattern.

Size	1 3/8	1 1/2
Violent on Composition Per Dozen,	## OO	i) i)()
Solid Press	4 00	0.00
Gold Plated Per Dozen,	-1.80	6.00






Breast Collar Staples.

To be used with Rings.


No. <b>251.</b>	Nickel on Composition or Solid	Brass Per I	)ozen,	≸I 50	
	<u></u>	D. C. C. C. D. Tarretta			

No. 92. Stationary D Terrets.	
Size	1 3/2
Fine Solid English Brass to Rivet	\$10,00
Fine Solid White Metal.	24 00
Fine Solid Willie Jiefeld.  Per Dozen,  Per Dozen,	30 00

#### Team Pad Terrets and Hooks.







Luches

No. 208. Terrets.

Nickel on Composition or Solid Brass Per Dozen, \$5.00 Imitation Rubber, Solid Gilt Lined Per Dozen, 5.00	5 20
Imitation Rubber, Solid Gilt Lined	5/20
No. 209. Hooks.	
	4
Imitation Rubber, Solid Gilt Lined	5 20

Year Terrets are Riveted to Small Steel Plate thus avoiding contact with Horse's Back. PACKED AS WANTED.





Plain	Wire	Heavy	Pattern.

Plain Wire Heavy F	attern.				
Size	Numbers,	3	4	5	6
To Match Terrets	Inches,	1 12	1 5 s	$1.3_{\pm}$	1 75
Nickel on Composition	Per Dozen, \$	3 40	1.00	1.60	5 60
Solid Brass	Per Dozen,	3 40	4 00	1-60	5 60
Solid White Metal	Per Dozen,	6.30	7 20	S 10	9 ()()
Silver Close Plate on Solid Nickel	Per Dozeп,	17-50	17-50	18 20	21.50
Size Plain Swedge Heavy	Pattern.	3	4	5	G
To Match Terrets.			150	1 3,	178
Nickel on Composition			5 00	6 00	7 00
Solid Brass	Per Dozen,	4 00	ã 00	6 (0)	7 00
Solid White Metal	Per Dozen,	5 10	9.60	12 00	13.50
Silver Close Plate on Solid Nickel	to to	3 45 7 14	13.50	LE 30	15.70



#### Loose Ring Drop Terrets.

Sizeluches,	1 12	1 3 <sub>4</sub>
Nickel on Composition	\$1.20	8 60
Solid Brass Per Dozen,	1 20	S 60



# Pony Harness Mountings.






Plain Wire Terrets.

Imitation Rubber on Composition, Size, 14 InchesPer Dozen, \$2 8Nickel on Composition or Solid Brass, Size, 14 InchesPer Dozen, 2 8Aluminum Bronze, Size, 14 InchesPer Dozen, 6 0	s()
Plain Wire Bolt Hooks.	
Imitation Rubber on Composition, to Match $1^{4}$ Inch TerretsPer Dozen, \$2 \text{ Nickel on Composition or Solid Brass, to Match $1^{4}$ Inch TerretsPer Dozen, 2 \text{ Aluminum Bronze, to Match $1^{4}$ Inch TerretsPer Dozen, 6 00	s() s() J()
Plain Wire C Pad Hooks.	
Imitation Rubber on Composition, Size, $1_4^4$ Inches.Per Dozen, \$1.8Nickel on Composition or Solid Brass, Size, $1_4^4$ Inches.Per Dozen, $1_4$ Solid Brass, Size, $1_4^4$ Inches.Aluminum Bronze, Size, $1_4^4$ Inches.Per Dozen, $8_4$ Order	(1)

For Pony Bits, see Pages 245 and 246. Pony Saddles and Coach Pads, Page 306, Pony Hames, Breast Collar Irons, Page 204.

#### UNDER PLATES OR TREE FLANCES.



No. 13. Gig or Half	Track
---------------------	-------

For 212 or 3 Inch Gig or Half Track Trees	Per Single Dozen, \$0-40
No SO Express	

# Seats for Gig Trees.






#### With Screws.

Size	Inches,	212	3	$3^{-1}2$
No. 200.	Japanned, Coupe Style, Without Turn Back Loops	\$1.60	1 80	2 00
No. <b>642.</b>	Japanned, Coupe Style, With Turn Back Loops for Strap Saddles	1 80	2 00	
No. <b>640.</b>	Leather Covered, Coupe Style, With Turn Back Loops	50	50	50

# Japanned Seats, For Express Trees.


Solid Back Pug Pattern.



Size	Inches,	4	412	5	<b>5</b> 12
No. 748. Japanned, with Screws	Each,	\$0.40	0.44	0.50	0.60

#### COMBINATION TIPS AND LOOPS.

For Strap Saddles.



 
 Finish
 Initation Rubber

 No. 31. Loops, 7-8 or 1 Inch.
 Per Dozen Pairs,
 \$1.50


 No. 74. Loops, 7-8 or 1 Inch.
 Per Dozen Pairs,
 1.50
 Nickel 2 60 2 60


10 In ordering always mention size wanted as well as finish.

# Strap Saddle Loops.



# Cig Saddle Jockey Tips.






No. 73.

Finish		Imitation Rubber	Nickel	Brass
No. 9.	Size of Loop, 7-8 or 1 Inch	airs, \$3 00	3.00	3 09
No. 73.	Size of Loop, 7-8 or 1 Inch	airs, 3 00	3 00	3 (4)

# IRON BACK BAND LOOPS.







For Trees, Size	$3^{1}_{2}$	4 or 41/2	5 or 5½
Size of Loop for Bearer	1 1 s	1 1/4	1 12
No. 740. Japanned Per Dozen Pairs,	\$2 00	2 10	2 20
No. 80. Japanned Per Dozen Pairs,	2 00	2 20	2.80



For Trees, Size	$\mathbf{B}_{2}$	4 or 412	5 or 5 12	6
Size of Loop for Bearer	1 T <	1 14	1 1/2	1 1/2
No. 3. Brass Close Plated	\$0.60	0.60	0.60	0.60

# Steel Shank Back Band Loops.






Size of Loop.	Inches,	1 14	1 12	1/34
No. 1. Solid Brass Loop	.Per Single Pair.	\$0.50	0.56	0.60
No. 1. Nickel on Composition Loop				
Lipped. Solid Brass Loop	Per Single Pair,	60	70	76
Lipped. Nickel on Composition Loop	.Per Single Pair,	60	70	76

0.50

#### IRON CRUPPER LOOPS.







#### Sargeant's.

#### Length of Shank 2 Inches.

Size of Loop		nches, 5-8	3-4	7.8	1
Japanned	Per 1	Dozen, \$	0.44	0.54	0.64
Nickel	Per 1	Dozen, 2 40	5 40	2 70	2.70
Brass	Per 1	Dozen, 2 40	2 40	2.70	2 70
Gilt	Per 1	Dozen, 2.70	2.70	3 00	3 (0)
	No. 10. Excelsior.				
Size of Loop			Inches,	7-8	1

#### Back Band Dees.





No. 1304. With Metal Plate

#### No. 304. Two Minute Back Band Dees.

Size	Inches,	7-8	1
Rubber Compound Coated			
Nickel on Composition			
Solid Brass			
Gilt	Per Dozen,	1/20	1 20

#### No. 1304. Two Minute Back Band Dees.

#### With Metal Plate.

Size	Inches,	7-8	1
Rubber Compound Coated			
Nickel on Composition			
Solid Brass			
Gilt			




#### No. 750. Boss Bearer Loops.

Size Inches, 115	14	1 12
Nickel on Composition	3 50	3.70
Solid Brass Per Pair, 3-30	3 50	3 70

# EXPRESS BACK BAND LOOPS.

For Use With or Without Jockeys on No. 50 Tree. Page 202.



For Trees, Size	1nches, 4	41/2	5	5 ½	6
No. 22. Solid Brass	Per Single Pair, \$1 10	1 10	1 10	1 30	1 40
No. 22. Nickel on Composition	Per Single Pair, 1 10	1 10	1 10	1 30	1 40

# Coach Pad End Dees.







No. 174. As Applied. Mention Width between Points when Ordering.




Finish	on	Nickel Composition	Solid Brass	Solid White Metal	Silver Close Plate on Solid Nickel
No. 184	Per Set of Four,	#3 80	3 80	4 40	5 00
No. 174	Per Set of Four,	* 3 80	3 80	4 40	5 00
No. 186	Don Cat of Dann	5 (0)	E 10	(* ()()	- 20

# Coach Pad End Loops.




No. 181. Oval.



		Nickel	Solid	Solid	Silver Close
Finish		Composition	Brass	White Metal	Plate on Solid Nickel
No. <b>181.</b>	Oval Per Set of Four,	\$3 <sup>*</sup> 80	3 80	4 40	5 00
No. 182.	Ring Per Set of Four.	3 80	3 80	4 40	5.00

# Team Bridges.




No. 102.	Nickel on Composition	Per Pair,	\$1	90
No. <b>102.</b>	Solid Brass	Per Pair,	1	90

#### JOCKEY PLATES.


For Use on No. 50 Trees. Page 202.



For Trees, SizeI	nches, 4	412	-5	5 1 <sub>2</sub>	6	$\mathbf{G}^{\pm}_{2}$	7
No. 70. Solid Brass, Including Pad Screws Per Single	e Pair, \$1 70	1.70	1.70	1.70	1.90	2 10	2 10
No. 70. Nickel on Composition, Including Pad Screws, Per Single	Pair. 1 70	1.70	1.70	1.70	1.90	9 10	-2 To



No. 75. Parts Separate



No. 75. Complete in Saddle.


#### Made in Two Parts.

For Trees	, SizeInches, 4	412	.5	5 1/2	G	$\mathbf{G}^{\mathrm{t}}_{2}$	7
No. 75.	Solid Brass, Including Pad Screws Per Single Pair, \$1.40	1.40	1 10	1 40	1 50	1.70	I 80
No. 75.	Nickel on Composition, Including Pad ScrewsPer Single Pair, 1 40	1.40	1.40	1 10	1.50	1.70	1 80


48 When sliding Back Band is desired, shank of Terret is cut off, so that Terret Nat fits in above Back Band.

# JOCKEY PLATES.


For Use on No. 50 Trees. Page 202.



For Trees,	SizeInches, 4	412	5	$5^{\pm_2}$	6	$6^{\frac{1}{2}}$	7
No. 85.	Solid Brass, Including Pad Screws Per Single Pair, \$1-30	1 30	1 30	1.30	1.50	1 60	1.70
No. 85.	Nickel on Composition, Including Pad Screws,Per Single Pair, 1 30	1 20	1.30	1 30	1.50	1 60	1.70



No. 81 Parts Separate




#### Made in Two Parts.

For Tre	cs, Size		412	5	$5^{i_2^+}$	6	$6^{z_{2}}$	7
No. $80$	. Solid Brass, Including Pad Screws	Per Single Pair, \$1/30	1 30	1 30	1.30	1.50	1 60	1.70
No. 80	Nickel on Composition, Including Pad Screws.	Per Single Pair. 1 30	1.30	1.30	1.30	1.50	1.60	1.70

We ask special attention to our line of Harness Suddles made by leading manufacturers. You cannot get better values for prices we quote. Our guarantee of satisfaction with every order sent us should be remembered.


# IRON CIC SADDLE BEARER LOOPS.






Size				Inches,	7-8	1	1 14
No. 0.	Japanned		-,,	Per Dozen,	\$0.30	() 3()	
No. 769.	Imitation Rubber	 		.Per Dozen,		50	(50)


# Bearer and Flap Loops.





Size	Inches, 11,	114	138	1 12
Nickel on Composition, Bearer or Flap Loops	Per Dozen, \$2 00	2 (0)	2 - 20	2 40
Solid Brass, Bearer or Flap Loops	Per Dozen, 2 00	2 00	2 20	2 40
Solid White Metal, Bearer or Flan Loops	Per Dozen 5 00	5.00	5 90	5 60

# Larkin's Cig Saddle Point Loops.




Sizes For Point Straps	$1^{-1}_{2}$
Nickel on Composition Per Single Pair, \$1.90	1.00
Solid Brass	1 00

#### SELF-ADJUSTING TREES.



 No. 707. Japanned...
 Per Dozen, \$7 00

 No. 707. X C Plate...
 Per Dozen, 7 00



 No. 708. Japanned
 Per Dozen, \$7.50

 No. 708. X C Plate
 Per Dozen, 7.50

 No. 708. Japanned Yoke and Jockey Brass Plated Terrets and Hooks
 Per Dozen, 10.00

# Repair Pad Bottoms.








# No. 10. Flexible.

# IRON JOCKEY TREES.



Size	Inches,	$2^{\mathfrak{l}_2}$	3	$31_2$
No. 742.	Japanned, With Under Plates	\$0.20	0.24	0.30
No. 822.	Imitation Rubber Finish, Beveled Edge, With Under Plates	30	36	1.1




 Size
 Inches, 212
 234
 3

 No. 823. Imitation Rubber Finish, Beveled Edges, with Under Plates, One-Half Track
 Each, \$0.30
 0.40

 No. 200. Finely Japanned, Double Coated, with Under Plates
 Each, ....
 50



# Pocket Jockey Cig Trees.



44

# CIC TREES.





# Full Track.

Size		212	3
No. 747.	Imitation Rubber Seat, For Short or Sliding Back Bands Each,	\$0.50	+) 54

# LEATHER JOCKEY CIC AND HALF TRACK TREES.

Solid Back Japanned Seats.





	No.	133.	Gig.

Size	$2^{ \mathrm{t}_2}$	:3	3 12
Japanned Seat, with Leather Jockey			

#### No. 428. Half Track.

#### For Running Back Band.

Size	$2^{i_{2}'}$	3	3 12
Japanned Seat, without Jockey	\$0.50	0 60	0.70
Japanned Seat, with Leather Jockey	9	6 1 00	1 20

# Track Trees.





No. 6421. Strap Saddle Tree.

#### No. 64212. Half or Full Track Saddle Tree.

Size		$2^{+}_{2}$	3
Japanned Seat, without Jo	ockey	\$0.36	0.40


#### No. 216. Full Track.

#### For Running Back Band.

Size Inches,	244	212	3	3 1/2
Japanned Seat, without Jockey Each,	\$0.60	) U 64	0.70	0.50
Japanned Seat, with Leather Jockey				




## IRON JOCKEY EXPRESS TREES.



No. 824.

#### CAB OR EXPRESS TREES.

Japanned Seats.



No. 50. Untrimmed.

Can be used for four different saddles. Express with Running Back Band, Express with Back Band Loop, Coupe and Surrey. Suitable for any style Hook, Bolt, Express or Coupe.

Size	4 1/2	5	5 1/2
Price Each, \$0.50	0.60	0.70	0.80

12" The following cuts illustrate different styles of Saddles made on No. 50 Trees.



With No. 75. Jockey Plates, Running Back Band Express Saddle,




With No. 80. Jockey Plates Running Back Band Express Saddle.

#### No. 50. Express Tree with Jockey Plates and Mountings.

#### Nickel on Composition or Solid Brass.


Size	412	5	5 1/2
With No. 75. Jockey Plates, High Neck Oyal Terrets, Nashua Oyal Express Hook and Pad			
Screws Each, \$3 20	3 40	3 80	1.00
With No. 80. Jockey Plates, High Neck Oval Terrets, Nashua Oval Express Hook and Pad			
Screws Each, 3 20	3 10	3 80	1 00

## EXPRESS TREES.



Cut of No. 105. Tree Complete.

Size	4	4 12	5
No. 105. Tree Complete Japanned Seat. Patent Leather Jockey, Brass Revel Edge Round, Heavy			
Solid Brass Bevel Edge Terret and Hook, with Brass Lipped Back Band LoopsEach,	<b>∦</b> 3 50	3 70	4.30
No. 105. Tree only without Terrets, Hook and Back Band Loops	1 10	1 30	1.70
Extra Terrets, Heavy Brass Bevel Edge Per Dozen.	7 00	7 00	S (H)
Extra Hook, Heavy Brass Bevel Edge Per Dozen.	7 (0)	7 00	8 00
Eytra Back Baul Loone Heavy Brass Revel Edge Per Pair.	80	80	90



ALL ABOVE, PACKED AS WANTED.


#### BREAST COLLAR IRONS.



#### Pony Size, Wrought Iron.

Length from End Eye to End Eye, 12½ Inches. End Eyes, 7-8 Inch; Top Loops, 3-4 Inch; Center Loops, 138 Inch.

No. 51.	Imitation Rubber, Full Finish Per Pair,	\$L 80
No. 61.	Japanned, with Nickel Loops	2 40



#### Horse Size, Wrought Iron.

Length from End Eye to End Eye, 16 Inches. End Eyes, 7-8 Inch; Top Loops, 7-8 Inch; Center Loop, 138 Inch.


No. 101.	Japanned, Full Finish	\$1.30	0
	Imitation Rubber, Full Finish Per Pair,		
	Japanned, with Oroide Loops		
	Japanned, with Nickel Loops. Per Pair.		


PACKED AS WANTED.

## Shaft Tug Stops.



No. 336. Three Post Hole.





#### Speedway Tug Stops.

#### Nickel on Composition or Solid Brass.

No. 1	١.	Fits Shafts, 412 Inches to 5 Inches in circumference	1	50
No. 2	<u>.</u>	Fits Shafts, 517 Inches to 53. Inches in circumference	1	50

# METAL SHAFT TUC LININGS AND LOOPS.







So. 1. Dunlap Leop



Dunlap Loop as Applied

## Bickford's Shaft Tug Linings.

	Reinforces Leather Express Shaft Tugs-Easil	y applied.		
Size		Inches,	1 14	1 12
Interest Mallinghli, Inc.		Per Pair	\$0.51	0.70


SIX PAIRS IN A BOX.

#### Dunlap Shaft Tug Loops.

Tugs can be stitched the entire length, without taking them from the machine.	The Loop with B	illet attach	ed, slips o	on Tug
when finished,	-		-	
Size	Inches. 7-8	1	1 1 <sub>c</sub>	1.1,
Japanned Malleable Iron	Per Gross, \$1.00	) 4.50	5 50	6 00

PACKED AS WANTED.

# Shaft Tug Clips and Plates with Dees.



Shaft Tug Clip



Shaft Tug Clip as Applied.



Shaft Tug Plate with Dee.



Shaft Tug Plate with Dee as Applied

#### Shaft Tug Clips.

Size	-8	1
Japanned Malleable Iron Per Dozen, \$0	40 0	40

HALF GROSS IN A BOX.

#### Shaft Tug Plates with Dees.

ONE DOZEN PAIRS IN A BOX.

#### METAL SHAFT TUGS.








Economy, two Loop.

No. 5. Sargeant's Japanned Iron Tugs.	Inches	1 1/	1 1/2
With Nickelon Composition Band Buckle	Per Pair.	\$3 00	3 60
With Solid Brass Band Buckle	Per Pair,	3 00	3.00
ONE PAIR IN A BOX.			
Economy, Two Loop. For Buggy, Cart or Light Express.			
Size	7-8	1	1 1/4
Japanued Per Pair	, \$0-80	0.40	0.50


For 7-8 inch, cut Buckle piece 6 inches long. Short Billet, 5 inches long. Girth Billet, 20 inches long. Leave 8½ inches below the lap. 1 inch and 1¼ inch made with length of straps a little longer.

## Economy, Three Loop. For Heavy Express and Truck Harness.

Trace Supporters.








Rentz Trace Supporters.

Brook's Metal Trace Supporters.

Rentz Metal Trace Supporters.

#### HIP STRAP LOOPS.







No.	10.	Oval	Loops.
-----	-----	------	--------

Size	Inches, 3 4	7-8	1
Nickel on Composition	"Per Dozen, \$1 00	1 10	1 20
Nickel on Composition Solid Brass	Per Dozen, 1 00	1.10	1 20
Solid White Metal		2 20	2 40
Silver Close Plate on Solid Nickel		3.50	3 50
No. 30. Square Loops.			
Size	Inches, 3-4	7-8	1
Nickel on Composition,		1 40	1.50
Solid Brass		1 40	1.50
Solid White Metal	Per Dozen, 2 50	2 80	3 00
Silver Close Plate on Solid Nickel	Per Dozen, 5 00	5 00	5 00
No. 50. Double Loops.			
Size	Inche	s, <b>7-8</b>	1
Nickel on Composition	Per Doze	n, \$1-50	1 60
Solid Brass	Per Doze	n, I 50	1 60
Solid White Metal	Per Doze	n, 2 80	3 00


#### Trace End Loops.

Silver Close Plate on Solid Nickel Per Dozen, 5 00









9 ()()

11 (0)

5.00

Plain \	Wire.
---------	-------

Flat	in wife.			
Size	Inches, 1 1,	1-14	1 3	1 1 3
Niekel on Composition		3-20	3 60	1 ()()
Solid Brass		3 20	3 60	4 + 00
Solid White Metal		1.70	5 10	5 40
Silver Close Plate on Solid Nickel	Per Dozen. 6-20	5 20	6.60	7 30
Crah	iam Wire.			
Size		1 14	1 🔍	1 12
Nickel on Composition			4 60	ā (H)
Solid Brass	Per Dozen,	1 ()()	1 60	5 OO
Solid White Metal	Per Dozen,	7 20	S 10	<pre>{) ()()</pre>
Silver Close Plate on Solid Nickel	Per Dozen, 1	2 80	14 (00)	16 00
Swedg	e Pattern.			
Size	Inches,	1 4	1.8	1 12
Nickel on Composition	Per Dozen, \$	4 00	1 (50)	5 ()()
Solid Brass	Per Dozen,	] ()()	1 60	-) ()()
Solid White Metal	Per Dozen,	7 20	8 10	9 00
MARIE THE VALUE AND THE STATE OF THE STATE O	D = 1>======		(4.434)	1.1 (0.1)

Silver Close Plate on Solid Nickel Per Dozen. 8 00

## METAL LOOPS.






	No.	22.	Harness	Loops.
--	-----	-----	---------	--------

Size	:3-4	7-8	1
Nickel on Composition Per Dozen, \$0 36	0.38	0.40	0.44
Solid BrassPer Dozen, 0 36	0.38	0.40	0.44

#### No. 6. Harness Loops.


Size	5-8	3-4	7-8	1	1 1/8	1 1/4	1 3/8	1 1/2
Nickel on Composition	0.46	0.50	0.52	0.61	0.76	0.88	1 04	1 10
Solid Brass Per Dozen, 0 42	0.46	0.50	0.52	0.64	0.76	0.88	1.04	I 10
Solid White MetalPer Dozen, 1 00	1 00	1 10	1 - 30	1 60	1 90	2 - 20	2 60	2 70



Illustrating Loops as Applied.








No. 122. Trace Loops.

Size			1 1 s	1 %	112
Nickel on Composition	Per Dozen, \$0	54	0.58	0.60	0.66
Size	Per Dozen, 0	54	0.58	0.60	0.66
No. 1. Tra	ce Loops.				
Size,	Inches. 1	I S	1 4	1 3%	$1^{-1}_{2}$
Size. Nickel on Composition. Solid Brass	Per Dozen, \$1.70 I	90	2 00	2 20	2 40
Solid Brass	Per Dozen, 1 70 1	90	2.00	2 20	2 - 40
Solid White Metal	Per Dozen, 4 20 4	40	4 60	1/80	5 20
No. 11. Oval	Trace Loops.				
Size	Inches, I 16 1	<u>14</u>	1 38	1 1,	1 37
Size Nickel on Composition Solid Brass	Per Dozen, \$1 70 1	70	1 80	$\frac{1}{2}\frac{1}{00}$	2 40
Solid Brass.	Per Dozen, 1 70 1	70	1 80	2 00	2.40
Solid White Metal	Per Dozen, 3 30 3	80	3 90	4 - 20	1.30
Silver Close Plate on Solid Nickel	Per Dozen, 5 40 6	OO	6 90	7 80	10 - 50

## BRIDLE OVERCHECK BITS.





Wrought Steel. Finish		Japanned	X C Plate	Nickeled	Imitation Rubber
No. 402. Stiff Mouth, 1 lt	ich Rings,	<b>\$0</b> 60	0.60	$(1-\overline{t}()$	0.70
No. 401. Jointed Mouth, 1	Inch Rings, Per Dozen,		0.90	1 00	1 (0)





Wrought Steel. Finish	Nickeled	Imitation Rubber
No. 2. Straight Bar	<b>#1</b> 00	] (0)
No. 3. Curved Bar	I 20	1 20





Wrought St	eel. Finish	Nickeled	Imitation Rubber
No. 829.	Straight Bar, 5% Inch Loop	\$1.00	1 00
No. 404.	Curved Bar Per Dozen,	1 20	I 20





No. 3543.	Nickel Plated, All Hand Forged Steel, English Drill Head, 1 Inch Rings
No. 1584.	Star Steel Silver, Rust Proof, English Drill Head, 1 Inch Rings
No. 210.	Rubber Covered Mouth, 1 Inch Nickel Rings, Stiff or Flexible







38 and 1/82. Stendel	No	3	111 a	nd 1	1588	Henn	١
----------------------	----	---	-------	------	------	------	---

No. <b>3438.</b>	Stendel Pattern, Nickel Plated Steel
No. 1582.	Stendel Pattern, Star Steel Silver, Rust Proof
No. 3444.	Henry Pattern, Nickel Plated Steel
No. 1583.	Henry Pattern, Star Steel Silver, Rust Proof


#### BRIDLE OVERCHECK BITS.




No. 1244. Speedway. Nickel Plated, All Hand Forged Steel..... Per Dozen, \$24.00









No. 1222.Crit Davis.Nickel Plated, Forged SteelPer Dozen. \$36 00No. 1221.Crit Davis.Nickel Plated, All Hand Forged SteelPer Dozen. 63 00No. 159.Crabb.Nickel Plated, All Hand Forged SteelPer Dozen. 72 00

# Genuine Hard Rubber Overcheck Covered Bits.



	10. 1	1.6. 11.		
No. 1.	Full Hard Rubber Covered	Per Dozen,	\$24	00
No. 10.	Full Hard Rubber Covered	Per Dozen,	27	00
No. 11.	. Hard Rubber Covered, With Gold or Nickel Rings an	l Heads Per Dozen,	27	00



## Malieable Iron.

Finish				X C Plate	Japanned
No. <b>1003.</b>	Stiff or Jointed, 2 Inch Rings.	Weight, 312 Pounds to the Dozen	Per Dozen,	50 50	
No. 1001.	Stiff or Jointed, 2 Inch Rings.	Weight, 41/2 Pounds to the Dozen	Per Dozen.	96	96



#### Malleable Iron.

Finish			X C	Plate Japannec
No. 1010.	Stiff or Jointed, 2 Inch Rings.	Weight, 412 Pounds to the Dozen	Per Dozen, \$0	96 0.96



#### Wrought Iron.

Finish		X	C Plate	Japanned
No. 37. Stiff or Jointed, 21/2 In	nch Rings. Weight, 5 Pounds to the	2 Dozen, Per Dozen,	\$1.10	I 10
No. 47. Stiff or Jointed, 23, 11	nch Rings. Weight, 7 Pounds to the	Dozen,Per Dozen,	1 20	1 20



## Wrought Iron.

Fini	slı	********				X	$C^{\prime}$	Plate	Japanned
No	5646	Stiff or Jointed 2:	Inch Rings	Weight	7 Pounds to the Dozen	Per Doven	41	50	i 50




#### Malleable Iron.

Finish					CC Plate	Japanned
No. 147.	Stiff or Jointed, 23, Juch Rings.	Weight, 7 Pound	ls to the Dozen	Pei Dozeii.	\$1.70	1.70



#### Malleable Iron.

No. 343. X C Plate, Stiff or Jointed, 23 Inch Fast Rings. Weight, 8 Pounds to the Dozen..... Per Dozen, \$2-30 Packed as Wanted.



Wrought Rings, Malleable Bar, Solid Head.

Finish		X C Plate	Japanned
	Weight, 1012 Pounds to the DozenPer Dozen,		2 50
No. 91. 3 Inch Rings, 6 Inch Bar.	Weight, 12 Pounds to the DozenPer Dozen,	3 20	3 20




#### Chain Mouth.




## Ring Bits.

Malleable Iron	Brass Plated	lmitation Rubber
No. 125. 23/4 Inch Rings, Stiff or Jointed. Weight, 7 Pounds to the Dozen	3 50	3 00



#### Express Ring Bits.



Fire Department Bits.

# All Hand Forged Steel, Hand Burnished or Nickeled.

No. 5506.	4 Inch Rings, Stiff or Jointed.	12 Pounds to the Dozen, Per Dozen,	\$15 00
No. 4506.	4 Inch Rings, Stiff or Jointed.	12 Pounds to the DozenPer Dozen,	18 00
No. 1506.	4 Inch Rings, Stiff or Jointed.	12 Pounds to the DozenPer Dozen,	24 (0)

# Waymouth Riding Bradoons.



#### La Inch or 2 Inch Rings.

No. 5525.	Nickel Plated Per Dozen,	\$ 1.50
No. 5524.	Nickel Plated, Steel	7 (0)
No. <b>3526.</b>	Nickel Plated, Forged Steel	9.00
No. 2527.	Nickel Plated, All Hand Forged Steel Extra Quality	12 00
No. 1563.	Star Steel Silver Rust Proof	27 60

#### Race or Lead Bridle Bits.







English Drilled Head.


#### Forged Head, Jointed Mouth.

No. <b>6502.</b>	X C Plate, 312 Inch Rings	를 한 (H)
No. <b>5502.</b>	Nickel Plated, Steel, 312 Inch Rings	4 00
No. <b>4502.</b>	Nickel Plated, Forged Steel, 312 Inch Rings	7.50
No. 2502.	Nickel Plated, All Hand Forged Steel, Extra Quality, 312 Inch Rings	15 00
No. 1502.	Star Steel Silver, Rust Proof, 312 or 4 Inch Riugs	27 60
	English Puilled Hood, Jainted Mouth	


# English Drilled Head, Jointed Mouth.

50, 4532.	Nickel Plated, Forged Steel, 4 Inch Rings	\$12 00
No. <b>2532.</b>	Nickel Plated, All Hand Forged Steel, 4 Inch Rings	15 00

#### Barrel Head Race Bits.








#### Barrel Head Bits.

No. <b>416.</b>	Nickel Plated, Steel, Stiff or Jointed	\$15 00
No. <b>316.</b>	Nickel Plated, Forged Steel, Stiff or Jointed	30.00
No. 216.	Nickel Plated, All Hand Forged Steel, Stiff or Jointed	38 00
No. <b>60.</b>	Nickel Plated, Extra Light Weight, All Hand Forged Steel	51 00
No. 1662.	Star Steel Silver, Rust Proof, Stiff or Jointed	18 00


## Meyer's Barrel Head Bits.

No. 606,	Nickel Plated, All Hand	Forged Steel, Jointed Mo	uth		
----------	-------------------------	--------------------------	-----	--	--




## Wire, Ring Bits.

Finish		C Plate	Nickel	Star Steel Silver
No. 845.	2 Inch Rings, Single WirePer Dozen,	<b>\$1</b> 30	3 50	******
No. 847.	212 Inch Rings, Single WirePer Dozen,	I 50	4 00	27 60
No. 854.	214 Inch Rings, Double WirePer Dozen,	I 90	5 00	
No. 855.	2½ Inch Rings, Double Wire	2 00	5 40	30 00




## Wire, Half Cheek Bits.


Finish	X C Plate	Nickel	Star Steel Silver
No. 865. Single Wire	\$1.70	5 00	27 60
No. 866. Double Wire	2 30	5 40	80-00



## Wire, Full Cheek Bits, X C Plate.


No. 875.	Single Wire.	Per Dozen, \$	\$2 OO
No. 876.	Double Wire	Per Dozen,	2 40





## Malleable Iron.

FinishX	C Plate	Japanned
No. 125. Stiff or Jointed		1 20
No. 498. Stiff or Jointed	1 40	1 40




#### Malleable Iron.

Finish		X	C Plate	Japanned
No. <b>499</b> ,	Stiff or JointedPer D	ozen,	£1 60	1 60
No. 8.	Stiff or Jointed Per D	ozen,	1 90	1 90



#### Malleable Iron.

Finish X	CC Plate	Japanned
No. 517. Stiff or Jointed Per Dozen,	\$2 (0)	2 (11)
No. 484. Stiff or Jointed	2.40	2 30




No. 491. Malleable Iron. Weight,  $\mathbf{4}^{\tau_2}$  Pounds.

Nickel Plated, Stiff or Jointed	Per Dozen,	\$2 00
Imitation Rubber, All Black, Stiff or Jointed	Per Dozen,	2 00

## No. 492. Malleable Iron. Weight, 512 Pounds.

Nickel Plated, Stiff or Jointed	\$2-30
Brass Plated, Stiff or Jointed	2 30
Imitation Rubber, All Black, Stiff or Jointed	2 30
Imitation Rubber, Gilt Tip Cheeks, Stiff or Jointed	2 60




#### No. 50. Weight, 5 Pounds.

Nicket Plated, Stiff or Jointed	Per Dozen, #I 80
Imitation Rubber, All Black, Stiff or Jointed	Per Dozen, 1 80


#### No. 1505. Tested. Weight, 55 Pounds.

Nickel Plated, Stiff or Jointed	Per Do.	zen, Ş	\$2 X	<u>}()</u>
mitation Rubber, All Black, Stiff or Jointed	Per Do	2e11.	. 2	ţ()




No. I. Tested, 600 Pounds. Weight, 612 Pounds.

Nickel Plated, Stiff or Jointed	Per Dozen, \$2 50
Brass, Close Plate, Stiff or Jointed	
No. 1493. Warranted Solld Cheeks. Weight, 612 Pounds.	
No. 1493. Warranted Solld Cheeks. Weight, 612 Pounds.	
	Per Dozen, \$3 00




No. 2855. Solid Head and Cheeks, Tested. Weight, 6' Pounds.
Nickel Plated, Stiff or Jointed
Imitation Rubber, All Black, Stiff or Jointed
Imitation Rubber, Gilt Tip Cheeks, Stiff or Jointed
Sargeant's, Rubber Finish, All Black, Stiff or Jointed

Yes No. 2855 is the only Bit made with Solid Heads and Cheeks. For the Price, they are the strongest made.




#### Medium Dexter, Malleable, Stiff or Jointed.

No. 1484.	Imitation Rubber, 5 Inch Mouth, Weight, 8 Pounds	Per Dozeu,	<b>\$3</b> 40
No. 2484.	Nickel Plated, 5 Inch Mouth, Weight, 8 Pounds	Per Dozen,	3 40
No. 3484	Brass Electro Plated 5 Inch Vouth Weight 8 Pounds	Per Dozen	3 40




#### Heavy Dexter, Malleable, Stiff or Jointed.

No.	852.	X C Plate, 5 Inch Mouth, Weight, 9 Pounds	\$3	30
No.	853.	X C Plate, 6 Inch Mouth, Weight, 10 Pounds	3	80
No.	1852.	Imitation Rubber, 5 Inch Mouth, Weight, 9 Pounds	4	80
No.	1519.	Nickel Plated, 5 Inch Mouth, Weight, 9 Pounds	1	80



## Heavy Dexter, Steel, Stiff or Jointed.

Nο.	4415.	Nickel Plated, Steel, 5 Inch Mouth	Jozen,	\$ 6	-00
Νo.	4414.	Nickel Plated, Forged Mouth	Dozen,	9	()()
Νo.	3414.	Nickel Plated, Forged Mouth, Steel Cheeks,	Dozen,	12	00
Nο.	2414.	Nickel Plated, Forged Mouth, Steel Cheeks, Extra Quality	Dozen,	15	(H)
Nο.	3513.	Nickel Plated, All Hand Forged	Dozett,	24	()()
		Nickel Plated All Hand Forged Extra Onality Per I			




## Forged Steel Mouth.

#### Nickel Plated.

No. 3745.	Stiff or Jointed, 7-16 Inch Mouth, 17, Inch Rings Per Dozen,	\$ 5 00
No. 3735.	Extra Finish, Stiff or Jointed, 7-16 Inch Mouth, 178 Inch Rings	HO 00
No. 3845.	Stiff or Jointed, 8-16 Inch Mouth, 2 Inch Rings	6 (8)
No. 3835.	Extra Finish, Stiff or Jointed, 8-16 Inch Month, 2 Inch Rings	12 00

Nos. 3745 and 3735 are specially adapted for 1-2 inch Bridles. Nos. 3845 and 3835 for 5-8 inch.




#### All Hand Forged Steel.


#### Nickel Plated.


No.	2746.	Stiff or Jointed, 7-16 Inch Mouth, 2 Inch Rings	\$13	(E
No.	2726,	Extra Finish, Stiff or Jointed, 7-16 Inch Mouth, 2 Inch Rings	28	н
No.	2716.	Extra Fine Finish, Stiff or Jointed, 7-16 Inch Mouth, 2 Inch Rings	10	418
No.	2846.	Stiff or Jointed, 8-16 Inch Mouth, 218 Inch Rings	I ‡	()(
No.	2826.	Extra Finish, Stiff or Jointed, 8-16 Inch Mouth. 215 Inch Rings	30	()(
Nο	2816.	Extra Fine Finish, Stiff or Jointed, 8-16 Inch Mouth, 218 Inch Rings	60	()(

#### RUST PROOF.



No. 380. Solid White Metal Cheeks, Sargeant's Rubber Covered, Forged Steel Mouth, Stiff or Jointed ..... Per Dozen, \$24 00 No. 1380. Solid Aluminum Bronze Cheeks, Sargeant's Rubber Covered, Forged Steel Mouth, Stiff or Jointed ... Per Dozen, 24 00






## Daniel Pattern, 5 Inch Mouth, Stiff or Jointed.

	Star Steel Silver, Narrow Half Cheek, Egg Butt Head, Extra Quality
Dexter Pattern, 5 Inch Mouth, Stiff or Jointed.	


# No. **1654.** Star Steel Silver, Spoon Cheek. Per Dozen, \$30 00 No. **1557.** Star Steel Silver, Spoon Cheek, Extra Quality. Per Dozen, 48 00

#### Barrel Head, Half Cheek Bits.



No. 414.	Nickel Plated, Steel, Stiff or Jointed	Per Dozen,	\$15 00
No. 314.	Nickel Plated, Forged Steel, Stiff or Jointed	Per Dozen,	30-00
No. 214.	Nickel Plated, All Hand Forged Steel, Stiff or Jointed	Per Dozen,	38 00
No. 4.	Nickel Plated, All Hand Forged Steel, Extra Quality, Stiff or Jointed	Per Dozen.	51 00
No. 1562.	Star Steel Silver, Rust Proof, Stiff or Jointed	Per Dozen,	15 00





Rubber Mouth, Half Cheek Bits.




Rubber Mouth, Ring Bits.


#### Flexible Rubber Mouth Bits.

Made by connecting cheek pieces with a wrought iron chain upon which India rubber is moulded and vulcanized. This forces the rubber between and around the links of the chain and shapes the mouth-piece in the most approved form. Tested to 1,000 lbs.











Flexible Steel Mouth, Leather Covered.

No. 141.	Nickeled Steel Rings	\$7.00
No. 91.	Nickeled Steel Half Cheeks	7 00






Flexible Steel Spring Mouth, covered with Rawhide and Fair Leather. Tested to 600 pounds before covering.

No. 500,	Nickel Tested Steel Rings, Rawhide Chin Strap	\$14 00
No. <b>600.</b>	Nickel Tested Steel, Half Cheeks, Rawhide Chin Strap	16 00

HALF DOZEN IN A BOX.




Extra Cheeks and Rings. For Heavy Leather Mouth Bridle Bits. Heavy Shoulder.



No. 191. Half Cheek.


Nu	191.	2 Inch, Nickeled Steel x-	 
$N_0$	1141.	24 Inch, Nickeled Steel.	 Per Dozen Pairs 4 00

Half Cheek, Stiff or Jointed.




No. 1.	First Quality, Stiff or Jointed, All Hand Forged	Each,	\$1.50
No. 2.	Second Quality, Stiff or Jointed, All Hand Forged	Each,	3.00
No. 3.	Third Quality, Stiff or Jointed, Malleable Tested.	Each.	2.70

1₹ No. 3, though Malleable, is carefully tested and a reliable bit.



No. 111. All Hand Forged, Polished Month, Plated Heads, Stiff or Jointed.....


Each, \$6, 50




No. 22. All Hand Forged Steel, Hard Rubber Mouth, Nickel Half Cheeks, Stiff or Jointed ........

... ............ Fach, \$3 00


## Cushion Bits.







Perfectly adjusted, soft cushioned Mouth and Cheeks, easy for the most tender mouth. Tested to 800 pounds.


#### FULL CHEEK SNAFFLES.





No. <b>504.</b>	X C Plate, Malleable Iron, Loose Cheeks	\$ 2 00
No. <b>511.</b>	X C Plate, Malleable Iron, Loose Cheeks	2 20
No. 4542.	Nickel Plated, Forged Steel Mouth, Steel Cheeks	12 00














Finish X C Plate Nickel
No. 36. Champneigh's Humane, Steel Mouth Per Dozen, \$6 00 7 20

"Buckeye Safety," Stiff or Jointed Per Dozen, 5 50







Finish		X C Plate	Imitation Rubber	Nickel
J. I. C.	Driving, Steel Mouth	\$3 oo	3 00	7 50
Racine.	Driving, Steel Mouth, with Lever Springs	5 00	5 00	7 50








Finish	C Plate	Imitation Rubber	Nickel
Improved Success. Driving, Steel Month	£4 80	8 80	17 50
Directum. Driving, Steel Mouth Per Dozen,	8 80	3 30	17 50



Imperial



T	1	1	1	1	11	1	ļ	þ	ŀ

Finish		X	C Plate	Imitation Rubber	Nickel
Imperial.	Driving, Steel Mouth	Per Dozen,	\$5 50	8 80	19.50
Triumph.	Driving, Steel Mouth	Per Dozen,	8 80	8 80	17 50




# Pulley Bradoons.

#### Steel and Rust Proof.

No. 4540.	Nickel Plated 134 inch Rings, Forged Steel Plated 1. Per Dozen,	\$15 00
	Nickel Plated 134 inch Rings, All Hand Forged Steel	
	Nickel Plated 134 inch Rings, All Hand Forged Steel, Extra Quality Per Dozen,	
No. 1564.	Star Steel Silver, 134 inch Rings, Rust Proof Extra Quality	40 00

## Rockwell Bits.



#### Malleable Iron,

maneable non	
No. 24. X. C. Plate, 2½ inch Rings No. 24. Nickel Plated, 2½ inch Rings	
Forged Steel.	
No. 5095. Nickel Plated, 2½ inch Rings, Steel	Per Dozen, \$16 00
No. 4509. Nickel Plated, 2½ inch Rings, Hand Forged Steel	
No. 2509. Nickel Plated 24, inch Rings All Hand Forged Steel, Extra Quality	Per Dozen 36 00

#### Wilson Bits.



#### Malleable Iron.


No. <b>34.</b> X C Plate, 2½ inch Outside Rings 1½ inch Inside Rings No. <b>34.</b> Nickel Plated, 2½ inch Outside Rings, 1½ inch Inside Rings	Per Dozen, \$2 40 Per Dozen, 4 80
Forged Steel and Rust Proof.	
No. <b>5510.</b> Nickel Plated, 2 <sup>1</sup> <sub>2</sub> inch Outside Rings, 1 <sup>1</sup> <sub>2</sub> inch Inside Rings Steel No. <b>3510.</b> Nickel Plated, 2 <sup>1</sup> <sub>2</sub> inch Outside Rings, 1 <sup>1</sup> <sub>2</sub> inch Inside Rings, Hand I	
No. 2510. Nickel Plated, 2 <sup>1</sup> / <sub>2</sub> inch Outside Rings, 1 <sup>1</sup> / <sub>2</sub> inch Inside Rings, All Har No. 1565. Star Steel Silver, 2 <sup>1</sup> / <sub>2</sub> inch Outside Rings, 1 <sup>1</sup> / <sub>2</sub> inch Inside Rings, Rust	nd Forged Extra Quality Per Dozen, 30 00




#### Sanborn.

For Educating Colts, Vicious and Nervous Horses; Cures Pullers, Bolters, Runaways, Check Fighters, Tongue Lollers Head Tossers, Shyers, Kickers, Side Reiners, Bad Breakers, etc.


No. 6790.	X C Plate, Steel Mouth and Rings	\$ 6 50
No. 4790.	Nickel Plated, Steel Mouth and Rings Per Dozen,	> 40
No. 2690.	Nickel Plated, All Hand Forged Steel Mouth and Rings, Extra Quality	24 00
No. 1588.	Star Steel Silver Mouth and Rings, Rust Proof	15 00






Lee's Lever Bit.

X C Plate Nickeled 





Phillips' Safety.




Phillips' Safety.













Prof. Beecy Driving Bit.

Four Bits in One.






#### Dan Mace Half Cheek.

No. 2639.	Nickel Plated, Forged Steel, Stiff or Jointed	\$42 00
No. 1639.	Nickel Plated, Hand Forged Steel, Stiff or Jointed	48 00

## Ben Lane Half Cheek.






#### Emery Half Cheek.

#### Springsteen.

X C Plate	
Nickel Plated	Per Dozen, 27 00






#### Humane Controller.


Can be used on any style Bit. Made in Three sizes, Small, Medium and Large.






D = - ( - - 4 ! - - -

	P	erfection.	
No. <b>3531.</b>	Nickel Plated, Forged Steel	Per Dozen, \$30	00
No. 2531.	Nickel Plated, Hand Forged Steel	Per Dozen, 42	00
		Per Dozen, 54	
		Norton.	
No. 3529.	Nickel Plated, Forged Steel		00
No. 2529.	Nickel Plated, Hand Forged Steel	Per Dozen, 30	00







Victor.

No. 3805. Nickel Plated, Forged Steel Per Dozen, \$30 00

No. 2805,	Nickel Plated, Hand Forged Steel	36 00
	Champion.	
No. 2480,	Nickel Plated, Forged Steel	\$48.00
No. 1480.	Nickel Plated, Hand Forged Steel	60-00






Turton's Controller.

No. 1529.	Star Steel Silver	Per Dozen, \$	(60-00
		Turton's Controller.	
No. 31231	. Nickel Plated, Forged Stee	1	36 00
		d Steel	

Derby.







## Flat Four Ring Park.

No. 2533.	Nickel Plated, Forged Steel, Stiff or Jointed	36-00
No. 1533.	Nickel Plated, Hand Forged Steel, Stiff or Jointed Per Dozen,	45 ()()
No. <b>1578.</b>	Star Steel Silver, Rust Proof, Stiff or Jointed	51 00

#### McKinney.

No. 1481.	Nickel Plated, All Hand Forged St	eelPer Dozen, 🖇	72 00
-----------	-----------------------------------	-----------------	-------






#### Bouche Buggy.

No. <b>3539.</b>	Nickel Flated, Forged Steel Per Dozen.	\$12 00
No. 2539,	Nickel Plated, Hand Forged Steel	18 00
No. 1539.	Star Steel Silver, Rust Proof	36 00

#### Double Jointed Half Cheek.

No. <b>3475</b> .	Nickel Plated, Forged Steel	Per Dozen,	\$36 00
No. 2475.	Nickel Plated, Hand Forged Steel	Per Dozen,	42 00




No 217, Stiff.




No. 214. Jointed.

## Crescendo Bits.

No. 217.	Stiff Mouth, Star Steel Silver	\$72 00
No. 214.	Jointed Mouth, Star Steel SilverPer Dozen,	72 ((()






#### Le Compte's Driving.

No. 238.	Nickel Plated, Forged Steel, Stiff or Jointed	<b>\$30</b> -00
No. 13812.	Nickel Plated, All Hand Forged Steel, Stiff or Jointed	<b>5</b> 6 00
No. 113812.	Flexible Leather Mouth, Nickel Plated Steel Cheeks	56 00



Turton's Barrel Head Horn.



James Safety.

#### Turton's Barrel Head Horn.

No. 0021.	Nickel Plated High Grade Hand Forged Steel, any Size Mouth	\$75 OO
	James Safety.	
No. 1220.	Nickel Plated Forged Steel	36 00
No. 1110.	Nickel Plated, All Hand Forged Steel	64 00
No. 1540,	Star Steel Silver, Rust Proof	64 00



One Piece Humane




Stalker's Controller.

#### One Piece Humane.

No. 2215.	Nickel Plated, Forged SteelPer Dozen,	\$27 60
No. 1215.	Nickel Plated, Hand Forged Steel	36 (0)

#### Stalker's Controller.






# Stalker's Improved Covernor.

#### Berry's Lolling Device.

Guaranteed to Cure Tongue Lollers. Consists of a Bit, with Side Leathers provided with numerous Sharp Pointed Spurs on the Inner Side, also Chin Strap and Nose Band to hold same in proper Position, can easily be attached to any Bridle......Per Dozen, \$72.00






#### Big Six Bit.

Finish	X C Plate	Nickel
Big Six Driving, all Steel	\$4 50	> 00

#### Rubber Cushion Check Bit.








Woodmansee Improved Pattern

## Woodmansee Regular Pattern.

No. 3535.	Nickel Plated Steel					
	Nickel Plated, Forged Steel					
No. <b>1535</b> ,	Nickel Plated, all Hand Forged Steel	Per Dozen, 36 00				
Woodmansee Improved Pattern.						
No. 3537.	Nickel Plated Steel					
	Nickel Plated, Forged Steel					
	Nickel Plated, all Hand Forged Steel.					




Double Bar Ring Controller.




Double Bar Half Cheek Controller.

## Double Bar Ring Controller.

No. 2214,	Nickel Plated, Forged Steel	Per Dozen, \$3	6 00	
	Nickel Plated, all Hand Forged Steel			
Double Bar Half Cheek Controller.				
No. 2213.	Nickel Plated, Forged Steel	Per Dozen, \$3	6 00	
	Nickel Plated, all Hand Forced Steel	Per Dozen 4		




Fenton Side Puller or Regulator,



Windsucking Bit.


Windsucking Bit.			
$N_0$	. 4691.	X C Plate, Steel	\$15,00
Nο	. 3691.	Nickel Plated, Steel Plated, S	18 00
No	. 2691.	Nickel Plated, Forged Steel Per Dozen,	27 60



Humane Bit, Metal Mouth.

Harness Leather Chin Straps, Patent Leather Folds.

No. 44.	Nickel Plated, Steel Mouth and Rings, Stiff	\$E2 00
	Nickel Plated, Steel Mouth and Rings, Jointed	
	Nickel Plated, Forged Steel Mouth and Rings, Stiff	
	Nickel Plated, Forged Steel Mouth and Rings, Jointed	
	Star Steel Silver Mouth and Rings, Stiff only	



Humane Bit, Leather Mouth.


Solid Black Leather Mouth, Harness Leather Chin Straps, Patent Leather Folds.




Humane Bit Attachments.



Saw Mouth.



U. S. Watering.




Medicine or Drenching Bit.

Bit in Use

No. 1000. Nickel Plated Steel ...... Per Dozen, \$60 00



Mule Ring Bit.



## BRIDLE BITS. Gig or Surrey Weight.



Straight Pattern, one Loop.

Scroll	Pattern,	one	Loop.

Scroll Pattern, one Loop.	Straight Pattern, one Loop.
Scroll Pattern Liverpool, One Loop.	
No. 4191. Nickel Plated, Forged Steel	
No. 2191. Nickel Plated, Hand Forged Steel	Per Dozen, 18 00
No. 1576. Star Steel Silver, Rust Proof	Per Dozen, 45 00
Straight Pattern Liverpool, One Loop.	
No. 41821/2. Nickel Plated, Forged Steel	Per Dozen, \$12 (0)
No. 2182%. Nickel Plated, Hand Forged Steel	Per Dozen, IS 00




## Coach Weight.



Sliding Cheeks, Two Loops.

-		
	Liverpool Bits, Stationary Cheeks, Two Loops	

No. 4182.	Nickel Plated, Forged Steel	Per Dozen, \$ 9 00
No. 2182.	Nickel Plated, Hand Forged Steel	
No. 1570.	Star Steel Silver, Rust Proof	Per Dozen, 60 00
	Liverpool Bits, Sliding Cheeks, Two Loops	<b>5.</b>
No. <b>4180.</b>	Nickel Plated Steel	



Scroll Pattern, Three Loop.




Stationary Cheeks Three Loops

	delon l'attern Elverpool, lince Edops.	
No. <b>2193.</b>	Nickel Plated, Forged Steel	Per Dozen, \$30 00
No. 1650.	Star Steel Silver, Rust Proof	Per Dozen, 96 00
	Liverpool, Stationary Cheeks, Three Loops.	
No. <b>2196.</b>	Nickel Plated, Forged Steel	Per Dozen, \$36-00



#### BRIDLE BITS.


Elbow Pattern.



Gig or Surrey Weight.


Coach W

No. 84.	Nickel Plated, Forged Steel.	Per Dozen, \$12,00
INO. CO.	Nickel Plated, Hand Forged Steel	Per Dozen 18 00
No. 1573.	Star Steel Silver, Rust Proof	Per Dozen, 60 00
	Coach Weight.	
No. 4178.	Nickel Plated, Forged Steel	Per Dozen, \$18 00
No. 2118.	Nickel Plated, Hand Forged Steel	
No. 15735	. Star Steel Silver, Rust Proof	Per Dozen 66 00




## Scroll Pattern Buxton Bit.

No. <b>3225.</b>	Nickel Plated, Forged Steel Per Dozen,	\$30.00
No. 2225.	Nickel Plated, Hand Forged Steel Per Dozen,	36 00



## Buxton Pattern.





Stationary Cheek.

Stationary Cheek Buxton, with Bar.

Sliding Cheek,

No. <b>4271.</b> No. <b>2271.</b>	Nickel Plated, Forged Steel Nickel Plated, Hand Forged Steel	Per Dozen, \$36 00 Per Dozen, 15 00
	Sliding Cheek Buxton, with Bar	•
No. 2172.	Nickel Plated, Forged Steel	





Straight Mouth.

Hanoverian Straight Mouth.


## Loose Cheeks, Stiff or Jointed Mouth.

No. 760.	X C Plate, Malleable IronPer Dozen,	\$ 9 00
No. 1760.	Nickel Plated, Malleable Iron Per Dozen,	6 40
No. 3179 12.	Nickel Plated, Hand Forged Steel. Per Bozen,	18 00
No. 1566.	Star Steel Silver, Rust Proof	54 00

#### Hanoverian Port Mouth.

#### Loose Cheeks.


No. 761.	X C Plate, Malleable IronPer Dozen,	\$3 60
	Nickel Plated, Malleable Iron Per Dozen,	



Hanoverian Solid Stiff Cheeks.

## Stiff Mouth Only.


No. 4179.	Nickel Plated Steel	
No. 2179.	Nickel Plated, Hand Forged Steel	Per Dozen, 27 00



Pelham.


## Pelham Bits.

Loose Cheeks, Stiff or Jointed Mouth.	
No. 4545. Nickel Plated Steel	Per Dozen, \$10 00
No. 2545. Nickel Plated, Forged Steel.	
No. 1545. Nickel Plated, Hand Forged Steel.	
Polo or Hunting Bits.	
Sliding Port Mouth.	
No. 3685. Nickel Plated Steel, 5 Inch Cheeks	Per Dozen, \$30 00
No. 268512. Nickel Plated, All Hand Forged Steel, 612 Inch Cheeks	



Polo or Hunting.

## PORT BITS.





Medium Kentucky Racking.

## Small Kentucky Racking.


5½ Inch Cheeks.


Finish	X	C Plate	Nickel Plated
No. <b>632.</b>	Malleable Iron Per Dozen	\$ 1-70 2 12	5 00
No. 732.	Wronght Steel Per Dozen	10.50	13 50
No. 1632,	All Hand Forged Steel Per Dozen,	******	19 00

## Medium Kentucky Racking.

## 6½ Inch Cheeks.

Finish	X	C Plate	Nickel Plated
No. 634.	Malleable IronPer Dozen.	# 2 110 2 4 A	6.00
No. 734.	Wrought Steel Per Dozen	10.80	14 00
No. <b>1634.</b>	All Hand Forged Steel Per Dozen,		20 00





Large Kentucky Racking.

## 812 Inch Cheeks.


rimish			C Plate	Nickel Plated -
No. <b>636</b> .	Malleable Iron	Per Dozen.	\$ 2-50 300	9.00
No. <b>736.</b>	Wrought Steel	Per Dozen.	13 00	17 50
No. 1612.	All Hand Forged Steel	Per Dozen.		24 00
No. 1579 X.	Star Steel Silver	Per Dozen.		54 00
		,		
	11	S Peculation		


## U. S. Regulation.

			Nickel Plated
No. <b>631.</b>	Malleable IronPer Do	ozen, \$4.50	9 00
No. 731.	Wrought Steel Per Do	ozen. 30-00	36 00
No. 2731.	All Hand Forged SteelPer Do	ozen,	48 00
No. 1731.	Brass Close Plated, Wrought Steel Per De	ozen,	44 (00)

ALL ABOVE, HALF DOZEN IN A BOX.

## PORT BITS.






## Straight Cheek Port.


Finish	Х	C Plated	Nickel Plated
No. 642.	Malleable Iron	\$ 3-111 250	6.00
No. 742.	Wrought Steel	15 50	17 00

#### Saber Bent Cheek Port.

Finish	X C Plated	Nickel Plated
No. 682. Malleable Iron		6.00
No. 782. Wrought Steel	Per Dozen, 46-50	18 00







#### Straight Cheek Port, with Chin Loops.


Finish		X	C Plate	Nickel Plated
No. <b>681.</b>	Malleable Iron	Per Dozen,	\$ 2.70	5 (0)
No. 781.	Wrought Steel	Per Dozen,	16 00	IS 00

## Four Ring Port.

Finish		X	C Plate	Nickel Plated
No. <b>644.</b>	Malleable Iron	Per Dozen,	\$ 3 50	<del>4</del> ()()
No. 744.	Wronght Steel	Per Dozen,	19 00	55 20

## PORT BITS.





#### No. 643. Fancy Cheek Port.

X C Plate, Malleable Iron, Stiff Ring	\$ <del>2 (11)</del> 220
No. 640. Fancy Cheek Port.	
X C Plate, Malleable Iron, Loose RingPer Dozen,	\$2 <del>-30</del>






## 


No. <b>3375.</b>	Nickel Plated, Wrought Steel Per Dozen,	36-00
No. 2375.	Brass Close Plated All Hand Forged Steel	84 00
	Mule Port.	

No.	602.	Japanned Malleable, Medium Weight	\$ <del>2 (11)</del>	250
		Japanned Malleable, Heavy Weight		
		Japanned Malleable, Extra Heavy Weight		
No.	725.	Japanned Wronght Steel, Extra Heavy Weight	3.80	

## FINE STEEL RIDING BITS.

#### Warranted.






Euglish Head Port, With Chin Loops,


## English Head Port, 7 and 74 Inch Cheeks.


No. 3675.	Nickel Plated Steel, 7 Inch Cheeks	\$13 50
	Nickel Plated, Hand Forged Steel, 7 Inch Cheeks	
No. 1591.	Star Steel Silver, Rust Proof, 7 Inch Cheeks	40-00
No. 3680.	Nickel Plated Steel, 73/ Inch Cheeks	15 00
No. 1680.	Nickel Plated, Hand Forged Steel, 73/2 Inch Cheeks	<del>2(1-1)(</del> )

## English Head Port, with Chin Loops, 7 and 7% Inch Cheeks.

No. 3676.	Nickel Plated Steel, 7 Inch Cheeks	\$16 00
	Nickel Plated, Hand Forged Steel, 7 Inch Cheeks	
No. 1559.	Star Steel Silver, Rust Proof, 7 Inch Cheeks	43 (10)
No. 3681.	Nickel Plated Steel, 734 Inch Cheeks	18 00
No. 1681.	Nickel Plated, Hand Forged Steel, 734 Inch Cheeks	34 00







English Head Port, Four Ring with Chin Loops.

## English Head Port, Four Ring, 7 and 7 Inch Cheeks.


No. 2677.	Nickel Plated, Hand Forged Steel, 7 Inch Cheeks	)()
No. 2682.	Nickel Plated, Hand Forged Steel, 734 Inch Cheeks	)()
No. <b>1592.</b>	Star Steel Silver, Rust Proof, 7 Inch Cheeks	H( )

## English Head Port, Four Ring, with Chin Loops, 7 and 734 Inch Cheeks.


No. 2678.	Nickel Plated, Hand Forged Steel, 7 Inch Cheeks	\$30 00
No. <b>2683.</b>	Nickel Plated, Hand Forged Steel, 734 Inch Cheeks	32 00
No. 1561.	Star Steel Silver, Rust Proof, 7 Inch Cheeks	51 ()()

## FINE STEEL RIDING BITS.

#### Warranted.







Dexter Head Port, with Chin Loops.

## Dexter Head Port, 7 and 74 Inch Cheeks.

,,,,,,,		
Nickel Plated Steel, 7 Inch Cheeks.	.Per Dozen,	\$15 00
Nickel Plated, Hand Forged Steel, 7 Inch Cheeks.	Per Dozen,	30 00
Star Steel Silver, Rust Proof, 7 Inch Cheeks	Per Dozen,	42/00
Nickel Plated Steel, 73 <sub>4</sub> Inch Cheeks	Per Dozen,	18 - 00
Nickel Plated, Hand Forged Steel, 73/2 Inch Cheeks	Per Dozen,	32 - 00
Star Steel Silver, Rust Proof, 734 Inch Cheeks	Per Dozen,	45 00
Dexter Head Port, with Chin Loops, 7 and 7% Inch Cheeks.		
Nickel Plated Steel, 7 Inch Cheeks	Per Dozen,	\$IS 00
Nickel Plated, Hand Forged Steel, 7 Inch Cheeks.	Per Dozen,	34 00
Star Steel Silver, Rust Proof, 7 Inch Cheeks	Per Dozen,	45 ()()
Nickel Plated Steel, 734 Inch Cheeks	D D	an m
	Nickel Plated, Hand Forged Steel, 7 Inch Cheeks  Star Steel Silver, Rust Proof, 7 Inch Cheeks  Nickel Plated Steel, 734 Inch Cheeks  Nickel Plated, Hand Forged Steel, 734 Inch Cheeks  Star Steel Silver, Rust Proof, 734 Inch Cheeks  Dexter Head Port, with Chin Loops, 7 and 704 Inch Cheeks  Nickel Plated Steel, 7 Inch Cheeks  Nickel Plated, Hand Forged Steel, 7 Inch Cheeks  Star Steel Silver, Rust Proof, 7 Inch Cheeks  Star Steel Silver, Rust Proof, 7 Inch Cheeks	Nickel Plated Steel, 7 Inch Cheeks

No. 1698. Nickel Plated, Hand Forged Steel, 734 Inch Cheeks Per Dozen, 36 00 No. 0594. Star Steel Silver, Rust Proof, 734 Inch Cheeks Per Dozen, 46 00



Dexter Head Post Four King



Dexter Head Port, Four Ring, with Chin Loops.

## Dexter Head Port, Four Rings, 7 and 74 Inch Cheeks.

$N_0$ 3699.	Nickel Plated, Hand Forged Steel, 7 Inch Checks	\$18 00
No. 3701.	Nickel Plated, Hand Forged Steel, 734 Inch Cheeks	20 00
No. 1596.	Star Steel Silver, Rust Proof, 7 Inch Cheeks	52 ()()

#### Dexter Head Port, Four Rings, with Chin Loops, 7 and 7% Inch Cheeks.

No. <b>3700.</b>	Nickel Plated, Hand Forged Steel, 7 Inch Cheeks	\$20.00
No. 3702,	Nickel Plated, Hand Forged Steel, 734 Inch Checks	21 (0)
No. 1597.	Star Steel Silver, Rust Proof, 74 Inch Cheeks	ã6 ()()

## COAT AND PONY BITS.






#### Coat Ring Bits.


Finish	 x	$oldsymbol{X}$ C Plate	Nickel Plate
Stiff Mouth	 Per Dozen,	\$1.00	1.80
Jointed Mouth	 Per Dozen,	1 80	3-60





## Pony Overcheck Bits.

No. 15.	Nickel Plated, Stiff MouthPer Doz	æn, \$2 00
No. 151/2.	Nickel Plated, Jointed MouthPer Doz	en, 3 00





## Pony Ring Bits.

Finish			Imitation Rubber	Nickeled
	314 Inch Mouth, Stiff or Jointed	Per Dozen,	\$3.60	5 40
Oregon.	412 Inch Mouth, Stiff or Jointed	Per Dozen,	3 60	5 40






#### Pony Half Cheek Bits.


Finish			Imitation Rubber	Nickeled
Shetland.	314 Inch Mouth, Stiff or Jointed	Per Dozen,	\$4.50	1.50
Oregon.	412 Inch Mouth, Stiff or Jointed		2 7()	2 70


## PONY BITS.



## Pony Full Cheek Snaffles.

Finish	X C Plate	Nickeled
No. 893. Jointed, 4 Inch Mouth	\$1.90	3 20








## Pony Port Riding Bits.

Finish		X C Plate	Nickeled
No. <b>621</b> .	Curved Cheek, 41/2 Inch Mouth	\$3.00	4 80
No. 622.	Straight Cheek, 412 Inch Mouth	3 00	4 80
No. 321.	Straight Cheek, 447 Juch Mouth, Four Ring . Per Dozen		9.00








## Forged Steel Pony Driving Bits, Nickel Plated.

No. 4279.	Hanoverian. Loose Cheek	\$ 7.50
No. 4183.	LiverpoolPer Dozen,	15 00
No. 4184.	Elbow Per Dozen,	16 00








She	II, 1	₩ire	Loops
-----	-------	------	-------

Size	Inches,	1 12	1 3,
Width of Loops	Inch,	7-8	1
X C Plate. Any Style		\$1.50	1.70
Brass Plated. Any Style		2 20	2.50








No. 51

Solid Back, Riveted Loops.

Size		1 3,
	Any Style, 1 Inch Loops	
	Any Style, 1 Inch Loops	
Brass Plated.	Any Style, 1 Inch Loops	3 00

HALF GROSS IN A BOX,












Nickel or Solid Brass, Solid Backs.

No. <b>491</b> or <b>495</b> ,	Size, 1 <sup>1</sup> <sub>2</sub> Inches, with 7–8 Inch Loops Riveted	\$1.00
No. 90 or 92.	Size, 1½ Inches, with 7-8 Inch Loops, Malleable Iron	6.00
	THREE DOZEN IN A ROY	











Nickel or Solid Brass, Solid Backs.


# J. M. Eilers & Co., Cincinnati, O.

## BRIDLE ROSETTES.












## Nickel or Solid Brass, Solid Backs.

THREE DOZEN IN A BOX.











Nickel or Solid Brass, Solid Backs.

Size		Inches,	2	• <u>•</u> 1 <sub>4</sub>
No. 130 or 133. With 1 In				
No. 140 or 148. With 14 1	Inch Malleable Iron Loops			90

THREE DOZEN IN A BOX.







## Nickel or Brass, Solid Backs.

Size Inches, 2	<b>2</b> 1 <sub>4</sub>	<b>2</b> 3 <sub>4</sub>	:3 4
Width of Loopluches, 1			
No. 60. With Riveted Loops	0.60		
No. 40. With Riveted Loops	1.00		
No. 760. With Riveted Loops, Armour Pattern Per Dozen,	1 60	5 50	2 50

Nos. 60 and 40, Three Dozen in a Box. No. 760, One Dozen.





## No. 255. Extra Heavy Solid Metal.

Size	Inches,	1 '2	1 34	22	2 4		
Nickel Plated, with Brazed Loops	Per Dozen,	\$0.50	0.90	1 (0)	1 10		
Solid Brass, with Brazed Loops	'er Dozen,	50	90	1.00	1 IO		
, which is a second of the sec							
No. 15. Imitation Monogram.							
No. 15. Imitation Monogram.							
Size				Inches,	21		
Gitt. Filled Solid Backs, Smooth Edges			l 'e	т Dozen,	\$2 2O		
Solid Nickel, Filled Solid Backs, Smooth Edges			1'e	т Болен.	2 40		


Two Dozen in a Box.







## Solid Filled Backs.









No. 14.		 Per Dozen, \$Per Dozen, Per Dozen	80
	Six Dozen in a Box.		


## High Grade Finish.








No. 1358.





No. 1243



No 32,

..... Per Dozen, .... Per Dozen,


....... Per Dozen, 30 80

Numbers		209	1358	1243	1266
Solid Nickel. With Smooth Filled Backs	,Per Dozen, 🛣	2 50	5 20	5 90	2 50
Gold Plated. With Smooth Filled Backs,	Per Dozen,	3 (0)	3 00	3 (0)	3 00


Solid Filled, in Silver, Solld Nickel and Bronze Cold, Filled Flat Back.








2.01				-			
Size	Inches,	1 1 <sub>8</sub>	1 4	1 12	1 34	2	$2^{-1}_{+}$
No. <b>1337.</b>	Solid Nickel or Bronze GoldPer Dozen,	≸	1 20	I 20	1/30	2 00	3 00
No. 1651.	Solid Nickel or Bronze GoldPer Dozen,	1 80	1 80	1/80	2 40	3 00	3 60
No. 1651 S.	Silver PlatedPer Dozen,	3 00	3 00	3 00	1 60	5 00	6 00
No. 1730.	Solid Nickel or Bronze Gold Per Dozen,			3 00	3 20	3 - 50	1 00
No. 1730 S.	Silver Plated Per Dozen,			3 60	4 20	4 80	6.00








		NO. 120 B.	No. 1852.	No. 3109	and sms	×.	
Siz	ze	***************************************	1nch	es, 1	34	2	2 1/
No	o. 125 B.	Silver or Bronze Gold	, Bevel Edge, Hard Soldered Loops Per Doze	n, \$7	20 9	60	12 00
			Per Doze			(H)	3-60
Ne	5. <b>3169.</b>	Solid Nickel or Bronze Gol	dPer Doze	11, 2	40 3	3 00	3 60
No	3169 S	Silver Plated	Per Doze	n 3	t 03	£ 80	6.00








	ND, 1140.	NO. 1424.		1072	
Size		Inches,	2	24	2 12
No. 4173.	Silver Plated or Bronze Gold	lPer Dozen,	\$7 KO	9 60	14 10
No. 1727.	Silver Plated or Bronze Gold	Per Dozen,			14.40
No. 1628.	Silver Plated or Bronze Gold	lPer Dozen,			51 (9)


Full Size Cuts. Duranoid.








All Black. With Brass Wire Loop, Any Style..








No. 94. Black.







No. 1051/2. All Black With Gilt Metal Backs, Brass Wire Loops.......







ALL ABOVE, HALF GROSS IN A BOX.

Full Size Cuts.

Ivoryette.








	No.	1.1
	ATO,	17,

Einish	Nickel Mounted	Gilt Mounted	Solid Color
No. 40	Black, White or Russet	1 10	0.70
No. 50	Black, White or Russet	1 10	70
No. 44.	Black, White or Russet Per Dozen, 1 10	1 10	70
	SIX DOZEN IN A BOX.		

## Genuine Hard Rubber and White Celluloid.








NO, 191,

No. 150.	All White or All Black, Size, 158 Inch, Brass Wire Loops	
No. 152 and 151.	All Black, Size, 158 Inch, Brass Wire Loops	








No. 171. All White or All Black, Brass Wire Loops Per Dozen, \$1.80 No. 160 and 162. All Black, Brass Wire Loops Per Dozen, 1.80







	No.


1	180	All Black, Size, 112 Inch, Brass Wire Loops	\$1.50
1901	1.07	All price it, thee, I gritten, bruss to be deeper a month	13 4343
111	1.56	All Black, Size 2 Inch. Brass Wire Loops	1) UU
4 1174	1	D Descen	1 400
No.	184.	All Black, Size, 1 12 Inch, Brass Wire Loops	1 30

# J. M. Eilers & Co., Cincinnati, O.

## BRIDLE ROSETTES.



Per Dozen Pairs, \$2/20



.. ...Per Pair, Extra Letters .... Per Pair,

.Per Pair. \$0 80 70

## Fancy Class Rosettes on Cards.



#### FINE HARNESS ORNAMENTS.

Crest Ornaments, Solid Filled Backs.
Full Size Cuts.







No

No. 87 C.	Silver Plated or Bronze Gold, Wire Prongs	\$4,20
No. 497 C.	Silver Plated or Bronze Gold, Wire Prongs	4 - 20
No. 507 C.	Silver Plated or Bronze Gold, Wire Prongs Per Dozen,	4 80







No. **508** C. Silver Plated or Bronze Gold, Wire Prongs.

No. **499** C. Silver Plated or Bronze Gold, Wire Prongs.


Per Dozen, **54** 80


Per Dozen, **5** 50

No. **32** C. Silver Plated or Bronze Gold, Wire Prongs.

Per Dozen, **6** 60

#### Trace and Nose Ornaments.






No. 810. Nese Ornaments



No. 809. Trace Ornaments.

## FINE TRACE ORNAMENTS.

Fine Chased Long Tug Ornaments.



## Fine Harness Monograms.

Solid Cut and Rounded. Any Combination of Letters.



No. 5. Plain Script, E. F. S.




No. 4. Fancy Script, Embossed D. McL.



#### Any Size Up To 15 Inch.

No. 5	Silver or Brass, Plain Script Style	\$2.40
No. 4.	Silver or Brass, Fancy Script Style, Embossed	2 40
No. 6.	Silver or Brass, Plain Script Style Each,	2 40



No. 7. French Gothic, J. W. W.



No. S. Solid Cut Gothie, J. M. C.



No 10. Imitation

## Any Size Up To 15 Inch.

No. 7.	Silver or Brass, French Gothic Style	<u>52 (0</u>
No. 8.	Silver or Brass, Solid Cut Gothic Style	2 (0
No. 10.	Solid Nickel or Brass, Can be used on any Harness	50

## HARNESS LETTERS.





Block Letters and Figures.

## Prongs Guaranteed Not to Break or Pull Out.

Size		Inches, 3-4	1	1 <sup>1</sup> ,	1 1/2	2	2 1/2	3
		Solid Cast, Nickel or Brass						
No 60.	Figures.	Solid Cast, Nickel or BrassPer Dozen, 1 10	1 10	1 20	1 70	2 50	3 20	1.00



Size	Inches,	7-8	1 1 s	1 1/2
Brass only, Solid Smooth Filled, Hold Fast Prongs	Per Dozen,	\$1.20	L 60	2 00



Gothic Style.


Fine Silver, Stamped and Filled, Hold Fast Prongs; Size, 7 8 Inch	Per Dozen,	\$4 OO
Fine Cilt Stamped and Filled Hold Fast Prongs Size, 7-8 Inch.		



Plain Script Style.

Size	Inches, 1	1 14
Fine Silver or Gilt.	Stamped and Filled. Per Dozen, \$2 70	3 60

## HARNESS ORNAMENTS.






#### No. 155. Nickel and Brass.

not too monor and bracon		
Heavy Metal, Not Filled, Size, 31/2 Inches, Hold Fast Prongs	Pe <b>r</b> Dozei	i, \$3 60
No. 156. Solid Nickel or Brass.		
Size Inches,	1 1/2	2 1/2
Heavy Metal, Solid Filled, Hold Fast Prongs	<b>≴</b> 0 90	1 40
No. 236. Nickel or Brass.		
Size	1 12	2
Solid Cast Metal, Hold Fast Prongs	1 40	2 20

ALL ABOVE, THREE DOZEN IN A BOX.



## 


Size	2	**
Heavy Metal, Solid Filled, Hold Fast Prongs		
No. 75 Nickel or Brass		


Size, Inches, 2	2 3 g	:3
Heavy Metal, Hard Soldered Flat Prongs Per Dozen, \$1 00	I 30	1.70

## 258

## HARNESS ORNAMENTS.









Full Size Cut of No. 50 Housing Border

## Hame Housing Borders.

No.	132.	Solid Brass With Rivets	Per Dozen,	<b>\$1</b>	70	
No.	50.	Solid Brass With Rivets	Per Dozen,	I	70	



No. 150.



22 - 110

#### No. 150. Nickel or Brass.

Width, From Head to Head	1 1/2	::
Width, From flead to flead	/2	
Heavy Metal, Solid Filled, Hold Fast Prongs	\$1 00	2 30

## No. 140. Nickel or Brass.



No. 160



No. 195.



**Bottle Ornaments.** 

Length	lnches,	
A 18 11	Per Dozen	\$3, 20
No. 160. Nickel or Brass, Heavy Metal, Solid Filled, Hold Fast Prongs	Day Day	2 20
No. 195. Nickel or Brass, Heavy Metal, Solid Filled, Hold Fast Prongs	rer Dozen,	n 20

#### Horseshoe Star Ornaments.

110100011100 0121 011121111111	
Length Inches,	3
No. 4648. Nickel or Brass, Heavy Metal, Solid Filled, Hold Fast Prongs Per Dozen, \$1	£ 00
One Dozen in a Box.	


#### NAME PLATES.








#### Housing Plates.








Half Size Cut. No. 666.

...... Per Dozen, \$1 70 ..... Per Dozen,




Full Size Cut No. 198.



Cut Shows One Half Size. No. 980.

No. 980. Nickel or Brass, With Round Head Rivets, 2 to a Set, Rights and Lefts; Full Length, 1312 Inches .......Per Set, \$0.70

## BRIDLE FRONT PLATES.



Nickel or Brass	Length,	13	Inches.
-----------------	---------	----	---------

Width Inches,	3-4	7-8	1
No. 1500. Band Pattern, Plain Heavy Metal With Rivets, Highly Polished	50 81	90	F (00)
No. 1524. Oval Pattern, Plain Heavy Metal With Rivets, Highly Polished	I 50	1 60	1.70






Nickel or Brass, Length, 5 Inches.

Width	Inches.	7-8	1
No. 190,	With Rivets, Heavy Metal, Highly Polished, for Team Fronts	\$0.60	70
	With Rivets, Heavy Metal, Hard Enameled Lettering Prices quoted		ation.


## Harness Drop Ornaments.



Illustrations show how Ornament can be applied on various parts of Harness.


A milers	 		1	- 2	4.3
Sie f Top Loop	 	Inches.	1	1 4	1 12
Size of I oftoni Loop .		 Inches.	1 12	2	24
Nickel on Composition, Heavy Soli . Cast.		 Per Dozen.	\$3, 10	3 50	1 20
Solid Brass, Heavy Solid Cast.	 	 Per Dozen.	3 40	23 %()	1 20

## STANDARD HARNESS SPOTS. FLAT OR CROWN HEADS.




Numbers 1	2	<b>2</b> 1 <sub>2</sub>	:3	4	5	G	7	8
Size, Width of Head, Inch. 3-16	4-16	5-16	6-16	8-16	10-16	12-16	14-16	16-16
Length of Prong	4-16	5-16	5-16	5-16	5-16	5-16	5-16	5-16
Brass. One Gross in a Box Per Gross, \$0.51	H G2	0.76	() >()	1 20	1 60	2 11 )	2 10	2 80
Brass. 1000 in a Box	4 (8)	1.70	5 40	5 (10)	10.70	13 40	16 00	15.70
German Silver. One Gross in a BoxPer Gross. 64	7.2	161)	£11°	1 11	1.362	*1 *1 *1	2 50	3 28
German Silver. 1000 in a BoxPer 1000. 4 00	1 %()	5 15.1	6 40	(4 + +++)	12 5)	16 00	19 20	20 4

## Oblong or Peanut Spots.




Numbers	104	105	106	107
Size	4-8	5-8	68	7-8
Brass. One Gross in a Box	\$ 1.50	I Go	1.70	1 50
Brass. 1000 in a Box Per 1000	$\tfrac{4}{2} \beta = \tfrac{4}{4} + \emptyset$	1 + (8)	10.70	11 40
German Silver. One Gross in a Box	1 80	1 10	2 110	2 10
German Silver, 1000 in a Box	11 10	12 00	12.80	13 60

## Dome and Bevel Dome Spots.








n	_	m	۵
	v		~


Quantity	Gross	Thousand
No. 2060. Size, 6-8, Brass		× ±11
No. 2160. Size, 6-8, Nickel Plated		


#### Revel Dome

	bever bome.		
Quantity		Gross	Thousand
No. 3060,	Size, 6-8, Brass	Price. \$1 40	★ ±01
No. <b>3160.</b>	Size, 6-8, Nickel Plated	Price, 1 70	10.20

SETS FOR STANDARD SPOTS.








Machine Set

	Hand Set with Blades.	
Adjustable, for any Size Spot	·	
Extra Blades	 .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

....Each, \$0 80

## Foot Power Machine.

With Perpetual Lease (as long as Standard Spots are used) ..... Each, \$30 00



#### Combination Hand Set.

## HARNESS ORNAMENTS.


Full Size Cuts.



## No. 501. Nickel or Brass Summit, Flat Prongs.



#### No. 202. Nickel or Brass, Flat Prongs.



No. 4010. Nickel or Brass.

#### Fancy Head Saddle Nails.





Sizelnches, 5-8	3-4	7-8	I
Nickel Plated, Soldered Nails, Size, 1 18 Inch	1 41	1 #4	F 68

## MARTINGALE AND SPREAD RINGS.







Wood Spread Ring.



Novelty Wood Spread Ring.

#### National Martingale Rings.

Numbers	1	O
Diameter, Inside MeasureInches,		1 7/3
X C Plate Per Dozen,		0 50
Enameled, Red, White or Blue Per Dozen,	46	60
Brass, Solid Metal	I 10	I 70

THREE DOZEN IN A BOX.

## Wood Spread Rings.


Chemically Prepared, Fine Finish, Bright Colors. Red, White, Blue and Orange.

No. 3	Diameter, 2 Inches, Inside Measure, Size of Gauge, 9-16 Inch	\$0.70
No. 4.	Diameter, 24 Inches, Inside Measure, Size of Gauge, 5-8 Inch	40
	THREE DOZEN IN A BOX.	


#### Novelty Wood Spread Rings.

Chemically Prepared, Fine Finish, Bright Colors.

Tri Colored, Red, White and Blue.



Inlaid Ivorvette Spread Ring.



Celluloid Spread Ring.

## Inlaid Ivoryette Spread Rings.

Red, White or Blue Ivoryette, With Brass or Nickel Metal Band Inlaid.


## Celluloid Spread Rings.

TWELVE PAIR IN A BOX.

11

#### TRIMMING RINGS.

Red, White and Blue.







Bone Rings.

No. 1.	Size, 11/8 Inches, Best Quality	Per Dozen, \$0
	PACKED AS WANTED.	

#### Duranoid Rings.


No. 16.	Size, 1 Inch Per Dozen, \$0	28
No. 18.	Size, 1 1/8 Inches Per Dozen,	32
	SIX DOZEN OF ONE COLOR IN A BOX.	

#### Inlaid Ivoryette Rings.

No. 16 N.	Size, 1 Inch, Inlaid Nickel or Brass Metal Band
No. 18 N.	Size, 1½ Inches, Inlaid Nickel or Brass Metal Band
	SIX DOZEN OF ONE COLOR IN A BOX.

Martingale Rings.





Duranoid Rings.

with Iron Core.						
Numbers	0	1	2	- 3	4	- 5
DiameterInches,	1 14	1 12	1 5/s	$1^{-3}$ 4	178	2
Red, White, Blue or Black	\$0.31	0.36	0.40	0 44	() 56	() (; 1
THREE DOZEN OF ONE COLOR IN A	Box.					

#### Ivy Rings.

With Compressed Fibre Core.		
Numbers	2	3
DiameterInches,		1 58
Red, White or Blue	\$1 10	I 20

IFF Ivy Rings are of high grade composition with extra fine and uniform finish. They are lighter in weight than rings made over Iron Cores, and for wear rank next to Celluloid.

THREE DOZEN OF ONE COLOR IN A BOX.

## MARTINCALE RINGS.





Celluloid and Genuine Ivory.

Zylonite Rings	nte kings.
----------------	------------

Numbers	00	0	1	2	3	4	5	6
Diameter, Inside Measure Inches,	1 1 s	$1^{-1}$	1 3 s	1 12	1 58	1 34	2	$2 \frac{1}{4}$
Red, White or Blue Per Dozen,	\$I IO	1/32	1 80	2 20	2.70	3 10	3 50	4 00


#### Celluloid Rings.

Numbers	00	O	1	2	- 3	4	- 5	6
Diameter, Inside MeasureIuches,	1 1 S	1 1/	13%	$1_{-2}$	1 58	1 34	2	24
Red. White or BluePer Dozen,	\$1 (0)	1 80	2 30	2 90	3.50	4 10	4 60	5 - 20

Two Dozen of One Color in a Box.

#### Cenuine Ivory Rings.

•		
Diameter, Inside Measure		2
Price	Per Pair \$1.40 - 3.00	0 4 50







Beaded Hard Rubber,


## Plain Black Hard Rubber Rings.

	Per Dozen, \$0 St	
No.	 Size, 175 Inches, Hollow Per Dozen, 1 30	
	Size, 1 <sup>4</sup> 2 Inches, Solid	

## Beaded Black Hard Rubber Rings.

No. 35.	Size, 112 Inches, I	Iollow	Per Dozen, £0-90
No 30.	Size, 112 Inches, S	olid	Per Dozen. 1 80

#### CELLULOID UNION RINGS.



No. 4. Consisting of 1 White Ring, each 138 and 158 luches, and 1 Red Ring, each 112 and 2 luches. ...... ...... Each, \$1.50



Each, \$2 60 


## Celluloid Looped Rings.



No 3. Consisting of Red, White and Blue Rings, assorted from 14 to 13 Inches, White Loops...... Each, \$1.20



#### CENUINE CELLULOID TRIMMED REIN SPREADERS.




No. B 2. Length, 8 Inches over All.

No. B 2. Red Straps, 3 Celluloid Buttons, 4 Celluloid Slide Loops, All White, or Assorted, Red, White and Blue....Per Pair, \$1-80




No. A I. Length, 8 Inches over All.

No. A 1. Russet Straps, 3 Celluloid Dees, 4 Celluloid Slide Loops, All White, or assorted, Red, White and Blue.....Per Pair, \$1.80




No. B 4. Length, 12 Inches over All.

No. B 4. Red Straps, 5 Celluloid Buttens, 6 Celluloid Slide Loops, All White, or assorted, Red, White and Blue.....Per Pair, 32 10



No. A 3. Length, 12 Inches over All.

No. A. 3. Russet Straps, 5 Celluloid Dees, 6 Celluloid Slide Loops, All White, or assorted, Red, White and Blue....Per Pair, \$2-40
PACKED AS WANTED.








## Climax Slide Loops.

Size	Inches, 5-8	3-4
Metal, Enameled Red, White or Blue	Per Gross, \$2-40	3 00







Cut of Celluloid Loops,



Cut of 5-8 Inch Metal Loop.


Inch, 1-2

	Metal Slide Loops.				
Size		5-8	3-4	7-8	1
Nickel or Solid Brass		3 30	3.50	4/20	4 50

## Celluloid Slide Loops.

	•			
Size	Inches. 1-2	5-8	3-4	7-8
Red, White or Blue	Per Dozen, \$0-40	0 10	0.44	() 5()

ALL ABOVE, ONE GROSS OF ONE COLOR IN A BOX



Soft Pad Ring Hooks.

Nickel Plated or Solid Brass	torn propagation of anomalian and anomalian and anomalian	Per Dozen, \$I 20
	Half Gross in a Box.	

#### Check Spreaders with Rings and Snaps.



.....Per Pair, \$1 Io No. 4. Duranoid Rings, Assorted Red, White and Blue, Nickel or Brass Loops....



No 13.

.......Per Pair, \$1.80 No. 13. Duranoid Rings, Assorted Red, White and Blue, Nickel or Brass Loops ..... .... ... ....

## Martingale with Rings.



## HARNESS SADDLES.

#### SINCLE STRAP SKIRTS.



No. 27. Single Strap Saddles.

Harness Leather Skirts, 1% Inches Wide, Riveted on End of Pad; Back Band, 7-8 Inch, straight, stitched 10 to the inch; Straight Point Billets, 7-8 inch; Iron Loops, Swing Bearer; Iron Jockey Tree, Enameled Leather Bottom Pad.

Size	Inches,	2	1/2
Japanned Trimmed, Wire Ball or Band	Each,	<b>\$</b> I	80
V C Plate Trimmed Wire Ball or Band	Each.	1	80

#### No. 17. Single Strap Saddles.

Harness Leather Skirt, 17% inches wide; Back Band, 7-8 inch, straight, stitched 10 to the inch, Round Edge; Straight Point Billets, 7-8 inch; Harness Leather Corrugated Loops; Iron Jockey Tree; Enameled Leather Bottom.

Size	Inches,	21	2
Japanned Trimued, Wire or Band	.Each,	\$2	I
X C Plate Trimmed, Wire or Band	.Each,	2	1(

## HARNESS SADDLES.

#### SINCLE STRAP SKIRTS.



No. 12. Single Strap Saddles.

Harness Leather Skirt, Edged; 2 inches wide; Back Band, 1 inch, Raised Center, straight stitched, 10 to the inch; Straight Point Billets, 7-8 inch; Harness Leather Corrugated Loops; Long Iron Jockey Bevel Edge Tree; Enameled Leather Bottom Pad.

Size	. Inches,	2	12
Untrimmed	Each.	£2	30

## No. 14. Single Strap Saddles.

Harness Leather Round Edge Skirt, 1% inches wide; Back Band, 1 inch, Raised Center, straight stitched, 10 to the inch; Straight Point Billets, 7–8 inch; Harness Leather Corrugated Loops; Patent Leather Straight Jockey. 2 rows stitched; Patent Leather Housing, Patent Leather Roll Binding, Enamel Leather Bottom Pad, Japanned Seat, Coupe Style

Size	Inches,	**	2
Untrimmed	Each,	52	71

#### HARNESS SADDLES.

Single Strap Skirts.



No. 023. Flexible Tree Single Strap Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; Back Band, 1 inch, Raised Center, straight stitched, 10 to the inch; Straight Point Billets, 7-8 inch; Patent Leather Straight Jockey, 3 rows stitched; Patent Leather Housing, Patent Leather Roll Binding; Enamel Leather Bottom Pad; Japanned Seat, Coupe Style, Steel Spring Trees.

Size	 	2	1 2
Untrimmed	Each.		

#### No. 135. Single Strap Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; Back Band, 1 inch, Raised Center, straight stitched, 10 to the inch; Straight Point Billets, 7-8 inch; Harness Leather Corrugated Loops, Patent Leather Straight Jockey, 3 rows stitching; Patent Leather Housing, Patent Leather Roll Binding, Green Silk, zig zag stitched; Japanned Seat, Conpe Style.

SizeInche	s,	• 1	>
UntrimmedEacl			

Single Strap Skirts.



No. 07. Ulrich's Flexible Tree Saddles.

Harness Leather Round Edge Skirt, 173 inches wide; Back Band, 1 inch. Raised Center, Round Edge, stitched 10 to the inch; Straight Point Billets, 7–8 inch; Harness Leather Corrugated Loops, Patent Leather Straight Jockey, 2 rows stitching, White Bead Close to Jockey, Patent Leather Binding; Enamel Leather Bottom Pad, Japanned Seat, Coupe Style.

Size	, 3
UntrimmedEach,	

## No. 73 X. Ulrich's Flexible Tree Saddles.

Harness Leather Round Edge Skirt, 2 inches wide, Back Band, 1 inch; Raised Center, Round Edge, stitched 10 to the inch; Straight Point Billets, 7-8 inch; Harness Leather Corrugated Loops, Patent Leather Swell Shape Jockey, 2 rows stitching; Patent Leather Binding with inside Bead, Enamel Leather Bottom Pad, Japanned Seat, Coupe Style.

Size	Inches,	:3
Untrimmed	Each,	\$3 <u>2</u> 0

Single Strap Skirts.



No. 028. Single Strap Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; Back Band, 1 inch, Raised Center, Round Edge, straight stitched, 10 to the inch; Straight Point Billets, 7-8 inch; Harness Leather Corrugated Loops, Patent Leather Swell Jockey, 3 rows stitching; Patent Leather Housing, Swell Shape, Black, White or Maroon, Patent Leather Roll Binding, Enamel Leather Bottom Pad, Japanned Seat, Coupe Style.

Size	 	/*******	Inches,	3
Untrimmed	 ******		Each,	\$3 00

# No. 201. Single Strap Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; Back Band, 1 inch, Raised Center Round Edge, stitched 10 to the inch; Straight Point Billets, 7-8 inch; Harness Leather Corrugated Loops, Harness Leather Straight Jockey, 3 rows stitching; Patent Leather Housing, Patent Leather Binding, 2 row stitching; Enameled Leather Bottom Pad, Japanned Seat, Coupe Style.

Size	 Inches,	- 3
Untrimmed	 	\$3 ()(

Single Strap Skirts.



No. 133. Single Strap Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; Back Band, 1 inch, Raised Center, Round Edge, Stitched, 10 to the uch. Straight Point Billets, 7-8 inch; Harness Leather Corrugated Loops, Patent Leather Tapered Jockey, 3 rows stitched; Patent Leather Tapered Housing, with Heavy Patent Leather Round Bead, Enameled Leather Bottom Pad, Japanned Seat, Coupe Style.

Size	 	 Inches,	3
Untrimmed		Each.	\$3.00

## No. 021. Single Strap Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; Swinging Ring, Back Band, 1 inch; Raised Center, Stitched, 10 to the inch; Straight Point Billets, 7-8 inch; Patent Leather Swell Jockey, 3 rows stitched; Patent Leather Swell Housing, with Double Bead Patent Leather Binding; Enameled Leather Bottom, Japanned Seat, Coupe Style.

Size	Inches, 3
Untrimmed	Each, \$3 20

Single Strap Skirts.



No. 022. Single Strap Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; Back Band, 1 inch, Raised Center, Round Edge, stitched 10 to the inch; Straight Point Billets, 7-8 inch; Imitation Rubber Tip and Loop, Patent Leather Swell Jockey, 3 rows stitched; Patent Leather Swell Housing, Patent Leather Roll Binding, Enamel Leather Bottom Pad, Japanned Seat, Coupe Style.

Size		Inches, 3
Untrimmed	- Commission and a control of the propagation of the control of th	Each, \$3 2

## No. 033. Single Strap Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; **Swinging** Ring, Back Band, 1 inch, Raised Center, Round Edge, Stitched, 10 to the inch; Straight Point Billets, 7–8 inch; Patent Leather Tapered Jockey, 3 rows stitched: Patent Leather Tapered Housing, with Heavy Patent Leather Round Bead; Enameled Leather Bottom Pad, Japanned Seat, Pug Style.

Size	Inches,	3	
Untrimmed			

Single Strap Skirts.



No. 236. Single Strap Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; Back Band, 1 inch, Raised Center, Round Edge, stitched 10 to the inch; Straight Point Billets, 7-8 inch; Patent Leather Corrugated Loops, Patent Leather Swell Shaped Jockey, 3 rows Fancy Stitched; Patent Leather Double Swell Shape Long Housing, Patent Leather Single Bead Binding, Enameled Leather Pad Bottom, Japanned Seat, Coupe Style.

Size	Inches,	:3	
Untrimmed	Each,	\$3.40	)

## No. 340. Single Strap Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; Swinging Ring Back Band, 1 inch, Raised Center, Round Edge, Stitched 10 to the inch; Straight Point Billets, 7-8 inch; Metal Loop above Ring; Patent Leather Swell Shaped Jockey, 3 row stitched; Patent Leather Swedge Shaped Long Housing, with Heavy Patent Leather Oval Bead; Enameled Leather Pad Bottom; Japanned Seat, Coupe Style

Size	Inches.	* 3	è
Untrimmed	Each,	\$3	(5()

Single Strap Skirts.



No. 180. Single Strap Saddles.

Harness Leather Round Edge Swell Shape Skirt, 212 inches wide; Back Band, 1 inch; Raised Center, Stitched, 10 to the inch; Straight Point Billets, 7-8 inch; Patent Leather Corrugated Loops, Patent Leather Swell Shape Jockey, 3 rows stitching with panel at seat and pad screws; Patent Leather Swell Shape Housing with Patent Leather Raised Bead, inside and outside green silk stitched; Enamel Leather Bottom Pad, Japanned Seat, Coupe Style

Size	Inches,	:3
Untrimmed	Each S	3 4

## No. 1375. Single Strap Saddles.

Harness Leather Round Edge Skirt; 2 inches wide, Back Band, Linch Raised Center, Stitched 10 to the inch; Fancy Point Billets, 7-8 inch; Harness Leather Corrugated Loops, Patent Leather Swedge Shaped Jockey, 3 rows Stitched; Patent Leather Swedge Shaped Housing, 4 inch at Swell, with Patent Leather Binding, and Heavy Read, Enameled Leather Pad Bottom; Japanned Seit, Coupe Style

~:Ze	 	Inches, 🔞	12
Entrimmed	 	Each, \$3	`

Single Strap Skirts.



No. 280. Single Strap Saddles.

Harness Leather Round Edge Swell Shape Skirt, 34 inches wide, Coupe Ends; Back Bands 1 inch. Raised Center. stitched 10 to the inch; Fancy Point Billets, 7-8 inch; Patent Leather Corrugated Loops, Patent Leather English Swell Jockey, 3 rows stitching with panel at pad screws; Patent Leather English Swell Housing with Patent Leather raised bead, green silk stitched, Enamel Leather Bottom Pad, Japanned Seat, Coupe Style.

Size	Inches,	31/2	ź
Untrimmed		\$1:	21

## No. 1328. Single Strap Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; Back Band, 1 inch, Raised Center, Stitched 10 to the inch; Fancy Point Billets, 7-8 inch; Patent Leather Corrugated Loops, Patent Leather Swell Jockey, 3 rows stitching, Patent Leather Triple Swell Long Housing, Patent Leather Binding with turned edge lay, Raised Center; Enameled Leather Pad Bottom; Japanned Seat, Coupe Style.

Size	Inches	
Untrimmed	. Each	\$4.79

Single Strap Skirts.



No. 0139. Single Strap Flexible Tree Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; Two Minute Dees, Swinging Back Band, 1 inch Raised Center Round Edge, stitched 12 to the inch; Fancy Point Billets, 7-8 inch; Patent Leather Swell Shaped Jockey, 3 rows stitched with extra Pad Screw holding Plate of Dee; Patent Leather Long Swell Housing, Patent Leather Roll Binding, with Green and White inside Beads; Enameled Leather Pad Bottom; Japanned Seat, Coupe Style, Spring Steel Tree.

Size	,	3	
Untrimmed Each	, \$1	1 3	5()

## No. 0370. Single Strap Flexible Tree Saddles.

Harness Leather Round Edge Skirt, 24 inches wide; Back Band, 1 inch, Raised Center Round Edge, stitched 12 to the meh: Fancy Point Billets, 7-8 inch; Metal Loop, Patent Leather Coupe Jockey, 3 rows Silk Stitched; Patent Leather Double Swell Housing, 44 inches at Swell, Patent Leather Roll Binding, with Green and White Inside Beads; Enameled Leather Pad Bottom; Japanned Seat, Coupe Style; Spring Steel Tree.

Sizefine	ches,	• >	12
UntrimmedE			

Single Strap Skirts.



No. 60. Single Strap Saddles.

Patent Leather Straight Skirt, 24 inches wide, Harness Leather Lined, Coupe Points. Patent Leather is cut a trifle narrower than Harness Leather, thus giving Skirt a beaded appearing edge. Back Band, 1 inch, Raised Center, Round Edge, stitched 10 to the inch; Patent Leather Round End Jockey, 3 rows silk stitching; Patent Collar Leather Kay Pad, Patent Leather Facing, Leather Covered Seat, Coupe Style.

Size	Inches,	• 1	≥ 1 <sub>2</sub>
Untrimmed	Each,	\$1	50

## No. 160. Single Strap Saddles.

Patent Leather Straight Skirt, 2<sup>1</sup>4 inches wide, Harness Leather Lined, English Coupe Points. Patent Leather is cut a trifle narrower than Harness Leather, thus giving Skirt a beaded appearing edge. Running Back Band, 1 inch, Raised Center, Round Edge, stitched 10 to the inch; Patent Leather Round End, Bevel Edge Jockey, 3 rows silk stitching; Patent Collar Leather Kay Pad, Leather Covered Seat, Coupe Style.

Size	Inches.	1 2
Untrimmed	Each, \$5	10

Single Strap Skirts, Flexible Pads.



Harness Leather Skirt, 3 inches wide; Raised Center, Round Edge, Running Back Band, 1 inch, through 4 metal loops; Billets, 7-8 inch; Harness Leather Bottom Pad.



Harness Leather Skirt, 4 inches wide; Raised Center, Round Edge, Running Back Band, 14 inch, through 4 metal loops; Billets, 1 inch; Harness Leather Bottom Pad.



No

Harness Leather Swell Skirt, 3 inches wide; Raised Center, Round Edge, Swinging Back Band, 1 inch; Wave Point Billets, 7-8 inch; Harness Leather Jockey, Enamel Leather Stuffed Pad, Laced in and Tufted.

No. 2 Nickel Trimmed Each, \$6.50



Harness Leather Straight Skirt, 3 inches wide; Raised Center, Round Edge Back Band, 1 inch; Wave Point Billets, 7-8 inch; Harness Leather Jockey and Harness Leather Bottom Pad.


No. 6 Nickel Trimmed ..... Each, \$5 30



#### With Peerless Hook.

Harness Leather, Round Edge, Straight Skirt, 3 inches wide, Full Length, Fair Leather Lined; Raised Center, Round Edge, Swinging Back Band, 1 inch; Wave Point Billets, 7-8 inch; Heavy Patent Leather Jockey, 1 row stitched, Fair Leather Bottom Pad.

Single Strap Kay, Flexible Tree Saddle.



No. 3. Single Strap Kay Saddles.

## With Flexible Steel Spring Trees.

Patent Leather Straight Skirt, 2 inches wide, Harness Leather Lined, 1 row stitched. Patent Leather is cut a trifle narrower than Harness Leather, thus giving Skirt a beaded appearing edge; Back Band, 1 inch, Raised Center Round Edge, stitched 10 to the inch; Straight Point Billets 7-8 inch; Patent Leather Round End, Bevel Edge Jockey, 3 rows stitching; Wave Point Harness Leather Layer; Patent Leather Bead, fitting close to Jockey; Enameled Leather Pad Bottom; Flexible Tree, no Seat.

Size	Inches,	212	3
Untrimmed	Each,	#3 70	3 90

## No. 5. Single Strap Kay Saddles.

## With Flexible Steel Spring Trees.

Patent Leather Skirt, 24 inches wide at Pad, tapering to 13 inches at Billets, Harness Leather Lined, 1 row stitched, Bevel Edge; Swinging Back Band, 1 inch Raised Center Round Edge, stitched 12 to the inch, with metal Loops above Rings; Fancy Point Billets 7-8 inch; Patent Leather Swedge Shaped Jockey, 3 rows stitching; Wave Point Harness Leather Layer; Patent Collar Leather bottom and facing, Facing fitting close to Jockey same as on Hand Made Coach Pads; Flexible Tree, No Seat

Size Inch	ies.	43	,
Untriumed Ea	ch,	\$5	5)(

Single Strap Kay, Flexible Tree Saddles.



No. 8. Single Strap Kay Saddles.

## With Flexible Steel Spring Trees.

Patent Leather Skirt, 2¼ inches at Pad, tapering to 1¾ inches at Billet, Harness Leather Lined, 1 row stitched, Bevel Edged; Two Minute Dee Swinging Back Band, 1 inch Raised Center Round Edge, stitched 12 to the inch; Fancy Point Billets, 7-8 inch; Patent Leather Swedge Shaped Jockey, 3 rows stitching; Wave Point Harness Leather Layer, Patent Collar Leather bottom and facing, Facing fitting close to Jockey same as on Hand Made Coach Pads; Flexible Tree, no Seat.

Size	 ***************************************	 	Inches,	- 3	;
Untrimmed	 	 	Each.	45	80

# No. 9. Single Strap Kay Coupe Saddles.

# With Flexible Steel Spring Trees.

Patent Leather Skirt, 34 inches wide at Pad, tapering to 234 inches at Billets, Harness Leather Lined, 2 rows stitched, Bevel Edged; Swinging Back Band, 1 inch Raised Center, Round Edge, stitched 12 to the inch, with Metal Loop above Ring; Fancy Point Billets, 1 inch; Patent Leather Straight Jockey, 3 rows stitched, Harness Leather Center; Patent Collar Leather Bottom and Facing, Facing fitting close to Jockey same as on Hand Made Coach Pads; Flexible Tree, no Seat.

Size Inch	es,	34
Untrimmed		

Single Strap Skirts.



No. 660. Soft Pad Strap Saddles.

Harness Leather Round Edge Skirt, 2 inches wide; Swinging Back Band, 1 inch, Raised Center Round Edge, stitched 10 to the inch; Metal Loop; Fancy Point Billets, 7-8 inch; Harness Leather Wave Jockey, 1 row stitched; Patent Leather Top Pad, Neats Leather Turned Edge Binding and Lay; Neats Leather Pad Bottom.

Size at Swell	Inches,	-5
Nickel, Brass or Imitation Rubber Trimmed	Each,	\$5.00

## No. 341. Flexible Express Saddles.

Kersey Bottom Pad, Patent Leather Top, Neats Leather Turned Edge Binding; Steel Spring Flexible Tree; Patent Leather Jockey, 2 rows stitched, with Panels at Pad Screws, Harness Leather Center.

Size	:s, 4	412	- 5
Width of Harness Leather Skirt	es, 3	31/2	334
Width of Swinging Back Band	is, 14	1 4	1 12
Width of Billet	s, 14	1 4	1 14
X C Band Trimmed Eac	h. 36 30	7 ()()	7 (50)

Single Strap Skirts.



## **Crocery Strap Saddles.**

Harness Leather Skirt, Raised Center, Round Edge, Back Band, Raised Point Billets, Harness Leather Pressed Loops, Patent Leather Rolled Binding Top and Enamel Leather Bottom Pad, Japanned Seat, Iron Jockey Tree.

SizeInches,	31/2	4
Width of Skirt Inches,	234	3
Width of Back Band	11/8	14
No. 111. Untrimmed, With Straight Bearer	\$2.80	3 40
No 61. Untrimmed, With Ring Bearer, Heavy	4 30	4 80


# No. 51. Strap Express Saddles.

Harness Leather Skirt, Raised Center, Swinging Back Band, Patent Leather Top and Enamel Leather Bottom Pad, Japanned Seat, Bevel Edge Iron Jockey Tree.

SizeInches,	4	412	5	$5^{+}_{2}$
Width of Skirt	3	34	312	4
Width of Back Band	1 1/4	1 4	1 12	$-1^{\pm_2}$
Width of Billet	1 14	14	1 12	$1^{1}_{2}$
Untrimmed	\$5-10	5 60	6-80	7 00

#### Full Pad Skirts.





No. 308. Flexible Saddles.

#### Machine Laced.

Patent Leather Tapered Skirt, Bevel Edge, 2 rows stitched, with Coupe End; Flexible Tree, Patent Leather Bevel Edge Jockey, with Harness Leather Layer, extending from Terret to Terret to prevent cracking of Jockey; Two Minute Dees; Raised Center Round Edge Back Band, Fancy Point Billet, Enameled Leather Pad Bottom, Machine Laced.

Size	 	 Inches,	:3	÷
Untrinomed	 	 Each.	\$1	50

#### No. 197. Flexible Saddles.

#### Machine Laced.

Patent Leather, Raised Oval Square Edge Skirt, 1 row stitched; Patent Leather Jockey with Harness Leather Layer, extending from Terret to Terret to prevent cracking of Jockey; Two Minute Dee; Raised Center Round Edge Back Band; Tapered Point Billet; Enameled Leather Pad Bottom, Imitation English Style, Laced In; Oil Tempered Steel Wire Tree.

Size	Inches,	212	:3
Gilt Wire Trimmed	Fools	25 IA	5 6

Full Pad Skirt.



## No. 408. Flexible Saddles.

#### Machine Laced.

Patent Leather Double Swell Skirt, Bevel Edge, 2 rows stitched, with Coupe End; Flexible Tree, Patent Leather Bevel Edge Jockey, with Harness Leather Layer, extending from Terret to Terret, to prevent cracking of Jockey; Two Minute Dee; Raised Center Round Edge Back Band; Fancy Point Billet; Enameled Leather Pad Bottom, Imitation English Style, Laced In.

Size	Inches,	- 3
Untrimmed	Each,	\$4.71

## No. 708. Flexible Saddles.

## Machine Laced.

Patent Leather Double Swell Skirt, Bevel Edge, 2 rows stitched, with Coupe End; Flexible Steel Tree; Patent Leather. New Pattern Long Pointed Swell Jockey, With Harness Leather Layer extending from Terret to Terret, to prevent cracking of Jockey; Raised Center Round Edge Back Band; Metal Flap Loop; Fancy Point Billet; Enameled Leather Pad Bottom; Imitation English Style, Laced In.

Size	,	3	
Untrimmed Each			įΗI

## Full Pad Skirts.





No. 349. Cig Saddles.

Swell Pattern Skirt, Imitation Moleskin Pad; Round Edge Raised Center Bearer; Corrugated Leather Loops, Iron Jockey Tree.

Size Inches,	$2^{\mathrm{r}}_2$	3	312	4
Japanned Band Trimmed	\$1.80	1 90	2 20	2.70
X C Plate Each,	I 80	I 90	2 20	2.70

## No. 099. Half Track Saddles.

Patent Leather Straight Skirt; Patent Leather Slip Jockey; Japanned Pug Seat; Corrugated Leather Loops; Round Edge Raised Center Bearers; Moleskin Pad and Facing, Pad stitched in on Reed giving it the appearance of a Laced Saddle.

Size	Inches.	<u>₽</u> 1 <sub>2</sub>	4.3
Untrimmed	Each,	\$3 (0)	3 20

Full Pad Skirts.



No. 390. Half Track Saddles.

Patent Leather Straight Skirt; Enameled Leather Pad Bottom; Hand Laced; Corrugated Leather Loops; Patent Leather Jockey, 3 rows stitched; Raised Round Edge Bearers; Japanned Pug Seat.

Size	Inches,	$21_2$	3	<b>;</b>
Untrimmed				

## No. 790. Half Track Saddles.

Patent Leather Straight Skirt; Enameled Leather Pad Bottom; Hand Laced; Leather Facing; Patent Leather Half Track Lockey, 3 rows stitching, Panel Stitching around Terrets, Raised Center Round Edge Bearers; Japanned Pug Seat.

-17	 	 Inches,	$\mathbf{P}^{1}_{2}$	:;	$-31_2$
Lutrimmed		Each.	\$1.40	4.60	5 (10)

Full Pad Skirts.



No. 592. Half Track Saddles.

Patent Leather Straight Skirt, Bevel Edge; Enameled Leather Bottom Pad; Hand Laced; Patent Collar Leather Facing, Corrugated Leather Loops; Patent Leather Bevel Edge Jockey, 3 rows fancy stitched; Raised Center Round Edge Bearers; Japanned Pug Style Seat.


· · · · · · · · · · · · · · · · · · ·					
Size	Inches.	$2_{-1}$	3	312	
Untrimmed	Fach	\$5, 60	6.00	6 60	

## No. 707. Half Track Saddles.

Patent Leather Tapered Skirt, Bevel Edge; Coupe Ends; Fine Enameled Leather Bottom Pad; Hand; Laced; Patent Collar Leather Facing; Patent Leather, Bevel Edge Jockey, 3 rows stitched; Patent Leather Corrugated Loops; 2 rows, and 2 imitation rows stitched, Round Edge Bearers; Patent Leather Covered English Pug Style Seat.

Size	Inches.	≥ 1 <sub>2</sub>	13
Untrimmed	Each.	\$8.30	45 - 1

Full Pad Skirts.





No. 1955. Half Track Saddles.

Patent Leather Tapered Pattern Skirt, Heavy Bevel Edge, 2 rows stitched, Raised Oval Center with Coupe Ends; Two Minute Dee; Back Band with Metal Strap; Pointed End Billet, Heavy Bevel Edge Patent Leather Jockey, 1 inside row stitched across Top; Enameled Leather Finely Quilted Pad Bottom; Leather Covered English Pug Style Seat.

Size	21/2	3
UntrimmedEach,	\$6-40	6-70

## No.1952, 3-4 Track Saddles.

Patent Leather Plain Skirt, 3 row stitched; Patent Leather Jockey; Raised Oval Center, Round Edge Back Bands; Tapered Point Billet; any Finish Tip and Stop; Enameled Leather Quilted Pad Bottom; Japan Coupe Style Seat.

Sizé	Iuches, 212	3
Untringued	Fach \$5.90	5 40

#### Full Pad Skirt.



No. 7390. Full Track Saddles.

Patent Leather Straight Skirt; Enameled Leather Pad Bottom, Hand Laced, Patent Leather Facing; Patent Leather Full Track Jockey, 3 rows stitched; Raised Center, Round Edge Bearers; Japanned Pug Seat.

Size	$\mathbf{P}^{1}_{2}$	43
Untrimmed Each,	\$1.70	5 00

## No. 7702. Full Track Saddles.

Patent Leather Tapering Skirt; Enameled Leather Pad Bottom, Hand Laced; Coupe Ends; Patent Leather Facing; Patent Leather Corrugated Loops, Patent Leather Full Track Jockey, 3 rows Stitched; Raised Center, Round Edge Bearers; no Tips or Terret Stops; Japanned Pug Style Seat.

Size	, <u>**</u> :	1 2	* >	
Untrimmed Eacl	, \$5	10	5 40	)

Full Pad Skirts.



No. 1707. Full Track Saddles.

Patent Leather Tapering Skirt, Bevel Edge, Coupe End; Fine Enameled Leather Pad Bottom, Hand Laced; Patent Collar Leather Facing; Patent Leather Bevel Edge Full Track Jockey, 3 rows Stitching; Two rows and two Imitation Rows Stitching, Round Edge Bearers; Patent Leather Covered English Pug Style Seat.


Size	Inches,	21/2	3
Untrimmed			


#### No. 3925. Full Track Saddles.

Patent Leather Straight Skirt, Bevel Edge; Enameled Leather Pad Bottom, Collar Leather Facing; Hand Laced Patent Leather Bevel Edge Full Track Jockey, 3 rows Stitched; Nickel or Imitation Rubber Tips and Terret Stops; Leather Covered Conpe Seat.

Size	Inc	hes,	<b>2</b> 1 <sub>2</sub>	3
	E			

Full Pad Skirts.





No. 3031. Coupe Saddle.

## Half Track Style.

Tapered Pattern, Patent Leather Skirt, Round Edge; Raised Round Edge Bearer with Nickel or Brass Swedge Loop; Round Edge Patent Leather Jockey; Enameled Leather Pad, Stitched in to represent Hand Lacing; Japanned Coupe Seat.

SizeInches, $3\iota_2^*$	4
Untrimmed	5 00


#### No. 3061. Coupe Saddle.

## Half Track Style.

Patent Leather Skirt, Two rows stitched, Raised Center, with Coupe End; Raised Oval Center Back Band, Round Edge; Pointed End Billets; Metal Flap Loop any Finish. Patent Leather Two Rows Stitched Jockey; Enameled Leather Bottom, machine sewed; Japanned Coupe Seat.

Size	Inches,	$3^{\scriptscriptstyle 1}{}_{\scriptscriptstyle 2}$	4	$-4^{+1}2^{-1}$
Untrimmed		\$5 40	6-00	6.70

Full Pad Skirts.





No. 3081. Coupe Saddle.

# Half Track Style.

Tapered Pattern Patent Leather Skirts, Two rows stitched, Raised Center, Coupe End; Raised Center, Round Edge Running Back Band; Pointed End Billets, Slip between Pad and Skirt; Metal Flap Loops any Finish; Patent Leather Jockey, Two rows stitched; Enameled Leather Pad Bottom, machine sewed; Leather Covered Coupe Seat.

SizeInches,	312	4	$4!_{2}$
Untrimmed Each,	\$6-40	7 00	7 80

#### No. 3101. Coupe Saddle.

## Half Track Style.

Swell Pattern Patent Leather Skirt; Raised Center, Round Edge Back Band, 1 row stitched; Pointed End Billets, Slip between Pad and Skirt; Patent Leather Jockey, 1 inside row stitching; Metal Flap Loops any Finish; Enameled Leather Bottom, finely Quilted; Hand Laced; Japanned Coupe Scat.

Size	Inches,	$3^{1}_{2}$	4	$-4^{+1}_{2}$
Untrimmed	Each,	\$7.10	7.50	8.30

Full Pad Skirts.





No. 3141. Coupe Saddles.

## Half Track Style.

Tapered Pattern Patent Leather, Raised Center, One row stitched, French Edge Skirt, Coupe Ends, bevel and rounded; Raised Center, Round Finish Edge, Back Band; Finely Finished Billet, Square End, Blocked Jockey, 1 inside row stitched across top; Enameled Leather Pad Bottom, 4 rows Quilted; Leather Covered Coupe Seat.

SizeInches,	-3	4	5
Untrimmed . Each,	\$7 60	S 70	10.70

## No. 3161. Coupe Saddles.

# Half Track Style.

Tapered Pattern Patent Leather Skirt, 2 rows stitched, 12 to the inch; Broad bevel Edge; Coupe End Skirts, with Rounded Edge; Running Back Band, Stitched, 12 to the inch; Slip Billets, English Style; Heavy Patent Leather Blocked Jockey, 1 inside row stitched; Enameled Leather Bottom, 4 rows Quilted; Leather Covered English Pug Style Seat, Stitched Cantle.

Size	 $4^{+}_{2}$	5

Kay Pattern.



No. 2101. Half Track.

## With Short Back Band.

Patent Leather Bevel Edge Skirt, 1 row stitching on each Edge; Half Track, Bevel Edge Jockey; Raised Round Edge Bearer, Stitched, 12 to the inch; Collar Leather Pad; Fancy Point Billet; Leather Covered, Pug Style Seat.

Size	2%	3
Width of Skirt	24	§ 23/8
Width of Back Band	7-8	8 1
Untrimmed Each	\$6 5	50 7 40

## No. 1101. Half Track.

## With Short Back Band.

Heavy Solid Patent Leather Skirts, Bevel Edge; Patent Leather Bevel Edge Jockey, Half Track, 3 rows stitched; Raised Round Edge Bearers, Stitched, 12 to the inch; Fancy Point Billets; Patent Collar Leather Pad; Leather Covered, Pug Style Seat.

Size	es,	$\mathbf{P}_{1_2}$	3
Width of SkirtsInch	es,	$2^{i_{\varsigma}}$	2 3 8
Width of Back Bandlnc	elı,	7-8	3 1
Untrimmed Ea	clı.	\$7.50	0 8 20

Kay Pattern.



## No. 170. Half Track.

#### With Running Back Band.

Patent Leather Bevel Edge Skirts, with 1 row stitching on each Edge; Half Track Bevel Edge Jockey; Raised Round Edge Bearer; Collar Leather Pad; Leather Covered, Pug Style Seat.

Size	$\mathfrak{L}_2$	234	3
Width of Skirt Inches,			
Width of Back Band	7-8	7-8	1
UntrimmedEach,	\$7 00	7 20	7 60


## No. 1100. Half Track.

## With Running Back Band.

Heavy Patent Leather Bevel Edge Skirts; Patent Leather Bevel Edge Half Track Jockey; Raised Center, Round Edge Bearers, Stitched, 12 to the inch; Swedge Point Billets, Hand-buffed Collar Leather Bottom; Patent Leather Covered, Pug Style Seat.

SizeInches,	242	234	- 3
Width of Skirt Inches,	218	214	2 5
Width of Back Band Inch.			
Untrimmed Each,			

Kay Pattern.



No. 5102. Half Track.

English Tapered Patent Leather Devel Edge Skirts, with Coupe Ends, 1 row Silk stitching on each Edge; Bevel Edge Jockey, set in from Edge of Skirt, 3 rows stitched; Raised Center, Round Edge Bearers; Collar Leather Pad; Billets set in between Skirt and Pad; Leather Covered, Pug Style Seat.

Size		 	 	Inches.	2 1/2
Width of S	irt	 	 	Inches,	$2\frac{1}{8}$
Width of B	ck Band	 	 	Inch,	7-8
Untrimm	ed	 	 		\$8.70

# No. 2102. Half Track.

Straight Tapered Pattern Skirt, Bevel Edge, 2 rows stitching on each Edge with Fancy Panels at Billets; Bevel Edge Jockey, 3 rows stitched; Raised Center, Round Edge Bearer; Billet set in between Skirt and Pad; Collar Leather Bottom; Leather Covered, Pug Style Seat.

Size Inches,	$2^{1}_{2}$	<b>≥</b> 3 <sub>4</sub>	- 3
Width of Skirt	21,	24	238
Width of Back Band	7-8	7-8	1
Untrimmed	\$5 (10)	\$ 70	8 40

Kay Pattern.



No. 3701. Full Track.

## With Running Back Band.

Patent Leather Bevel Edge Skirt, with 1 row stitching on each Edge; Full Track, Bevel Edge Jockey; Raised Round Edge Bearer; Collar Leather Pad; Leather Covered, Pug Style Seat.

Size	iches,	${\bf 2}  t_2$	:3
Width of Skirt	iches,	$2^{i_{\zeta}}$	238
Width of Back Band	Inch,	7-8	1
Untrimmed	Each \$	\$T 50	> 20


## No. 3708. Full Track.

## With Running Back Band.

Tapered Pattern, Extra Heavy Bevel Edge Patent Leather Skirts, Coupe End; Bevel Edge Jockey; Flat Running Bearer, Collar Leather Pad; English Covered Pug Seat.

Size	• 1 2 ·	24	3
Width of Skirt	$2^{\mathrm{T}_{\mathrm{S}}}$	21,	238
Width of Back Band Inch,	7-8	78	1
Untrimmed Each,	\$9.50	9 80	FO 60

Kay Pattern.



No. 8010. Flexible Kay.

Straight Tapered Skirt, Bevel Edge, 2 rows Silk stitched; Patent Leather Bevel Edge Jockey, set in from Edge of Skirt; Wave Point Harness Leather Layer on Jockey; Raised Center, Round Edge Swinging Bearers with 2 Minute Dees; Collar Leather Pad; Flexible Spring Steel Tree.

Size	es,	21/2	3
Width of Skirt	es,	21/8	$2\frac{3}{8}$
Width of Back Band	ch,	7-8	1
Untringged	ch	\$8 00	9.40

## No. 3010. Flexible Kay.

Straight Tapered Skirt, with Coupe End, Heavy Bevel Edge, 2 rows Silk stitched on each side; Patent Leather Bevel Edge Jockey, set in from Edge of Skirt, Wave Point Harness Leather Layer to Terrets on Jockey, 2 rows stitched; Flat English Raw Hide Lined Swinging Bearers, 2 rows stitched with 2 Minute Dees; Rawhide Lined Billets; Collar Leather Pad; Flexible Steel Tree.

Size	2	$\frac{\mathbf{L}_{2}^{\prime}}{2}$
Width of Skirt	2	$1_{ S }$
Width of Back BandInch,	1	L
Untrinmed. Each,	\$9	10

#### EXPRESS SADDLES.

Full Pad Skirts.



No. 276. Express Saddles.

# X C Band Trimmed.

Patent Leather Swell Pattern Skirt; double and stitched Swinging Back Band, Harness Leather Loops; Glazed Drill Pad and Facings; Japanned Seat, Iron Jockey Tree.

Size	$34_2^{\prime}$	4	4 1/2
Width of Back Band	1 18	1 14	$1^{-\mathrm{I}}_{+}$
Width of Billet	11	$1^{-1}4$	$1^{-\mathrm{I}_4}$
Price Each,	\$3.50	3 80	1 20

# No. 20. Untrimmed Express Saddles.


Harness Leather Skirt; Back Band, double and stitched; Japanned Seat, Bevel Edge Iron Jockey Tree.


Size	Inches.	4	.5	• • 1 2
Width of Back Band	Inches,	1 4	1 12	$1^{-1}_{-2}$
Width of Billet	Inches,	1 14	$1^{-1}2$	1 12
Untrimmed. Kersey Bottom Pad	Each.	<b>\$</b> 5 10	6.30	7-00
Untrianned. Calf Bottom Pad	Each	5 80	7 10	7.90

## EXPRESS SADDLES.

Full Pad Skirts.







9.80

No. 210 X. Express Saddles.

# Kersey Lined.

# No. 215 X. Express Saddles.

Brass or Nickel Band Trimmed Each, 8 00

## Kersey Lined.

Harness Leather Swell Skirts; Harness Leather Jockey; Japanned Scat; double and stitched Swinging Back Band; Kersey Stuffed Pad.

Size Inches, 4	5
Width of Back Band Inches, 114	$1^{-1}2$
Width of BilletInches, 1	1 12
V. C. Plate Band Trimmed	9 20
Bross or Nickel Rand TrimmedEach. 8 80	10.30

#### No. 225 X. Express Saddles.

## Kersey Lined.


 Width of Billet
 Inches, 1
 1 ¼

 X C Plate Band Trimmed
 Each, \$8 50
 9 50

 Brass or Nickel Band Trimmed
 Each, 9 50
 10 80

## EXPRESS SADDLES.










No. 255 X.



No. 295 X

# No. 235 X. Express Saddles. Kersey Lined.

Heavy Harness Leather Swell Skirts; Leather Covered Seat, High Neck Oyal Terrets; Heavy Tunnel Plates; Round Edge double and stitched Running Back Band; Heavy Kersey Bottom, machine Laced.

7		
Size	4 1 <sub>2</sub>	$5^{\circ}_{2}$
Width of Back BandInches,	1 1,	1 12
Width of Billets Inches,	1	I 1,
Brass or Nickel High Neck Oval Trimmed	\$12 00	13 00

# No. 255 X. Express Saddles.

#### Leather Lined.

Heavy Harness Leather Swell Skirts, Bevel Edge; Leather Covered Seat; Patent Leather Round Jockey, with Lipped Back Band Loops; High Neck Oval Terrets; Leather Bottom Pad, machine Laced.

Size	4 1 <sub>2</sub>	5	- 6
Width of Back Band	1 14	I 12	$1^{-1}_2$
Width of Billets Inches,	1	I 1,	I 1,
Brass or Nickel High Neck Oval Trimmed	\$12.50	14/30	15 70

# No. 295 X. Flexible Express Saddles.

## Kersey Lined.

Harness Leather Skirts; double and stitched, one piece Leather Jockey; Kersey Pad, well stuffed; double and stitched Back Band sewed into Iron Loop.

Size	Inches,	4	5	6
Width of Back Band	Inches,	1 4	1 12	1 12
Width of Billet	Inches	. 1	I 1,	1 1
Runss on Violad Trimmed	Thurston	20 70	1.1 50	T = 2 = 1.11





No. 144. Single Strap Saddles.

Harness Leather, Round Edge Skirts; Raised Center, Round Edge, straight stitched Bearers; Corrugated Leather Loops; Patent Leather Jockey, three row stitched; Patent Leather Housing, with turned Bead; Enamel Leather Bottom Pad; Japanned Seat, Pug Style. Size, 2½ Inches.

Straight Pattern, Patent Leather Skirts, three rows stitched; Patent Leather Jockey, Raised Round Edge Bearers, with covered and finely creased Loops, Wave Point Billets, Enamel Leather Pad, laced in; Covered Seat, stitched Cantle. Size, 2½ Inches.

Untrimmed \_\_\_\_\_\_Each, \$5 00

# Pony Bridle Fronts. Length, 10 Inches between Loops.



No. 1000

Size	Inch,	5-8
	Patent Leather Wrapped, Oval Bead, Stitched Edge, All Black	
No. 2080.	Nickel or Gilt Flat Link Chain, Solid Leather Filled Fatent Leather Wrapped	8-00

# Pony Coach Pads.



No. 25. Pony Coach Pads.



## No. 35. Pony Coach Pads.

## Pony Coach Pad Housings.

#### TEAM PADS.

#### Harness Leather Bottom.




No. 15. Iron City. All Leather.

Has Steel Spring running over the center from one Pad Screw to the other, concealed beneath Housing. Oblong Holes in each end allow of adjustment, but prevent undue strain on leather parts. Patent Leather Housing, Leather Bound. Can be used with Regular Skirts to insert in end of Plate or with Market Straps that can be looped into opening of end of Plate. Heavy Spud on under side of Plate relieves all strain on Pad Screws.

Japanned Trimmed	Per Pair,	\$2.90
X C Triumed	Per Pair.	2.90

## No. 14. Iron City. All Leather.

Made same as No. 15, except Plates are finished with Loose Dee to be used with Market Straps only.



## High Loop Perfection. All Leather.

Made to admit Skirt 1-2 inch thick. Has Spud on under side of Plate to hold Skirt in position. This relieves all strain on Pad Screws, so they never become loose and drop out. Patent Leather Housing, Leather Bound.

	-	
Japanned Trimmed	****** ***** ****** ***** ***** *****	 
X C Trimmed		 


# Keystone. All Leather.

Flexible, can be used with Market Strap or Regular Skirt by allowing it to go under the Housing, and looping the Layer into the Dee and stitching down.

Japanned Trimmed Per Pair,	\$2.90
X C Trimmed Per Pair,	2 90

## TEAM PADS.

Harness Leather Bottom.



## Swell Pattern, Draft Harness Pad.

18 A very Showy Pad with Brass Trimmings.

#### Buss Pads.



A Broad, Heavy and Fancy appearing Soft Pad, for use without Hooks or Terrets, and where Turn Eack goes through to Hames. Is made so that a Solid Strap can run over the Pad under the Patent Leather Top. Very showy and serviceable. Made in one size only.

## Plow Pads.



Width,  $5\frac{1}{4}$  inches, Patent Leather Top, Heavy Beaded Edge with Inside Fancy Raised Bead, X C Trimmed, Drop Terrets and Hook, 1-4 inch Soft Wool Felt Bottom.



## Stark Pad, Straight Pattern.

Enameled Drill Bottom, 1 row stitched Top, Scalloped Binding, Patent Leather Hou	sings.		
Numbers	102	103	104
Width of Skirt Inches,	138	1 1/2	1 58
Japanned or X C Plate Trimmed, with Inserted Housings	\$2 40	2 60	2 86




## Racket Pad, Swell Pattern.

	Harness Leather Bottom, 1 row stitched Top Piece, with Patent Leather Hous	ing, Scalloped Leath	er Bindi	ngs.	
]	Numbers		3	4	.5
,	Width of Skirt	Inches, 13/8	1 1 2	1.58	1 34
	l'utrimmed	Per Pair \$2.70			3 60



#### Monarch Pad, Swell Pattern.





#### Alix Pad, Straight Pattern.

Japanned Faced Plates, 2 Panel stitched, Raised Oval Top, Collar Leather Bottom.

Number	102	103	104	105
Width of SkirtInches,	1 3/8	1 1/2	1 5/8	1 34
Untrimmed	<b>\$</b> 2 60	2/80	3 20	3 60

#### Axtel Pad, Straight Pattern.

2 rows Straight Stitched Top, Patent Leather Housings with Turned Roll Edge Binding, 1 row Straight Fancy Colored stitching inside, Enameled Leather Bottom.

Numbers	102	103	104	105
Width of Skirt	13s	1 1/2	1 5/s	1 34
UntrimmedPer Pair,	<b>\$2</b> 40	2 60	3 00	3 50





#### Portland Pad, Straight Pattern.

2 rows stitched Top, Patent Leather Housings, Beaded and stitched Turned Edge, with 1 row Waved Faucy Colored stitching on each Edge, Enameled Leather Bottom.

Numbers	102	103	104
Width of SkirtInches,	138	112	1 5%
Untrimmed	\$2 60	2 80	3 10

## Salem Pad, Straight Pattern.

2 rows straight stitched Top, Patent Leather Housings, with Turned Roll Edge Binding, 1 row straight Fancy Colored stitching inside and fancy heavy inside Bead, Enameled Leather Bottom.

Numbers	102	103
Width of Skirt Inches,	138	1 1/2
Untrimmed		



Domino Pad, Tapered Pattern.

Raised Oval Top, 2 rows stitching, Japan Facing, Patent Leather Tapered Housing, Oval Bead in Fancy Colors, with stitched Edge, Enameled Leather Pad.


Ruge, Enameted Reacher Fad.			
Numbers	102	103	104
Width of Skirt	1 3/8	1 1 2	1 58
Untriumed Per Pair,		3 50	3 90



## Eastern Flexible Pad, Tapered Pattern.

Flexible Steel Tree, 2 rows stitched, Patent Leather Top, with Harness Leather Center; Patent Leather Housing, finished with Heavy Bead, 1 row ontside stitch. Enameled Leather Pad.

Heavy Bead, I fow outside stiten. Busineted Leather I ad.		
Numbers.	102	103
Width of Skirt		1 1/2
Untrimmed Per Pair		3 50



Cratton Pad, Tapered Pattern.

Japanned Facing, Patent Leather Oval Top, 2 rows Fancy Silk stitching, Patent Leather Housing, Roll Binding with Yellow or White Bead, Patent Collar Leather Pad.

Numbers	102	103
Width of Skirt Inches,	$1^{3} s$	1 1,
Untrimmed Per Pair,	\$4 20	4 - 40

ALL ABOVE, ONE PAIR IN A BOX.





## Walton Pads, Swell Pattern.

Double Swell, Japanned Plates, Oval Tops, stitched in Colors, turned Edge. Neats Leather Binding and Beads, Patent Leather Housing, Patent Calf Leather Bottom.

Numbers	2	3
Width of Skirt		1 1/2
Untrimmed Per Pair,	\$1.00	4 30

#### Clifton Pads, Long Housing.

Oval Tops, assorted Color Beads and Binding, Housing is on Solid Piece, Bottoms and Housings Combined, Patent Calf Leather Bottoms.

Numbers	102	103
Width of Skirt	138	1 1/2
Untrimmed Per Dozen,	<b>\$4</b> 40	4 70





#### Altoona Pads, Swell Pattern.

Raised Oval Top, Patent Leather Extra Heavy Double Swell Housing finish, with Raised Patent Leather inside Bead and Patent Leather Binding to match. Enameled Leather Bottom.

Numbers	102	103
Width of Skirt	1 3/8	1 ½
Untrimmed	\$3.90	4 - 20

## Savoy Pads, Swell Pattern.

Raised Oval Tops, 2 rows stitching with Panels at Pad Screws, 2 Screws. Patent Leather Double Swell Housings, Patent Leather Roll Binding with heavy White Leather Layer, Enameled Leather Bottom.


Numbers	3	4
Width of Skirt	1 12	1 5%
Untrimmed Per Pair,	\$5 10	5 60



Norwood Pad, Swell Pattern only.

Raised Oval Top, Leather Facing, Collar Leather Bottoms, Three Screws with Loose Crupper Loops, Flexible End, Swell Pattern only.

Numbers	8	9
Width of Skirt	Inches, 2½	24
Untrimmed without End Dees	Per Pair, \$6 00	6.70
Untrimmed, with Nickel or Brass End Dees	Per Pair, 8 70	9 40
Untrimmed, with Solid Nickel End Dees	Per Pair, 9 60	10 30



Gem Pads.

A very rigid, stiff Plate, used with Hook at end to hold Skirt in position. Is a fine imitation hand made Pad, Patent Leather Oval Tops, lined and silk stitched; Stitched Facings, Patent Collar Leather Bottom.

Straight Pattern	Numbers, 101	102	103	104	105	10	06	107	108	109
Width of Skirt	Inches, 11/4	1 3/8	1 1/2	1 5/8	1 34	1	7/8	2	21 <sub>8</sub>	24
Untrimmed	Per Pair, \$3 90	4 00	4 30	4 70	5 10	5	60	6-00	6 40	7.40
Swell Pattern	*** ********* ****** ***********		Nu	ınbers,	4	5	6	7	8	9
Width of Skirt			1	Inches,	1 1/8	1 34	1 1/8	2	214	2 12
Untrimmed			Pe	er Pair,	\$5_00	5 50	6.00	6.40	7.00	8 00



Abbott Pads, Straight Pattern only.

Oval Top, Leather Facing, Straight Pattern only, Collar Leather Pad with Flexible Ends.

Numbers	105	106	107	108	109
Width of Skirt	134	1 7/8	2	21/8	214
UntrimmedPer Pair, \$	6 70	7 20	8 00	9 40	11 00
Untrimmed, with Solid Nickel Ring or Dee EndsPer Pair,	10 30	10 80	11 60	13 00	14 60





Empire State, Straight Pattern only.

Malleable Iron Plates, Raised Oval Top, Collar Leather Bottom, no Tufting, Leather Facing.

Numbers	106	107	108
Width of Skirt Inches,	1 7/8	2	21/8
Untrimmed	\$8.80	9 40	10 00


## English Pads, Straight Pattern only.

Oval Buff Grain Silk Stitched Tops, Long Grain Enameled Leather Pad, with Tufts on either side. Facing stitched to Pad, with Flexible Ends, Movable Crupper Loops, Hand Forged Plates.

Numbers	105	106	107	108	109
Width of Skirt	1 34	1 7/8	2	21/4	21/2
Untrimmed, without End DeesPer Pair,	\$14 00	14 70	15 40	16 00	16 70
Untrimmed, with Solid Nickel Ring or Dee EndsPer Pair,	17 60	18 30	19 00	19 60	20 40

ABOVE PADS TO ORDER ONLY.

#### TEAM HOUSINGS.



No. 10. Concord.

Black Japanned Bottom, Red Patent Leather Top, Scallope l Leather Binding.



No. 634. Concord.

Double Japanned Red Leather Binding, White or Yellow Inside Bead.

 $5\% \times 19\%$ .....Per Pair, 1.50



No. 764.

Absorbent Blue Wool Felt Bottom, Heavy Patent Leather Top, Leather Binding, inside Raised Bead. Binding and Bead either White, Yellow or Red.



No. 150. Queen City.


Absorbent White Wool Felt Bottom, Heavy Patent Leather Top, Scalloped Leather Binding, Double Scalloped Inside Raised Bead. Binding and Bead either White, Yellow or Red. The best Team Housing made.

## COACH HOUSINGS.

Double Japanned.




No. 032. Straight Pattern.





No. 330. Straight Pattern.



Heavy Patent Leather Bottom, stitched Center, fine Beaded Edges, 1 row silk stitched. Specially adapted for Light Driving Harness.

Size	Inches,	21/2	3	3 1/2
Price	Per Pair,	<b>\$1</b> 60	1.70	1.80

## COACH HOUSINGS.


Double Japanned.



No. 830. Straight Pattern.

Center Stitched, Turned and Bound Patent Leather Edge with inside Calf Skin Raised Bead, all black.

Size	Inches,	21/2	3	$3\frac{1}{2}$	4
Price	Per Pair,	\$2 40	2.50	2.70	2.80



No. 031. Swell Pattern.




No. 8. Straight Pattern.



No. 50. Straight Pattern.

## COACH HOUSINGS.

Double Japanned.




## No. 46. Straight Pattern.

Stitched Center, Fancy Bead and Binding, heavy raised Oval Bead with stitched Edges, White, Cherry, or all Black.

Size	31/2	4	4 1/2
Price Per Pair, \$2	30 2.50	2 90	3 40

## Coach Housings, in Sets.

Housings are Double Japanned. Sets consist of Two Housings and Two Bridle Fronts to Match.




#### Set No. 542. Straight or Swell Pattern.

 Stitched Center, 2 Beads, turned Edge, Black Layer, 3 rows stitched to match outside, Cherry, or Blue Beads, Oiled Leather Bottom.

 Size
 Inches, 3½ 4 4½ 5½

 Price
 Per Set, \$4 50 5 00 6 00 8 00



## Set No. 56. Straight or Swell Pattern.

Stitched Center, Cherry, Blue or White, Leather Bound Edges and inside Bead, with turned Edge, heavy Black Oval Layer, with Fronts to match.

Size	5	6
Price	5 20	6 30

## CHAIN COACH HOUSINGS.


Inside and Outside Bead, Stitched Edges.



Cut of No. 1438. Swell Pattern

## Double Japanned, Center Stitched.

No. 438. Straight Pattern.		_
Width Inches, 4	1/2	• •
Width Inches, 4  For Size of Pad Numbers, 2	3	4
Nickel or Gilt Chain	3 50	4 00
No. 1438. Swell Pattern.		
Width	4 1/2	5
For Size of Pad Numbers,	3	4
Nickel or Gilt!Chain	\$3.50	1.00



 No. 738. Straight Pattern.

 Width
 Inches, 4
 4½
 5

 For Size of Pad
 Numbers, 2
 3
 4


 Niekel or Gilt Chain
 Per Pair, \$3 40
 3 80
 4 20

 No. 1738. Swell Pattern.

 Width
 Inches, 5
 5½
 6

 For Size of Pad
 Numbers, 3
 4
 5

 Nickel or Gilt Chain
 Per Pair, \$4 20
 4 60
 5 00




Cut of No. 1838. Swell Pattern

	No. 838. Straight Pattern.		_
Width	No. 838. Straight PatternInches,	$4\sqrt{2}$	õ
Bor Size of Pag		0	
Nickel or Gilt Chain	Per Pair,	\$3.50	4 20
	No. 1838. Swell Pattern.		
Width	Inches,	$5\frac{1}{2}$	- 6
For Size of Pad	Numbers,	4	5
Nickel or Gilt Chain	Numbers, Per Pair,	\$4.70	5 (0)
The state of the s			

## TEAM HOUSINGS. IN SETS.

Sets consist of two Housings and two Bridle Fronts to match.





No. 663. Straight Pattern only.


## Team Housings and Fronts.

Straight Pattern only, single Japanned Body, Blue Felt Lined, not cut in center.

Width Inches,	5	6
Size of Fronts	1 1/8	1 1/4
No. 663. Nickel or Brass Oval Clinched Spots	<b>\$6.20</b>	6.80







No. 1648. Swell Pattern.


## Coach Housings with Clinched Chains. In Sets.

Housings are Double Japanned, Center Stitched.

## Straight Pattern.

• • • • • • • • • • • • • • • • • • • •		
Width	5	5 1/2
For Size of Pad	3 to 5	6 to 8
No. 1620. Nickel or BrassPer Set,	\$6.20	6 60
No. 1648. Nickel or Brass		9 60
Swell Pattern.		
Width Inches,	$5^{-1}2$	6
For Size of Pad Numbers,		6 to 8
No. 1620 S. Nickel or Brass Per Set,	\$6.60	6.80
No. 1648 S. Nickel or Brass Per Set,	9-60	9 60

## COACH HOUSINGS WITH CLINCHED CHAINS. IN SETS.




Nos 1643 and 2643,

#### Double Japanned Housings, Straight Pattern only.

Width	54,
For Size of Pad	
No. 1643. Nickel on White Metal or Solid Brass, with Two 114 Inch Bridle Fronts	\$ 9 60
No. 2643. Silver on German Silver, with Two 14 Inch Bridle Fronts.	



Style of Chain No. 1670 and 2670.




Style of Chain No. 1642 and 2642.

## Double Japanned Housings. Straight Pattern.

Width	Inches	61.
Swell Pattern.		
No. 2642. Silver on German Silver, with Two 14 Inch Bridle Fronts	Per Set,	12 - 50
No. 2670. Silver on German Silver, with Two 1 1/4 Inch Bridle Fronts	Per Set.	12.50
No. 1642. Nickel on White Metal or Solid Brass, with Two 14 Inch Bridle Fronts	Per Set.	9.60
No. 1670. Nickel on White Metal or Solid Brass, with Two 14 Inch Bridle Fronts	Per Set.	<b>#</b> 9 60
For Size of Pad	Numbers.	4 to 6
Width	Inches	50.

No.	10. L	eather Filled, Glazed Drill Wrapper, 5-8 Inch	Pe	er Dozen,	<b>,</b> \$0-96
No.	221.	Enamel Cloth Wrapper, Fancy Leather Top with Double Lay, Assorted Colors, 5-8 Inch	P	er Dozen	<b>\$</b> 1 5(
		ll Leather, Folded Wrapper, Three Beads Fancy Stitched			<b>3-4</b> 2 70
				210	
		Latent Leather Wrapped, 3 Rows Stitched, Assorted Colors	<b>3-4</b> 2 00	<b>7-8</b> 2 20	1 2 40
		Inch, Black Patent Leather Wrapper, Raised Oval Lay, Edges Turned, Green StitchedPer Dozen,		<b>5-8</b> 2 70	3-4 3 10
No.	55 C.	Black Patent Leather Wrapper, Calf Skin, Raised Lay, Edges Turned, Black StitchedPer Dozen, White Patent Leather Wrapper, Black Raised Lay, Edges Turned, White StitchedPer Dozen,	$2^{-70}$	2 70 2 70	3 I0
No.	55 F.	Assorted White, Yellow and Red Leather Wrapper, Black Raised Lay, Edges Turned, Silk Stitel	ied, 5-8	B Inch.	

No. 17. Patent Leather Wrapped, White Basket Under Raise, 5-8 Inch	
No. 063. All Leather, Raised Center and Edges, 2 Rows Green Stitching, 5-8 Inch	
Size       Inch, 3-8       1-2       5-8         No. 25. All Leather, Glove Grain, Turned Edge, Oval Layer       Per Dozen, \$2.40       2.60       2.80	
Size Inch, 3-8 1-2  No. 61. Track Front, Solid Strap, Blacked Tucked Lay, Grain Filler Per Dozen, \$2.80 3.00	
Size	*
Size	




#### All Black Leather, Pyramid Raised Beads, Green Stitched.

No. 102.	Size, 5-8 Inch, 3 Raised Beads, 2 Rows Stitching	\$2 40
No. 103.	Size, 7-8 Inch, 3 Raised Beads, 2 Rows StitchingPer Dozen,	4 00
No. 103.	Size, 1 Inch. 4 Raised Beads, 3 Rows Stitching	4 50



Size	1
No. 17. All Leather, Heavy Oval Raised White Layer, Red Edge	4 00





No. 36. Coupe or Coach Front, Harness Leather Back, Heavy All Black Oval Layer, Stitched down, Size, 1 1/4 Inch., Per Dozen, \$10 00



No. 1 F. Flat Solid Harness Leather, Doubled, 2 Rows Stitching, Size, 5-8 Inch...... Per Dozen, \$2 50




Nickel or Brass.






Solid Leather Backs, Patent Leather Wrapped, Raised Edge, Heavy Oval Spring Metal Bands.


No. 335. Solid Harness Leather, Round Ends, 5 Inch Plate Center; Width, 1 Inch; Total Length, 18 Inches...Per Dozen, \$5.50







Nickel or Cilt Chains.




4 40 5 10


## BRIDLE FRONTS.

Nickel or Gilt Chain.

No. 1261. Solid Leather Filled, Patent Leather Wrapped, Size, 5–8 Inch.  No. 1260. Solid Leather Filled, Patent Leather Wrapped, Size, 5–8 Inch.  Inch. 5 8 3–4  No. 1270. Solid Leather Filled, Patent Leather Wrapped, Size, 5–8 Inch.  No. 1271. Solid Leather Filled, Patent Leather Wrapped, Size, 5–8 Inch.  Inch. 5 8 7–8  No. 1271. Solid Leather Filled, Leather Wrapped, Size, 5–8 Inch.  Inch. 5 8 7–8  No. 1271. Solid Leather Filled, Leather Wrapped, Size, 5–8 Inch.  Inch. 5 8 7–8  No. 1271. Solid Leather Filled, Leather Wrapped, Size, 5–8 Inch.  Inch. 5 8 7–8  No. 1271. Solid Leather Filled, Leather Wrapped, Size, 5–8 Inch.  Inch. 5 8 7–8  No. 1271. Solid Leather Filled, Leather Wrapped, Size, 5–8 Inch.  Per Dozen, §3 00 i 30  Inch. 5–4 7–8  No. 1245. Solid Leather Filled, Patent Leather Wrapped, Size, 5–8 Inch.  Per Dozen, §3 00 i 40			
No. 1260. Solid Leather Filled, Patent Leather Wrapped, Size, 5-8 Inch.  Size			
Size Inch. 5 8 3-4  No. 1201. Solid Leather Filled, Patent Leather Wrapped Per Dozen, \$2 80 3 50  OLEGE FROM The Per Dozen, \$3 00  No. 1270. Solid Leather Filled, Patent Leather Wrapped, Size, 5-8 Inch. Per Dozen, \$3 00  Size Inch. 5-8 7-8  No. 1271. Solid Leather Filled, Leather Wrapped. Per Dozen, \$3 00 4 30  Size Inch. 3-4 7-8	No. <b>1261.</b> S	Solid Leather Filled, Patent Leather Wrapped, Size, 5-8 Inch	Per Dozen, \$2 (
Size Inch. 5 8 3-4  No. 1201. Solid Leather Filled, Patent Leather Wrapped Per Dozen, \$2 80 3 50  OLEGE FROM The Per Dozen, \$3 00  No. 1270. Solid Leather Filled, Patent Leather Wrapped, Size, 5-8 Inch. Per Dozen, \$3 00  Size Inch. 5-8 7-8  No. 1271. Solid Leather Filled, Leather Wrapped. Per Dozen, \$3 00 4 30  Size Inch. 3-4 7-8			
Size	No. <b>1260.</b> Se	Solid Leather Filled, Patent Leather Wrapped, Size, 5-8 Inch	Per Dozen, \$2 +
No. 1201. Solid Leather Filled, Patent Leather Wrapped			
Size			· ·
Size			
Size			
Size	No. <b>1270.</b> S	Solid Leather Filled, Pateut Leather Wrapped, Size, 5–8 Inch	Per Dozen, §3 (
No. 1271. Solid Leather Filled, Leather Wrapped			
Size Inch, 3-4 7-8			



Nickel or Brass.




Nose Band.



#### Patent Leather Nose Bands.

#### HAME HOUSINGS.



No. 10. Metal Bound.




Harness Leather,

#### Harness Leather.

No. 709.	Plain Edge, Creased, Size,	1012 x 28 Inches Per Pair,	\$ 6	30
No. 711.	Plain Edge, Creased, Size,	12 x 30 Inches	7	7()
No. 712.	Red Leather Bound Edge	, Size, 12 x 30 Inches	~	-{()
	Paul Lanthur Pound Rilge		10	10

Patent Leather Face, Harness Leather Backs.








Cut of Round Corner No. 118.

## No. 25. Square or Round Corners.


Size Inch,	5-8
Fancy Imitation Stitched	\$4.70

## No. 118. Square or Round Corners.

Size	5	-8
1 Row Stitched	\$4	70



Cut of Round No. 119,



Cut of Square No. 123


#### No. 119. Square or Round Corners.

Size	5-8
2 Row Stitched Per Dozen Pairs,	
	-

## No. 123. Square or Round Corners.

Size Inch. 5-8	:3-
3 Row Stitched, Grain Leather Lined	หื อิ

## Patent Leather Face, Harness Leather Backs.




Cut of Round Corner No 427.



Cut of Round Corner No. 128.

#### No. 427. Square or Round Corners.

Size	Inch, 5-8
4 Rows Stitched, Brilliant Leather	Per Dozen Pairs, \$6 50
No. 128. Square or Roun	d Corners.
Size	





No. 162,


#### No. 160. Swell Corners.

Size	 	Inch,	5-	-8
3 Rows Stitched, Selected Dash Leather				

#### No. 162. Round Corners.

size				** ***	Inch	5-8	;
Rows Fancy Scroll S	stitched, Selected Dash	Leather	.,,		Per Dozen Pairs	55 00	()

Patent Leather Face, Harness Leather Backs.









No. 203.

M a	120	Track.

10. 100. Tucki	
Size	5-8
3 Rows Stitched, Round Corners, Brilliant Leather	6 50
No. 203. Track.	
SizeInch, 1-2	5-8
Fine Grain Leather, 3 Rows Stitched	8 70









10. 150.	Expicss.		
		Inch,	5-8


3 Rows Stitched, Brilliant Leather	Per Dozen Pairs, \$7 (6)	8 50	p 20
No. 430. Coach or Coupe.			
Size	Inch,	5-8	3 4
4 Rows Stitched, Extra Winker Leather	Per Dozen Pairs,	\$9 00	]() (()


Patent Leather Face, Harness Leather Backs.






No. 304. Coach.






ers.


Patent Leather Face, Harness Leather Backs.






No. 100. Nickel or Brass Bound.

Size	Inch. 5-8	3-4
3 Rows Stitched, Brilliant Leather		F2 50
No. 400. Nicke	l or Brass Bound.	
Size	Inch, 5-8	3-4
3 Rows Stitched Brilliant Leather	Day Doyen Paire #12 (W)	11.50






No. 345. Nickel or Brass Bound.

5-8	3-4	7.8
Inch,	3-4	7-8
en Pairs,	\$11.50	16 00
	\$H 50	5-8 3-4 \$11 50 13 00 Inch, 3-4 en Pairs, \$11 50

ALL ABOVE, HALF DOZEN PAIRS IN A BOX.

#### Patent Leather Face, Harness Leather Backs.







No. 115. Boss.

Size	<b>3-4</b> 6 00
No. 105 Page	

Size \_\_\_\_\_\_ Inch, 5-8 33 Rows Stitched, Selected Dash Leather \_\_\_\_\_ Per Dozen Pairs, \$6 60 7

## Harness Leather Face and Backs.






No. 185. Cup.

Patent Leather Face, Harness Leather Backs.







Pony Size.

HALF DOZEN PAIRS IN A BOX.

## Blind Irons.




Nos.  $2^{1}$ <sub>2</sub> and 4

No. $2^{1}_{2}$ .	Shaped, For 5-8 Inch Blinds, Round Corners, Size, 41/2 Inches	Per Dozen Pairs, 💲	70
No. 4.	Shaped, For 3-4 Inch Blinds, Round Corners, Size, 438 X 438 Inches	Per Dozen Pairs,	70
Vo 11.	Shaped For 7-8 Inch Rlinds Round Corners Size 4 x 4 Inches	Per Dozen Pairs	90



Nos. 15 and 6. Concord.



No. 8 Sensible

#### Concord Pattern.


No. 15.	Light Iron, For 3-4 Inch Blinds	$-\frac{\omega}{4}(1$
No. 6.	Heavy Iron, For 3-4 Inch Blinds	(112


#### No. 8. Sensible.

## CHEEKED BRIDLE BLINDS.

Patent Leather Face, 3 Rows Stitched, Harness Leather Back, Lower Lap Sewed In.







Cut of Nos, 20, 23, 23 R, and No. 233.

Cut of No. 25 and No. 255.

Cut of Nos. 30, 30 R and No. 800,


#### Buggy Blinds, Square or Round Corner.

Size	3-4
No. 20. Nickel or Imitation Rubber, Wire Buckles, Medium Grade Loops and Billets Per Dozen Pairs, \$14 40	
No. 23. Nickel or Imitation Rubber, Wire Buckles, Best Grade Loops and Billets Per Dozen Pairs, 15-80	17 60
No. 23 R. Genuine Rubber, Wire Buckles, Best Grade Loops and BilletsPer Dozen Pairs, 19 20	21 - 60
No. 233. No Buckles, Loose Billets, Best Grade Loops and Billets	17 60
Boss or Cup Blinds.	
Size Inch, 5-8	3-4
No. 25. Nickel or Imitation Rubber, Wire Buckles, Best Grade Loops and BilletsPer Dozen Pairs, \$15-80	17 60
No. 255. No Buckles, Loose Billets, Best Grade Loops and Billets	17 60
Track Blinds.	
Size	5-8
No. 30. Nickel or Imitation Rubber, Wire Buckles, Best Grade Loops and Billets Per Dozen Pairs, \$16-80	16/80
No. 30 R. Genuine Rubber, Wire Buckles, Best Grade Loops and Billets	I9 20
No. 300. No Buckles, Loose Billets, Best Grade Loops and Billets	I6 80

🧽 Any Style Buckle can be used on Checked Blinds, Quoted without Buckles.

## CHEEKED BRIDLE BLINDS.

Best Brilliant Patent Leather Face, Harness Leather Backs, Lower Lap Sewed in, Best Grade Loops and Billets.




## Fancy Blinds, Square or Round Corner.

Size		1nch,	5-8
No. 62.	Nickel or Imitation Rubber, Wire Buckle, 3 Rows Stitched		\$18.00
No. 62R.	Genuine Rubber, Wire Buckles, 3 Rows Stitched	Per Dozen Pairs,	20 40
No. 622.	No Buckles, Loose Billets, 3 Rows Stitched	Per Dozen Pairs,	IS 00
	Express or Coach Blinds.		
Size		lnch, <b>5-8</b>	3-4
No. 50.	Nickel or Solid Brass Sensible Buckles, 3 Rows Stitched		I9 0
No. 500.	No Buckles, Loose Billets, 3 Rows Stitched		18 20
	Coupe or Coach Blinds.		
Size	,	1nch,	3-4
Vo. 250	Violator Russ Franch Wire Puckles 4 Rows Stitched	Per Dozen Pairs	510 50



#### No. 5.

Size	5-8
Nickel or Imitation Rubber, Wire Buckles	1 20



#### No. 10.


Sizeluch, 1-2	5-8	3-4
Nickel or Imitation Rubber Buckles, Lower Lap Sewed In	80	90
Packed as Wanted.		



No. 2. Size 5-8 Inch for Buggy Harness Per Dozen, \$3.80 No. 4. Size 3-4 Inch for Buggy Harness Per Dozen, 4.00

PACKED AS WANTED.





## Cleckner's Winker Brace.



Retains its Shape.

Size \_\_\_\_\_\_\_\_Inch, 5-8
Finely Finished, Billets Stitched 10 to the Inch \_\_\_\_\_\_ Per Dozen, \$5.50 3-4

ONE DOZEN IN A BOX.












Winker Brace.

## Plain Harness Leather Slide Loops.

Size	Inches,	1-2	5-8	3-4	7-8	1	118	14	1 1/2
Price P	er Gross,	<b>\$</b> 0.80	1.00	1/20	I 30	I 40	I 80	2 (0)	2.70





No. 15. Breast Collar.


No. 20. Breeching.

No. 15. Breast Collar Tugs.	
Length of Loops Inches, 134	2
Length of Loops         Inches, 134           Size of Buckles and Dees         Inch, 5-8	3-4
Nickel or Imitation Rubber. Wire Buckles and Dees Per Dozen, \$1 60	1/80
Genuine Rubber, Wire Buckles and Imitation Rubber Dees Per Dozen, 2 20	2 30
No. 20. Breeching Tugs.	
Length of Loops lnches, 134 Size of Rings	2
Size of Rings Inch, 3-4	7-8
Size of Ruckies Inch, 5-8	3-4
Nickel or Imitation Rubber, Wire Buckles and Rings	1 80
Genuine Rubber, Wire Buckles, Imitation Rubber Rings Per Dozen, 2 20	2 - 30

# One Dozen in a Box. Breast Collar and Breeching Tugs, For Double Harness.



No 25. Breast Collar



No. 30. Breeching.


No. 25. Breast Collar Tugs.		
Length of Loops	3	3
Length of Loops	3-4	7-8
Nickel or Initation Rubber, Wire Buckles and Dees Per Dozen, \$1 90	2 20	2 40
No. 30. Breeching Tugs.		
Length of Loops	3	3
Size of Rings Inch, 138	1 1 2	1 34
Size of Buckles Inch, 5-8	3-4	7-8
Nickel or Imitation Rubber, Wire Buckles and Rings Per Dozen, \$2,10.		

ONE DOZEN IN A BOX.

## Hame Tugs. Complete and Ready for Use.




Campbell's Plain Hame Tug.			
SizeInches, 1	1 t <sub>s</sub>	1 14	1.38
No. 10. Japanned Clips, Patent Leather Ends, one row imitation stitching	1 20	1.30	1.40
No. 10. Nickel or Gilt Clips, Patent Leather Ends, one row imitation stitchingPer Pair, I 16	1 26	1 36	1 16



Campbell's Hame Tug with Buckle Safe.			
Size Inches, 1	118	14	1 3 s
No. 15. Japanned Clips, Patent Leather Ends, one row imitation stitching			
No. 15. Niekel or Gilf Clips, Patent Leather Ends, one row imitation stitching	1 36	I 46	1 56

## PRESSED LEATHER LOOPS.



 Numbers
 40


 Width
 Inches
 7-8

 Length
 Inches
 2

 Per Dozen, \$1 20

 Per Par,
 24







49

1

11,

0.70

14

7-8

11,

0.64

12

49

3-4

1

0.55

12

Patterns, D	ŀ,					F.				G	
		Trace	or Ha	me T	ug.						
Numbers	. 1	2	:3	4	5	6	7	8	9	10	11
WielthInches,	1 12	13 <sub>8</sub>	1 4	$1^{1}_{2}$	1 1/2	138	1 14	1 ! %	1	7-8	1
Length Inches,	712	712	712	5:4	5	5	4:8	412	412	41,	334
Price Per Dozen,	\$9 (10)	8.70	8/30	6 50	5 80	5 40	1.50	3.50	3 40	3 20	3 20
Price,Per Pair,	1.80	1 68	1 60	1-26	1 1 1	1 06	90 .	7.4	655	64	C1
	Sha	ft Tu	gand	Mart	ingal	е.					
Numbers				. 12	13	3	14	15	16	17	18
Width		*** *** ***	1uches	. 112	1	iş	1 1/4	138	1	7-8	3-4
Length		,,,	Inches	, 2	1.7	· .	1 4	1 12	$1^{-1}_{-2}$	1 3 s	13 <sub>8</sub>
Price		P	er Dozen	, \$2 00	1 !	10	1 60	1.36	1.20	0.90	0.80
Price			Per Pair	, 40	;	35	30	26	•)•)	20	18
	(	Crupp	er and	Che	ek.						
Numbers	21	22	23	24	25	20	27	7 29	) 3	0 33	34
WidthInches.	3-4	5 8	1-2	3-8	3-4	5-8	3 1-5	2 3-4	4 5-	8 3-4	5-8
Length Inches,	712	712	$7_{-2}$	71,	6	6	6	41	41	2 334	334
Price Per Dozen,	\$3 60	3 24	3 20	3 20	3 20	3 0	) = ->(	) 2 1	) 1.5	0 1 80	1 79
PricePer Pair,	72	65.1	64	61	64	tit	5	4:	2 3	6 36	34

Reins, Belly Band and Check.

43

1

 $1^{-1}_{-2}$ 

0.90

15

44

7 -8

13<sub>8</sub>

0.80

16

45

3-4

1 3 s

1.4

46

5-8

1 4

0.70

11

1-2

118

0.64

1:2

42

5-8

2

-)-)

1 00

41


3 4

2

1 08

#### PATENT LEATHER PARTS.

Oval, Silk Stitched, Brilliant Stock, Harness Leather Lined.



#### Face Drops.

No. 112. 234 Inch Swell, Lined Full Length Per Pair, \$1 00



#### Hip Drops.

No. 412. 2 Inch Swell, With Nickel or Imitation Rubber Dees...... Per Pair, \$1 00



## Trace Bearers.



#### Martingale Drops.



## Trace Ends.

 Size for Traces
 Inches, 1
 1 ½
 1½
 1½


 No. 100. Lined, Ready for Use, Without Clips
 Per Pair, \$0.60
 0.70
 0.80


#### HARNESS DROP ORNAMENTS.


Double Japanned, Fancy Bound.




No. 285. Length, 7 Inches; Width at Swell, 4 Inches; Size of Terraloid Ring, 134 Inches.......................Per Pair, \$1 20








#### Harness Leather, Flax Seed Stuffed.






Buggy Size.

Buggy Size.

Track Size.

Numbers		Al	- 2
Average Weight Per Dozen	2 34	2	24
Width of Points Inch, 5-8	5-8	5-8	5-8
Price Per Dozen, \$2 00	2 60	3 40	4 20
Track Size.			
Numbers	5	4	08
Average Weight Per Dozen. Pounds,	24	2 1/2	3
Width of Points	1-2	1-2	1-2
Price Per Dozen,	\$4 80	5 50	7 20

ALL ABOVE, ONE DOZEN IN A BOX.





Express or Coupe Size.

Express or Coupe Size.


Numbers...


Price Per Dozen, \$8 00

Coach Size.

Average Weight Per Dozen	Pounds Inch Per Dozen	, 2 1 <sub>2</sub> , 5-8 \$1.80	3 5-8 (i.00
Coach Size.	er bosen	4 #1 #	17 177
Numbers  Average Weight Per Dozen Pounds  Width at Points Inch	3 12	$\frac{9}{4^{-1}}$	$\frac{10}{4^{1}_{2}}$

ALL ABOVE, HALF DOZEN IN A BOX.





Acme,


Boss.

Acme.

ONE THIRD DOZEN IN A BOX.


#### FOLDED LEATHER HAND PARTS.

Whole Stock.




No. 20. One Straight Row Silk Stitched, Length, 7 Feet.

Russet, Wine or Black, 11, Inches Wide Per Pair, \$2 50




No. 22. Two Wave Rows, Silk Stitched, Length, 7 Feet.

Russet, Wine or Black, 1 \ Inches Wide......Per Pair, \$3 30



No. 24. With Layer, Two Rows Silk Stitched, Length, 7 Feet.

#### Folded Leather Hand Holes.



No. 34. With Layer, Two Rows Silk Stitched, Length. 8 Inches.

# HARNESS SADDLE HOUSINGS.



No. 10.

Made with Black or Russet Glazed Top, Old Gold or Blue Drill Face, Blue or Red Pinked Felt Edges, Hair Stuffed, 4 rows quilting, zig-zag stitching around outer edge.


Style	. Gig	Track
Size	$4\frac{1}{2} \times 14$	4½ x 18
No. 10. With Straps and Buckles	, \$2 10	2 40

# Wool Felt Pinked Edge, Strapped.



No. 3 and 61.

Style,		Gig	Track
Size	Inches,	4½ x 14	$4^{1}_{2} \times 18$
	Orange, Blue and Green Colors		2 30
No. 61.	All White Only	2 00	2 80



No. 4 X.

Style	Gig	Track
Size	$4^{t_2} \times 14$	$4^{4} \times 18$
No. 4 X. 3 Ply Canary Felt, Fancy Cloth Top and BottomPer Dozen,		1 00



No. B X and O X J.

### Heavy 7-8 Inch Wool Felt.

No. <b>B</b> X.	Good Quality Grey Felt, Size, 412x18 Inches,	<b>\$3</b> -90
No, $\mathbf{O}(\mathbf{X})$	J. Good Quality Orange or Blue Felt, Size, 4½x18 Inches	4 40

# HARNESS SADDLE HOUSINGS.



No. 100 and 110,

# Wool Felt Pinked Edge, Patent Leather Perforated Top, Strapped.

Style	Gig	Track
Size	$4 \frac{1}{2} \times 14$	4½ x 18
No. 100. Orange, Green and Blue Felt Per Dozen,	\$2 60	3 40
No. 110. White Felt Per Dozen,	3 20	4 40



No. 163 X.

### Patent Leather Top, Wool Felt, Three-ply Turnback.

Style	Gig	Track
SizeInches,	4½ x 14	4½ x 18
No. 163 X. Strapped Orange and Blue Felt	\$5 <sup>*</sup> 60	6 70



# Patoline Top, Beaded Edge, Double Craduated Wool Felt, Strapped.

Style	Gig	Track
Size	$4\frac{1}{2} \times 15$	$4\frac{1}{2} \times 18$
No. 230. Orange and Blue Felt. Per Dozen,	\$6.70	8 00



# Patent Leather Top and Binding, Heavy Double Craduated Felt Bottom, Strapped.

The state of the s					
Style	Gig	Track			
Size	4½ x 16	4½ x 18			
No. 132. Orange and Blue Felt, Pinked Edge. Per Dozen,	\$8.70	10.00			

#### FELT HARNESS PADS.



No. 197.

#### Bridle Crown Pads.


# Wool Felt, Pinked Edge Patent Leather Top, Strapped.






Wool Felt, Pinked Edge Patent Leather Top.

No. 847. Blue or Green Felt, For Crown of Bridle, Size, 3 x 8 1/2 Inches, Steel Safety Hooks ...... Per Dozen, \$2 00 



Hip Strap Pads.

# Wool Felt, Pinked Edge Patent Leather Top, Steel Safety Hook and Strap.



Royal Curled Hair Pads.

Made from Pure Curled Hair, Edges Stitched. Remains elastic and can be washed by immersing in Hot or Cold Water Being Porous, Air can pass through to the Hide, keeping the Skin cool and preventing Irritation or Soreness, also allowing Old Sores to Recover.

Style	Gig	Track
Size		4 x 18
With StrapsPer Dozen,	\$8 40	9 60

### HARNESS SADDLE HOUSINGS.



No. 25.

#### Patent Leather Top, Beaded Edge, Strapped.

No. 25.	Gig.	Size, $4\frac{1}{2}$ x 15 Inches, 3-8 Inch Blue Wool Felt Bottom	0
No. 25.	Track.	Size, 4½ x 19 Inches, 3-8 Inch Blue Wool Felt Bottom	0



No. 425 S.

# Patent Leather Top, White Inside Lay, Fancy Cross Stitched, Strapped.

No. 425 S.	Gig.	Size, 4 <sup>1</sup> 2 x 16 Inches, 3-8 Inch Blue Wool Felt Bottom Per Dozen,	\$10.00
No. 425 S.	Track.	Size 4½ x 18 Inches, 3-8 Inch Blue Wool Felt Bottom	12/00



# No. 5 F.

# Patent Leather Top, White Inside Lay and Binding, Strapped.

No. <b>5</b> F.	Gig.	Size, 5 x 16 Inches, 3-8 Inch White Felt Bottom	Per Dozen, \$10 00
No. 5 P	Thereb	Size 51/ v 18 Inches 3-8 Inch White Felt Rottom	Per Dozen 19 70



No. 145 X.

# Patent Leather Top, Beaded Edge, Inside Leather Roll, Duplex Stitched, Strapped.

No. 145 X.	Gig.	Size, 4½ x 15 Inches, 3-8 Inch Blue Wool Felt Bottom	()
No. 145 X.	Track.	Size, $4\frac{\pi}{2} \times 18$ Inches, 3-8 Inch Blue Wool Felt Bottom	()



No. 5 R

# Patent Leather Top, White Bead, with White Inside Raised Lay.

No. 5 R.	Gig.	Size, 4½ x 16 Inches, Rawhide Bottom, Strapped
		Size, $4\frac{1}{2}$ x 18 Inches, Rawhide Bottom, Strapped



No. 7 K and 8 K.

# Patent Leather Top, Patent Leather Smooth Bottom, Thin Felt Padded.

#### A Desirable Light Kay Housing.


No	. 7 K.	Strapped, Size, 4 x 16 Inches	
			Per Dozen, 13-50



No. 35 R

### Patent Leather Top, Beaded Edge. Thin Felt Padded, Smooth Raw Hide Bottom.

No. 35 R.	Gig.	Size, 4 x 15 Inches, Strapped	 
		Size 4 v 18 Inches Strapped	Per Dozen, 11 50




No. 4 R.

# Patent Leather Top, Fancy Beaded Edge, Thin Felt Padded, Smooth Raw Hide Bottom.

No. 4 R.	Gig.	Size, $4\frac{1}{2}$ x 16 Inches, StrappedPer Dozen, \$14.00	()
No. 4 R.	Track.	Size, 4½ x 18 Inches, Strapped	()

# J. M. Eilers & Co., Cincinnati, O.

# HARNESS SADDLE HOUSINGS.



# Patent Leather Top, Small Assorted Color Leather Bead on Edge.

Gig. No. 225 R. Track.



# No. 529 P.

# Patent Leather Top, Flat Lay Close to Edge, all Black.

No. **529 P.** Gig. No. **529 P.** Track. 



No. 561 R.

Patent Leather Top, Beaded Edge, White Raised Inside Lay, Felt Padded, Smooth Raw-Hide Bottom.



No. 95 and 96,

# Patent Leather Top, Fancy Edge, Hair Lined Bottom, Strapped.

Track. Strapped, Size, 412 x 18 Inches. Per Dozen, 17 50

### HARNESS SADDLE HOUSINGS.



Patent Leather Top, Fine Quality Felt Bottom, Pinked Edges, Center Strap Only.

Style	Gig	Track
Size	$4^{1}_{2} \times 15$	$4^{t_2} \times 19$
No. 45. Assorted Colors, Plush Roll	\$9.50	11 50



### Long Gig Pads.

All Leather Bound Assorted Colors, Felt Lined and Perforated with End Loops.

### Coupe Saddle Housings.




# No. 1200. Straight Pattern.

Patent Leather Top and Bottom, Leather Bound, with Heavy Oval raised, turned Edge Layer. Center Strap only.

Straight Pattern Saddle Sizes	 	Inches,	<b>4</b> to	
Width of Housing	 	Inch,	51/2	
All Black	 	Each,	\$2 4	0

### No. 1203. Swell Pattern.


Swell Pattern Saddle Sizes	4 to 5
Width of Housing at Swell	612
All Black	\$2.70



Cut of No. 1205. Swell Pattern.

#### No. 1204. Straight Pattern.

Patent Leather Top and Bottom, Leather Bound, Onter and Inner Bead, Center Strap only.		
Straight Pattern Saddle Sizes Width of Housing Nickel or Gilt Chain, Center Straps only	Inches,	4 to 5
Width of Housing	Inch,	51/2
Niekel or Gift Chain, Center Straps only	Each,	\$2/60
* No. 1205. Swell Pattern.		
Swell Pattern Saddle Sizes	Inches,	4 to 5
Width of Housing at Swell	Inch,	61/2
Nickel or Gilt Chain, Center Straps only	Each.	\$ · SO



Straight Pattern.




Cut of No. 1221 and 2221. Straight Pattern.

Owen Fattern.	
Swell Pattern Saddle Sizes	4 to 5
Width of Housing at Swell	612
No. 1215 S. Nickel or Gilt Chain, With 14 Inch Fronts Per Set,	\$5 00
No. 1221 S. Nickel or Gilt Chain, With 14 Inch Fronts	5 60
No. 2221 S. Silver on Solid Nickel, With 14 Inch Fronts. Per Set,	7 20

# HARNESS SADDLE HOUSINGS.

Plain Felt Express. Length, 20 Inches, Strapped.



No. 72.

 Width
 Inches
 5
 6
 7

 No. 72. Heavy Asbestos Grey, Pinked Edges and Stitched
 Per Dozen, \$4 00
 1 80
 5 50



 Width
 Inches,
 5
 6
 7


 No. 76.
 Orange or Blue, 7-8 Inch Thick, Pinked Edge.
 Per Dozen,
 \$6 30
 7 00
 7 80

 No. 86.
 Extra Heavy Orange, 14 Inch Thick, Pinked Edge.
 Per Dozen,
 10 70
 12 00




No. 96. Double Graduated 
 Width
 Inches, 5
 6
 7

 No. 96. Orange or Blue Felt, Pinked Edge
 Per Dozen, \$8 00
 9 50
 10 50



.....Inches, 





Made from Pure Curled Hair, Edges Stitched. Remains elastic and can be washed by immersing in hot or cold water. Being porous air can pass through to the hide, keeping the skin cool and preventing irritation or soreness, also allowing old sores to recover.


Width Inches, 5 6 7 8
Length, 20 Inches, Ends Strapped Per Dozen, \$13 50 14 00 14 40 15 80

# HARNESS SADDLE HOUSINGS.



Made with Black Glazed Top, Old Gold Drill Face, Fawn Pinked Felt Edges, Hair Stuffed, 2 rows quilting, Strapped, Length, 20 Inches.

Size	6	7	$\mathbf{s}$
No. 1 M. For Express Saddles Per Dozen,	<b>≸</b> 3 50	3.70	4 00



Mueller's Patent.

Stuffed with best quality Horse Hair, Soft Center. Relieving pressure on sores and allowing them to heal. Rubber Drill Top, White Drill Bottom, Strapped.

Size	3	4	5	5 ½	6	7
Price	\$0.70	90	1 10	1 10	1 30	1.50




Jumbo Express. Length, 18 Inches.

Patent Leather Top, 4 thickness Gray Felt, Strapped.

Size	5	6	7
Price Per Dozen,	\$13.50	14.70	16 00


### BREAST COLLAR HOUSINGS.






#### Sun Style.

Black Glazed Top, Old Gold Drill Face, Red Pinked Felt Edges, Hair Stuffed, 4 rows quilting, 5 Straps, Zig Zag Edge Stitched.



Plain Wool Felt, Pinked Edge, 5 Straps.



Patent Leather Perforated Top, Pinked Edge Felt, 5 Straps.

No. 40. Orange or Blue, Width, 3 Inches; Length, 36 Inches.

No. 45. White. Width, 3 Inches; Length 36 Inches.

Per Dozen, 56 00

Per Dozen, 7 50



Patent Leather Top, Pinked Edge Felt, 5 Straps, Curved Center.

 No. 7. Orange or Blue, Width, 3½ Inches; Length, 36 Inches.
 Per Dozen, \$ 9.50

 No. 9. White. Width, 3½ Inches; Length, 36 Inches.
 Per Dozen, 11.00

ALL ABOVE HALF, DOZEN IN A PACKAGE.

#### TOP NECK COLLAR PADS.









No. 69 and 1½.


#### Buggy Top Neck Pads.

		Blue Felt, Patent Leather Top, Pinked Edges, Size 3 x 10 Inches, StrappedPer Dozen, *	
- /	o. 98.	Blue Felt, Patent Leather Top, Pinked Edges, Size 4¼ x 12 Inches, Strapped	2.70
		Team Top Neck Pads.	
	4848	Discounting of the County District Prince Circ. Con Control Office 1	














Royal Top Neck Hair Pads.


Made from Pure Curled Hair, Edges Stitched. Remains elastic and can be washed by immersing in hot or cold water. Bei	
porous air can pass through to the hide, keeping Skin Cool, and preventing Irritation or Soreness, also allowing old sores to recover	er.
No. 14. Size, 6 x 10 Inches, Strapped	60
No. 15. Size, 7 x 12 Inches, Strapped. Per Dozen, 9	60

### Deer Hair Top Neck Pads.

#### Breeching Housings.



#### COLLAR PADS.






### Swing Back.

#### Cyclone.


For Sore Neck Horses, Padded Bottom, Metal Top, with Elevated Bar to hold Collar clear of Afflicted Part..... Per Dozen, \$6 00






Wabash Bridge Collar Pads, Fancy Web.

# COLLAR PADS.




### Sole Leather.

Numbers	1	2	3	4	5	6
Size	512	6	612	7	71/2	8
Select Sole Leather, Iron Center Plate	\$8.80	4 70	5 10	5 40	6.70	7 40



### Standard Zinc.

S1ze	 Inches, 512	6	$-61_{2}$	7	8
Price	 Per Dozen, 86-50	6 50	6.50	6.50	8 00



# New Star Zinc.


Size	Inches,	$5^{4}_{2}$	6	$6^{1/2}$	7	$\mathbf{s}$
Made of 2 Pieces Zinc, Top Piece Perforated for Air Chamber		\$6,50	6.50	6.50	6.50	5 (10)

### COLLAR PADS.



Boss, Zinc Lined.

Numbers	3	4
Size	612	7
Select Sole Leather, Center Zinc Lined Per Dozen.		5 70



#### Never Fail.


The Never Fail Pad is double. Bottom is zinc and remains stationary on the neck. Top is steel, has oscillating motion and moves with the collar. Rubbing or friction is between the plates, not on the horse's neck. Air passing freely between the space, keeps cool the zinc part on the horse's neck. Made in two sizes only. Can be used under any collar that fits a horse. No larger size collar needed.

No. 2. For Mules and Small Horses	\$7 00
No. 3. For Medium and Large Horses	S ()()
Felt Pads. For bottom of Never Fail Pads, for Winter Use. Glove fastener attachment	1.50

### Cart Saddle Pads.









# No. 103, Cart Saddle Pads.

### No. 101. Cart Saddle Pads.

### WOOL FELT SWEAT COLLAR PADS.

Sizes, 18, 19, 20, 21, 22, 23, 24.







Buggy or Coach Size, Dark Blue Felt.

# Team Size, Orange Felt.

No. 15. Solid Wool Felt, Width, 10 Inches; 4 Hooks, Pinked Edges, any Size Per Dozen, \$7.50 No. 20. Solid Wool Felt, Width, 12 Inches; 4 Hooks, Pinked Edges, any Size Per Dozen, \$7.70





Heavy Team Size, Crey Felt. Waterproof Drill Facing.

No. 12. Grey Asbestos Felt, Drill Facing, Width, 12 Inches, 4 Hooks, any Size...... Per Dozen, \$12 00


# Extra Heavy, Team Size, Crey Felt.


Wolth Inches,
No. 30. Extra Heavy Grey Felt, 4 Hooks, Pinked Edges Per Dozen,

### SWEAT COLLAR PADS.

# McClain's Hair Stuffed and Quilted.

Sizes, 17, 18, 19, 20, 21, 22, 23, 24, 25.





### Brown and White Heavy Drill.


20. 111.	Width, 11 Inches, 4 Hooks, 5 Rows Quilting, any Size	rer 170zen, 50-40 5
No. 112.	Width, 12 Inches, 4 Hooks, 5 Rows Quilting, any Size	Per Dozen, 5-140 (7/2)
	Old Gold Heavy Drill.	
No. 212.	Width, 12 Inches, 4 Hooks, 5 Rows Quilting, any Size	
No. 214.	Width, 14 Inches, 4 Hooks, 5 Rows Quilting, any Size	Per Dozen, # <del>-90</del> 2 3 ~





No. 12 Z. Old Gold Heavy Drill.


### No. 12. Feltless. Old Cold Heavy Drill.






Enameled Drill Back, Blue Striped Tick Face.

# WOOL HARNESS COVERING AND WOOL FELT.





# Breeching and Breast Collar Wool Covering.

### Brown Wool, to Lace on.

Width of Covering	334	<b>1</b> 1/4
Will Cover Leather Measuring		2
Per Roll of 25 Feet Price,	<b>\$12</b> 00	14 50
Per Foot	50	60


### Wool Feit.

### In Sheets.

No. 1.	Asbestos Grey Felt, 1 inch thick,	White Facing, Size, 21 x 36 inches	Per Sheet, \$1 50
No. 5.	Orange Felt, 3-4 inch thick, Size	, 21 x 36 inches	Per Sheet, 3 00

# Wool Felt.

# In Rolls.



# Width, 72 Inches.

Orange Color, 3-8 mch thick	Per	Yara,	200	*)(
Elue Color, 3-8 inch thick	Per	Yard,	3	50

### HARNESS OILS.







Size of Cans, Screw Top	1-2 Pints	Pints	Quarts
1. X. L. Black Harness Oil	<b>\$2</b> 10	3 40	4 70
Frank Miller's. Black Harness Oil, High Grade		5 50	



1. X. I..



Frank Miller's, In 5-Callon Cans.

L X. L.	Black Harness Oil	Per Can,	\$ 6.00
Frank M	iller's. Black Harness Oil, High Grade in Tilting	Cans Per Can.	TO 00

# **New Process Neats Foot.**









Pint

Quart.

Half Gallon.

Gallon,

Made of Pure Neats Foot, Graphite and Tallow. Best Leather Preservers. Gluten from the Neats Foot being extracted. This Oil will not congeal in cold weather.

Size of Cans, Screw Top	Dozen, \$3 50		1-2 Gals.	Gallons 15/12
PINTS AND QUARTS, THREE DOZEN IN A C.	. *	ONE DOZEN.		
5 and 10 Gallon Jacket Cans				allon, \$1 20

### AXLE OILS.








6-70

Hollingshead s.

Size Can	Pints	Quarts
Hauthaways's Axle Oil	<b>\$</b> 3-30	6.00
Holling shead's Axle Oil		6.70





Baum's Castorine.

Size Can	Pints	Quarts
Shining Light Axle Oil	\$4.30	7 50
Baum's Castorine Axle Oil	4 20	7 50

ALL ABOVE, ONE DOZEN IN A CASE.

# Shining Light Axle Crease.







Found Box 31, Pound Pail.

 Size of Package.
 Pounds, 1
 3½
 10
 15
 25

 Shining Light Axle Grease.
 Per Dozen, \$1 60
 4 30
 12 80
 17 20
 25 50

### HARNESS DRESSING.

Frank Miller's.





FRANK MILLER'S HARNESS DRESSING Gallon

	•			
ze ,		Screw	Top Cans,	Pints
ice			Per Dozen,	\$4 60

Quarts

Gallons

	in 5 Gallon Jacket Cans and Ba	arreis.
5 Gallon Jacket Cans		*********

### Fiebing's.







Size Screw Top	Cans.	Pints	Quarts	Gallons
Price Per I	lozen,	\$4.20	7.50	15 ()()







Quart, Hauthaway's.

Hauthaway's.

Size	Pints	Quarts	Gallons
Price			10 50

Smed	itey's	ECI	ıpse.

Size	Quarts
Price	\$12 (10)

Jamieson's	Harness	Composition.
------------	---------	--------------

Froduces a Brimant Black Polish.			
Size	Small	Medium	Large
PricePer Dozen,	\$7 40	10 60	21 30

# HARNESS SOAP. In Bars.







Superior, Black, 1-2 Pound Bars	Per Dozen, \$1 70
Frank Miller's. Black, 3-4 Pound Bars	
Colgate's. Black or White, 3-4 Pound Bars	Per Dozen, 2 50
ONE DOZEN IN A BOX.	

# C. S. S. Harness and Top Dressing.



Size of Paus Pounds, 1 Black Per Dozen, \$3 30			26.40
PACKED AS WANTED,	0.00	10 20	20 40

# Bonner Miller's in Pans.









**.5** 13/20

Size of Pans..... PACKED AS WANTED.

# Hollingshead's Castile Cream in Pans.











Size of Pans Per Dozen, \$3 30

# Harness Soap.





Castile Soap.

English Crown.

Domestic Castile Soap in Bars.		
4 Pound Bars, 9 Bars or 36 Pounds to Box	Per Po	und, \$0-20
Genuine Imported Castile Soap in Bars.		
Made from Pure Olive Oil.		
White	Per	Bar, #1 00
White	Per	Bar, 1 00
English Crown Soap.		
The name "Chiswick" blown in Jars to insure Genniness.		
Size Price Per Dozen,	Pints	Quarts
Price Per Dozen,	\$6.50	10 00
PACKED AS WANTED.		



Harness Edge Ink and Edge Powder.



Jetilene Ink Powder.

Half Barrel and Barrel, 

# West's Enamel Dressing.









# For Carriage Tops, Harness Box Loops, Etc.

Numbers	I	2	3	4
Size Can	1-4 Pints	1-2 Pints	Pints	Quarts
PricePer I	Oozen, \$4 00	6 00	10 40	18 00



# CARRIACE TOP DRESSING.




Hollingshead's.

.....1-2 Pints Pints Frank Miller's...... Per Dozen, 7 20 Per Dozen, Hollingshead's..... ONE DOZEN IN A CASE.



Hoof Dressing.



Hollingshead s. 
 Size Can.
 Pints

 Hollingshead's.
 Per Dozen, 64 80

 Per Dozen, 6 50
 6 50
 Quarts 8 40 Baum's Per Dozen, ONE DOZEN IN A CASE.

#### Horse Foot Remedies.





Campbell's Horse Foot Remedy.

Gallon Pints Quarts 1-2 Gal. 1.30 Price .... Trial Size Quarts \$3 80 Price Price Per Dozen,

# HORSE REMEDIES.







Stewart's Healing Powder.

#### Kitchel's Liniment.

Size Bottle.	Pints	Quarts
Price	\$7, 20	12 ()()
One Dozen in a Case.		


#### Stewart's Healing Powder.

ONE DOZEN IN A BOX.

#### Witch Hazel.

### Dr. Daniel's Veterinary Quadruple Extract.

Quart Size, One Dozen in a Case Per Dozen, \$8 00







#### Scott's Arabian Hoof Paste.

Size of Tin Box	1-2
Price	S 00

# ONE DOZEN IN A CASE.

### Cermo Fly Killer.

One application instantly and positively relieves Horses and Cattle from all Flies, Gnates and	Insects for twenty	v-four hours
at least.		
Size of Can	1-2 Gallons	Gallons
Price	\$6.50	10.50
	•	

### Sprayers.

For Applying Germo Fly Killer.... Each, \$0-60

# DR. A. C. DANIEL'S VETERINARY REMEDIES.

HOME TREATMENT FOR HORSES AND CATTLE



DR.A.C.DANIELS, (INC.) BOSTON, MASS, U.S.A. A TONIC AND BLOODMAKER.




Liniment Powders.

Renovator Powders.

#### Renovator Powders.

#### Liniment Powders.



Oster Cocus Limiment




Eye Wash

#### Oster Cocus Liniment.

### Nerve and Muscle Liniment.

51ZE	Sman	Large
Price Per Dozen,	\$1.00	> 00
Eye Wash.		
Wash for Sore Eyes, in Horses, Dogs, Cats or other Animals	Per Doz	en, \$5 00

# DR. A. C. DANIEL'S VETERINARY REMEDIES.



PRICE 50 CENTS A C DANIELS.

Boston Mass

Worm Killer.

Worm Killer Powders.

Hoof Grower.



Witch Hazel.

DISINFECTANT

CLEANSES AND PURIFIES

THE HOUSE KENNEL AND STABLE

KILLS LICE, FLEAS AND VERMINE

ひせのひり以ばまげ

MSZGIJGIDZ

PRICE 25 CENTS

DR:ACC DANIELS, INC.

BOSTON, MASS'U'S'A'

Carbo Negus

Extra Strong, Good for Man or Beast.


..... Small Large Per Dozen, \$4.00

Carbo Negus.

Mixed with One-Hundred Parts of Water, Makes a Disinfectant, Deodorizer, Purifier and Insecticide.

Gallons 18 00





Veterinary Soap.


#### Absorbent Blisters.

Removes all Enlargements, Like Curbs, Splints, etc.


Size,	Small	Large
PricePer Dozen		

# Veterinary Soap.

For Mange, Fleas, Parasites, Scratches, Sores, Dandruff and Skin Diseases in Dogs, Horses and other Animals.......Per Dozen, \$4 00



Fever Drops and Distemper Care,




Wonder Worker Limment.

### Fever Drops and Distemper Cure.

Very Effective in Lung Fever, Epizootic, Coughs, Colds, etc.


Size	Small	Large
Price Per Dozen,	\$8 (0)	16 00
Wonder Worker Liniment.		

### DR. A. C. DANIELS' VETERINARY REMEDIES.




Physic Balls.

#### Physic Balls.



Hoof Dressing



Colic Cure


# Hoof Dressing.

For Quarter Cracks, Corns, Split Hoofs, Hard Dry Brittle, Tender and Contracted Feet. Large 12 - 00

#### Colic Cure.

Sure to cure. It never fails. Also useful in treating Enteritis, Inflammation of the Bowels and Bladder...... Per Dozen, \$16 00


### CALL CURES.





#### Bickmore's Call Cure.

Size Package	Ounces, 2	6	16
Price	Per Dozen, \$3-50	7 00	14 00
Dr. Daniels' Gall Cure.			
Dr. Dameis dan dure.			
Size Package	Ounce	es, 4	10
Packed One Dozen in a Box	Per Doze	n. \$3.50	7.00



### Dr. Daniels' Display Cabinet.

#### Height, 261: Inches, Width, 20 Inches, Depth, 7 Inches.

Display Case with an Assortment of Advertising Matter, including Signs, Doctor Books, etc. Furnished Free with an order for the following assortment of Medicines at regular prices.

- 1-4 Dozen Colic Cure.
- 1-2 Dozen Horse Renovator.
- 1-4 Dozen Fever Drops, Large.
- 1-4 Dozen Fever Drops, Small.
- 1-2 Dozen Wonder Worker Liniment.
- 1-4 Dozen Hoof Grower and Softener.
- 1-4 Dozen Worm Killer.

- 1-4 Dozen Absorbent Blister, Small.
- 1-2 Dozen Oster Cocus Liniment, Small.
- 1-2 Dozen Oster Cocus Liniment, Large.
- 1-2 Dozen Carbo Negus, Small.
- 1 Dozen Gall Cure, Small.
- 1-4 Dozen Liniment Powders.
- 1-4 Dozen Hoof Dressing, Small.

1-4 Dozen Physic Balls.

# LE PACE'S LIQUID CLUE.







I-2 Pint and Pint.

Le Page's 1 Ounce Bottle with BrushPer Dozen, \$	2 20
Le Page's 1-2 Gill, Patent Can with Brush Per Dozen,	3-30
Le Page's 1-2 Pint, Patent Can	50
Le Page's Pint, Patent Can Each,	80

ONE OUNCE AND HALF GILLS, ONE DOZEN IN A BOX; HALF PINTS, TWO DOZEN; PINTS, ONE DOZEN.

### Metal Polish and Whitener.



S. Paste



S. Liquid



Blanco Whitener

#### U. S. Metal Polish Paste.

Size of Tin Boxes		3	S	16
Black or White Paste	Per Dozen,	\$0.80	2 50	1.50

One Dozen in a Package.

### U. S. Metal Polish Liquid.


Size, Screw Top Cans	1-2 Pints	Pints
Black or White Liquid Per Dozen,	\$2 60	5 00

ONE DOZEN IN A BOX.


#### Blanco Whitener.

For Whitening articles of Buff or Buckskin Leather, such as, Military Equipment, White Hats, Gloves, Hunting Thongs, Whips, Cricket and Tennis Shoes, Tennis Balls, White Web and numerous other things of a like description. Directions with each Cake.

### SWEAT SCRAPERS.



### Salt Sacks.




# Horse Bandages.

### Spear's Derby.



Nos. 72 and 108,

### BLANKET PINS.



No. 10.

ONE DOZEN IN A POX.

### Horse Tooth Files.

Length, 20 Inches.




No. 2.

### Extra Cast Steel, Adjustable.

No. 1. Horn's Standard, Plain Finish, Solid Handle...Each, 51 30No. 2. Horn's Standard, Plain Finish, Jointed Handle...Each, 1 80Extra Files.Flat...40



No. 0. Folding Hoof Pick.



No. 2. Hoof Pick.



Combination Hoof Cleaner


#### Hoof Picks.

No. O.	Nickel Plated Folding Hoof Pick and Hammer Combined	i, \$12 00
No. 1.	Polished, with Hoof Pick only Per Doze	1, 4.50
No. 2.	Polished, with Hoof Pick and Cork Screw (as illustrated)	1, 7 00

# Combination Hoof Cleaner.

Combination Hoof Pick and Cleaner, Screw Driver, Wrench and Hammer...... Each, 50-20


### HITCH WEIGHTS.



Cast Iron Pounds, 10 Without Hitch Rope...... Each, \$0.80

PACKED AS WANTED.

### Tail Holders.





Standard.

Perfection. Read's. Read's.










ONE DOZEN IN A BOX.

# Hair Plumes.



Length	- X	Inches,	12	15	18	21
	te Green and Vellow	Per Dozen				

### WOOL DUSTERS.




 Numbers
 000
 00
 0
 2
 4
 6

 Length of Wool
 Inches, 6
 7
 8
 9
 10
 11

 Assorted Color Wool, Screw Handles
 Per Dozen, SI 80
 2 70
 5 40
 9 00
 II 70
 11 40

 Packed as Wanted, Each Duster in Seperate Wrapper

# Turkey Feather Dusters.



#### Cut Illustrates all Tail Feathers.

Length of	Feathers	Inches,	12	14	16	18	20
No. 10.	90 Feathers, all Wings	Per Dozen,	\$ 5.50	6.70	8 70	10 00	
No. 20.	100 Feathers, assorted Wings and Tails Select	Per Dozen,	6.80	5 50	11 00	12 70	15 20
No. 30.	120 Feathers, assorted Wings and Tails Select	Per Dozen,	8.60	10.80	14 00	16-00	19/20
No. 40.	200 Feathers, assorted Wings and Tails Select	Per Dozen,		16 00	20 50	21 00	28 80
No. 50.	100 Feathers, Selected Tails	Per Dozen,	9 60	12 00	15 - 60	IS 00	21 - 60
No. 60.	150 Feathers, Selected Tails, Choice	Per Dozen,		17 - 10	22 60	26 00	31 - 20
No. 70.	200 Feathers, Selected Tails, Very Choice	Per Dozen,		-21 - 10	27 80	32 (0)	38 40
No. 80.	150 Feathers, all Black Tails, Extra Choice	Per Dozen,	15 00	18 70	24 30	28 00	*******

All Feathers are Curled, giving the much desired "Bell Shape," All Feathers are "Milled," making them Soft, Pliable and Tough. Full Lengths and Count Guaranteed. "Hanger Cord" on Handle of each Duster

### STABLE FORKS.




Made of a Single Bar of Selected Hickory, Hand Finished and Varnished, Charcoal Fire Burnt and Bent, will not Straighten in Use like Steam Bent Forks.


\$ Prong Per Dozen, \$11 00




### Stable Brooms.



#### Push Brooms.



No. 261





All Corn, Plush Caps.


#### Steel Wire Wrapped Handles.

	Two Rows Cord Stitched, Length, 8 Inches, with 6 Inch Sweep		
No. 3.	Three Rows Cord Stitched, Length, 9½ Inches, with 7 Inch Sweep	'er Dozen,	2.70

#### Canton Flannel Cloves and Cauntlets.









No. 603.	Glove, 8 Ounce, White Canton Flannel, Nap Inside, Twill Outside	SI 64
No. 635.	Glove, 10 Ounce, White Canton Flannel, Nap Inside, Leather Thumb and Forefingers Per Dozen Pairs,	2 50
No. 621.	Ganntlet, 10 Ounce, White Canton Flannel, Nap Inside, Twill Outside	2.50

#### Mittens and Cloves.







Canton Flannel Mittens.


ittens. Leather Bleaching Glove.

#### Leather Bleaching Cloves.


Made from Select Soft Glove Leather, in Black, Wine, Tan and Chocolate Colors, used for House Work, Gardening, Driving and General Out Door Work. One Dozen Pairs in a Box, assorted Sizes from 6 to 8....Per Dozen Pairs, \$6,00

#### Cooley Colt, Calf and Cow Weaners.

Galvanized Steel Wire.




Position when eating grass, hay or grain on the ground, without trouble.



Position when trying to suck. Call can not suck and can not hurt its mother or itself as there are no prongs, but can eat on the ground or in a box.

No.	1.	Colt or Calf Size, with Rope Halters	\$5 40
		Two Year Old or Jersey Cow Size, with Rope Halters	
No.	3.	Cow or Horse Size, with Rope Halters	7 40

#### HORSE MUZZLES.




#### With Fine Leather Straps.

No. 1.	Prevents Horses Cribbing the Mangers, Yet Allows Eating Hay and Grain	\$17.50
	Bessemer Steel Wire, Light and Strong Per Dozen,	
No. 2.		
	Bessemer Steel Wire, Light and Strong, without Leather Straps	
No. 3.	Bessemer Steel Wire, Leather Bound Top, Wool Sheep Skin Nose and Chin	22 - 00
Vo. 1	Colvanized Woven Wire, Wool Sheep Skin Bound Top	22 00

#### Cillespies' Patent Muzzles.








No 30. Slow Feed Muzzle


#### No. 30. Gillespies' Slow Feeding Muzzles.

ents Bolting and Waste of Food, also the practice of Eating too Fast. Subdues Biting Horses. Complete with

Headstall Each, \$4.40

### HAY RACKS AND OAT MANGERS.





#### Corner Hay Racks.

Heavy Wrought Iron Bands and Uprights.

#### Corner Oat Mangers.

Cast Iron, with Flange to Prevent Waste of Food.

#### Ornamental Hitching Posts.

#### Cast Iron, Painted Creen.









No. 17 C.

No.	13 C.	Weight, 60 Pounds, Total Length, 6 Feet Each,	\$ 7.50
No.	14 C.	Weight, 80 Pounds, Total Length, 6 Feet	10 50
No.	17 C.	Weight, 90 Pounds, Total Length, 4 Feet. To be used with Wood Base, without Fase Each,	13 50

#### SALT BRICK.



Salt Brick.



Salt Brick Holder.

#### Salt Bricks and Holders.

Finest Quality, Compressed Salt BrickPer Dozen, \$	3 00
Metal Holder, easily attached	6 00

PACKED AS WANTED.



Balling Iron.



Horse Medicine or Liniment Bottle.

### Balling Irons.

X C Plat	. For Holding Animal's Mouth C	pen when giving Medicines		Each, \$0.50
----------	--------------------------------	---------------------------	--	--------------

#### Horse Medicine or Liniment Bottles.

Best Grade Para Rubber.....



Pail Opened.



Pail Folded.

#### Duplex Folding Water Pails.


Made of Heavy Brown Water-proof Canvas, Metal Parts of Spring Steel, Heavily Japanned, making them Rust Proof.


No. 13. Diameter, Top, 11 Inches; Bottom, 9 Inches; Depth, 10 Inches; Holds 12 Quarts of Water...... Each, \$2 00 No. 15. Diameter, Top. 12 Inches; Bottom, 10 Inches; Depth, 10 Inches; Holds 15 Quarts of Water...............Each, 2 40

1st No. 13. Duplex Pail. Folds into 14 x 6 x 2 Inch Space. No. 15. Duplex Pail. Folds into 15 x 6½ x 2 Inch Space.

#### FEED BACS.


Heavy Duck.






#### Modoc Feed Bags.

### J. I. C. Feed Bags.







Sanitary Feed Bags, Calvanized Bottom.


#### Pioneer Feed Bags.


#### WOOD STIRRUPS.





Elm Wood, with Staples and Plates.






#### Elm Wood, Bolted.

Size Tre	ad	-1	5	6
No. 15	Heavy, Sawed	\$2/30	2 60	3 ()()
No. 20	. Heavy, Solid Bent	5 80	3 20	I 00

#### METAL STIRRUPS.







1	vo. 14.	X C Plate, 1 Inch Loop, 27s Inch Tread; for Boys, also LadiesPer Dozen,	\$1.50
1	lo. <b>39.</b>	X C Plate, 1 Inch Loop, 3 Inch Tread, Slipper StirrupPer Dozen,	2.70
1	No. 4.	Slipper Stirrup, Imitation Hog Skin Covered, Fair or Stained	I 20









No. 831.	X C Plate, 14 Inch Loop, 33 Inch Tread	5 80
	X C Plate, 138 Inch Loop, 334 Inch Tread	
No. 841.	X C Plate, 14 Inch Loop, 438 Inch Tread	× ()()
No. 851.	X C Plate, 15 Inch Loop, 43, Inch Tread Per Dozen Pairs,	8.70







Nos. 168 and 169.






No. 169. Exercise. Heavy Fine Nickel Plated Steel, Rubber Bottom, 44 Inch Tread. Per Pair, 1 50 

#### SAFETY STIRRUPS.






No. 176.	Men's Fine Nickel Plated Forged Steel	6 00
No. <b>183.</b>	Ladies' Rubber Bottom, Turn Foot, Nickel Plated	3 00

#### Ladies' Safety Stirrups.







 No. 180.
 Fine Nickel Plated Steel
 Each, \$5 00

 No. 170.
 Fine Nickel Plated Steel
 Each, 4 50

 No. 171.
 Star Steel Silver
 Each, 9 00

#### LECCINCS.

Crain and Split Leather










No.	91.	Puttee, Tan Split Leather, 2 Piece with Straps and Buckles	2 50
No.	12.	Puttee, Tan Imitation Hog. 1 Piece Shaped with Straps and Buckles,	(H)
No.	10.	Knee, Black Grain Leather, Side Spring, Foot Straps Double and Stitched Per Pair,	3 00
No	20	Thigh Plack Grain Leather Side Spring to Knee Lace to Thigh, Foot Straps Double and Stitched, Per Pair,	5 40



#### Canvas.



No. 400 B. Boy's Knee, 15 Ounce Canvas, Tan Color, Side Spring, Leather Bound.

No. 400 M. Men's Knee, 15 Ounce Canvas, Tan Color, Side Spring, Leather Bound.


Per Dozen Pairs, \$ 9 00


Per Dozen Pairs, 9 50

Extra Springs, Steel, for Leggings.


Per Dozen Pairs, 2 00


#### SPURS.















No. 4 Scalloped.

### Eureka, Steel.



No 624 Whip Spurs


#### SPURS.

#### English Steel. Horlzontal Rowels.

#### With Knob and Buckle.



No. 2220. Steel Polished Wire, 1-2 Inch Rowel, 15/8 Inch Shank, with Straps...... Per Dozen, \$11-50




No. 22221/2. Steel Polished Band, 1-4 Inch Wide, 1-2 Inch Rowel, 11/2 Inch Shank, with Straps...... ........ Per Dozen, \$10.00





No. 2225. Steel Polished Band, 7-16 Inch Wide, 5-8 Inch Rowel, 158 Inch Shank, with Straps....... Per Dozen, \$12 50




No. 2228.

No. 2228. Steel Polished Band, 5-8 Inch Wide, 5-8 Inch Rowel, 15, Inch Shank, with Straps..... 4 ........Per Dozen \$14.00


#### SADDLE BLANKETS.


Pony or Boy's Size.





Nos. 334.

## Regular or Men's Sizes.











Brussels Carpet.

### FELT SADDLE BLANKETS.










No. 321. Fawn or Black, Heavy Felt, Boot Web Lay and Star Ornament...... Per Dozen, \$17.00

#### FINE FELT SADDLE BLANKETS.











#### SADDLE BLANKETS.




No. 10. Special.


#### Craduated Felt.



No. 100,




No. 200 E.



Pure Hair

## WEBBING.




Cirth Web.

#### Common Cotton.

Numbers						2	3	4
Width							$2\frac{1}{2}$	234
Assorted Fancy Weaves, 15 Yards to the Bolt	••• ••••	••••••		F	er Bolt,	\$0.84	0 90	1 00
Cotton C	Corded.							
No. 3. Width, 2½ Inches, 10 Cords, Fancy Colors, 15 Yards t	to the Bo	1t					Per B <mark>olt</mark> ,	\$I 80
No. 4. Width, 24 Inches, 11 Cords, Fancy Colors, 15 Yards t								
No. 16. Width, 4 Inches, 16 Cords, Fancy Colors, 12 Yards to	the Bolt						.Per Bolt,	2 90
Super C	otton.							
Assorted Fancy Weaves, 31/4 Inches Wide, 15 Yards to the Bolt				• • • • • • • • • • • • • • • • • • • •			.Per Bolt,	\$1.80
Extra Cotton I	Roller.	3-Ply.						
Assorted Faucy Weaves, 4 Inches Wide, 12 Yards to the Bolt							Per Bolt,	\$2 40
English							63.7	•
WidthSolid White, 15 Yards to the Bolt	••••				p.	inches,	#9 90	$-3\frac{1}{2}$
Solid White, 15 Yards to the Bolt						er boit,	\$2 20	2 80
Extra W	orsted.							
Solid White, 2 Inches Wide, 15 Yards to the Bolt (For Race Girth	ıs)						Per Bolt,	\$7 00
Solid White, 3¼ Inches Wide, 15 Yards to the Bolt		••••					Per Bolt,	9 00
Rein '	Web.							
Cotton	Corded.							
6 Cord, Assorted Colors, $15$ Yards to the Bolt, Width, $1$ Inch		•••	*******				Per Bolt,	\$0.94
Worsted S	aratoga	à.						
Solid White, 11, Inches Wide, 6 Cords, 10 Yards to the Bolt,							.Per Bolt,	\$2 40
Horse	Boot.							
V. lthInches, 1-2	5-8	3-4	7-8	1	15/	114	13/	2
11. y Llastic Cotton Web	0.28	0.30	0.36		0.50	-	•	0.80
What for Blue Elastic, Silk Web, 7-8 Inch Wide		-					Per Yard,	


### WEBBING.



# Halter Web. Cotton Corded.

Cotton Corded.		
Widthlnches, 1½	1 5/8	1 34
No. 3. 8 Cord, Solid Colors, Red, White or Blue Per Bolt, \$2 20		
No. 2. 12 Cord, Solid Colors, Red, White, Blue or Yellow	2/30	
No. 1. 13 Cord, Solid Colors, Red, White, Blue or Yellow		3 H0
THIRTY YARDS TO THE BOLT.		
Headstall Web.		
Widthlnches,	2	21/2
White, High Grade, 1 Blue Edge Stripe, 15 Yards to the Bolt	\$0 I2	0.16
Throat and Chin Latch Web.		
Width Inches, 5-8	7-8	1
Width	1 IO	1 30
English Straining Web.		
Brown and Black Striped, 3 Inches Wide, 18 Yards to the Bolt	Per Bolt,	<b>\$3</b> -50
White Cotton Back Band.		
50 or 100 Feet to the Roll.		
Width	31,	4
No. 1. High Grade, 1 Red Edge Stripe		$4 \ \ 40$
No. 0. Extra Heavy, 1 Blue Edge StripePer 100 Feet, 3 80 4 70	5 20	6.10
Cotton Binding.		
For Saddle or Horse Blankets, 11% Inch Wide, 18 Yards to the Bolt.	Per Bolt,	\$0.21

## Web Trunk Straps.





No. 1.


Length	Feet, \$	8	9	10
No. 5.	Russet, 1 1/2 Inches Wide, X C Malleable Buckle, Steel Tongue, Metal Tips Per Dozen, \$5	.00 - 5	5 00	5 50
No. 1.	Russet, 1½ Inches Wide, Nickel Plated Steel Lock Buckle, Metal Tips	S() 7	()()	7.50
	Packed as Wanted.			


#### BACK BANDS.



#### Cotton Web Bound Ends, without Hooks.

Width	5
No. 2. Heavy Web, Length, 39 Inches, without Hooks	2 00






#### 8 Ounce Duck, Double Thickness, Entire Length Padded, 4 Rows Ouilting.

Width		Inches, 4	5
No. 5.	With Malleable Iron Hook, Adjustable to 36, 39 and 42 Inches	Per Dozen, \$	6.00
No. 10.	With 11 and A Loop, Length, 42 Inches,	Per Dozen, 6 00	6 20

#### Web Surcingles.









#### Plain.

No.	1.	Fancy Cotton Web, 212 Inches Wide, 1 Inch Leather Billets	\$2.80
No.	5.	Fancy Cotton Roller Web, 4 Inches Wide, 11/8 Inch Leather Billets	4 80
No.	13.	White English Cotton Web, 314 Inches Wide, 118 Inch Leather Billets	6 20





Style, No. 154. Cut of No. 242.

### Padded.

No.	30.	Fancy Cotton Web, 234 Inches Wide, Imitation Leather Binding, 1 Inch Leather BilletsPer Dozen,	\$ 4 00
No.	33.	Fancy Cotton Web, 4 Inches Wide, Leather Binding, 1 Inch Leather Billets	7 00
No.	154.	English Box Pad, Fine White Web, 3 Inches Wide, 1 Inch Billets, $\mathbf{X}$ C English Buckle, 1 StrapPer Dozen,	-17 - 40
No.	242.	English Box Pad, Fine White Web, 4 Inches Wide, 1 18 Inch Billets, X C English Buckle, 2 StrapsPer Dozen,	24 00



#### With Buckles.

No. 2.	Fancy Cotton Web, 234 Inches Wide Per Dozen, \$	2 20
	Fancy, 3 Ply Cotton Web, 34 Inches Wide	
No. <b>120.</b>	White, English Cotton Web, 3 Inches Wide Per Dozen,	3 40

#### Hair and Cotton Saddle Cirths or Cinchas.







Texas Cirths. One Bar.

Numbers		203
Number of Strands	16	20
White Cotton String, Length, 30 Inches	\$2.50	3 10
Soft Grey Hair, Length, 30 Inches Per Dozen.	3 - 20	3 50

#### California Cirths. Two Bars.

Numbers		242
Number of Strands	18	24
White Cotton Braided, Length, 30 Inches	\$6.50	5 00
Soft Black Hair, Length, 30 Inches	1 60	6 00

#### California Cirths. Three Bars.

Numbers		57	77
Number of Strands	18	24	32
Soft White Augora Hair, Length, 30 Inches	\$9 (8)	11.80	17 60




#### Solid Cirths.

Number	435	436
Width	4	5
Solid Jute, Length, 30 Inches. Per Dozen,	\$3 00	3 60
Solid White Cotton, Length, 30 Inches	4 20	4.80
Solid Soft Grey Hair, 30 Inches	3 60	1 20



Web Grave Lowering Strap.

Web	Crave	Straps.
-----	-------	---------




#### Web Shawi Straps, Metal Handle.

Length	Feet	5
	1 661,	U
Russet Web, 5-8 Inch Wide, with Nickel Lock Fast Buckles Per	Dozen,	\$4 (0)



Web Shawl Strap.

#### SADDLE TREES.





Single Gullet Somerset.

Single Cullet Somerset.

Double Gullet Somerset.

Size		Inches,	13	16½ 13½ 16 00	
Double Gullet Somerse	et.				
Size         Inches,         16           Width of Cantle         Inches,         14           Broad Seat, Canvas Covered         Per Dozen,         \$22,50	$\begin{array}{ccc} 16\frac{1}{2} & 17 \\ 14 & 14 \\ 23 & 50 & 25 & 00 \end{array}$	15	19 15 41 50	20 15½ 44 00	21 16 46 50

18 Measure Somerset Trees from Top of Fork to Top of Cantle, Out to Out.





Kentucky Kilgore.

Per Dozen \$14

Canvas Covered, Size, 13, 13½ or 14 Inches. Pe Kip Covered, Size, 13, 13½ or 14 Inches. Pe			
Kentucky Kilgore.	Imalian	1.4	



Horn Morgan.



Horn Morgan.

Size Seat	Inches,	13
Size Fork	Inches,	5
Cauyas Covered Per	Dozen,	\$ <b>15</b> '00
Kip CoveredPer	Dozen,	36 00


#### Muley Morgan.

Size Seat	13
Size Fork	5
Canyas Covered	\$14 50
Kip Covered Per Dozen,	36 00
Boys' Kip Covered, Size Seat, 11 Inches, With 4'2 Inch Fork	\$34.50

Measure Morgan and Kilgore Trees from Top of Gullet of Fork to Top of Cantle. Not from Out to Out.

All Above, Packed as Wanted.

#### SADDLE TREES.








#### Fall Back Wagon.


#### U. S. Army McClellan. Regulation Style.

#### With Rings and Brasses.

Hide Covered, Size, Top of Gullet of Fork to Top of Cantle, 15 Inches. .... Each, \$8 00



City Side.




#### City Side.

Size, From Out to Out	Inches,	17	$17^{1}_{2}$	18
Canvas Covered	Per Dozen,	\$25 (9)	26, 50	27 50

#### No. 2. Morgan Side.


Size, From Out to Out.	Inches,	18
Canvas Covered, With Leather Horn	Per Dozen,	\$30 00

#### Cart Trees.



No. 112. Iron End.

#### WOOL KERSEY.



#### Kentucky Osnaburg.

For Saddle Pad Lining, 36 Inches Wide, 50 Yards to the Bolt. Per Yard, \$0.30

#### Horse Boot Kersey.

72 Inches Wide, Firm Weave, White, For Boot Lining	\$II 00
1-4 Inch Thick, Extra Triple Weave, For Scalpers	2 50

#### Saddle Reeds.




Size	Small	Medium	Large
Diameter	1-8	5-32	7-32
Length, 4 Feet Per Dozen,	\$0.20	0 22	0 24

ONE GROSS IN A BUNDLE.



#### WHIP DISPLAY RACKS.



#### Straight Racks.

No. 3.	Japanned Malleable Iron, Length, 9 1/2 Inches, Holds 15 Whips	0.30
No. 2.	Japanned Malleable Iron, Length, 15 12 Inches, Holds 30 Whips	50
No. 11/2.	Japanned Malleable Iron, Length, 2013 Inches, Holds 40 Whips	

#### Universal Racks.

Portable, Made of Iron and Steel, Painted Olive Green, Gilt Trimmed; Weight, 80 Pounds, Adjustable from 8 Feet to 10 Feet in Height. Shipped from Factory.

# No. 2. Style of No. 1 Without Shelf, Holds 200 Whips. No. 1. As Illustrated, Holds 200 Whips, With Display Shelf. Each, \$20.00

#### Circular Racks.

No. O. Japanned Malleable Iron, Steel Chains With Top Plate and Terret, Diameter, 14 Inches, Holds 200 Whips...., Each, St. 20

#### Star Racks.

No. 5.	Holds 10 Whips	Each,	50	2()
No. 4.	Holds 15 Whips.	.Each.		30

#### BUCCY WHIPS.

No. <b>55</b> <sup>1</sup> <sub>2</sub> . No. <b>56</b> .	Length, 5½ Feet, Black, Thread Cover, Smooth Finish, Round End, Loop Snap
	DILE SPECIALIONS
No. <b>66.</b>	Length, 6 Feet, Java, Assorted Black, Wine and Linen Colors, Round End, Two Combination Buttons,  Loop Snap
	WELL MADE
No. 76.	Length, 6 Feet, Java, Assorted Black, Wine and Brown Colors, Rubber Cap, Two White Combination  Buttons, Philadelphia Snap
	E Cuccess)
No. <b>86.</b>	Length, 6 Feet, Java, Plack, Fine Finish, Rubber Cap, Two 4-Stitch Nankeen Hand Made Buttons, Philadelphia Snap
	PIGGEST BOOM ON EARTH
No. <b>96.</b>	Length, 6 Feet, Java, Black, Fine Finish, Round End, Loaded Butt, Two Combination Buttons, Philadelphia Snap
	BAA
No. <b>106.</b>	Length, 6 Feet, Stocked Java, Black, Smooth Finish, Two Combination Buttons, Philidelphia SnapPer Dozen, \$4-50
	ROYAL STOCKED
No. <b>116</b> ,	Length, 6 Feet, Full Stocked Java, Black, Extra Finish, Two Combination Buttons, Philadelphia Snap

#### BUCCY WHIPS.

Full Stocked Rawhide.

No. 20	<b>()().</b> Len	ngth, 6 Feet, Full Stocked Rawhide, Black, Fine Finish, Rubber Cap, Two Combination Buttons, Per Hozen, \$7 00
No. 2	<b>16.</b> Let	ngth, 6 Feet, Rawhide, From Snap Through Cap, Black, Fine Finish, Loaded Butt, Japanned Cap, Two Combination Buttons, Philadelphia Snap
	<u> </u>	EXTRA RAWHIDE
No. 2:	<b>26.</b> Ler	ngth, 6 Feet, Heavy Rawhide, From Snap Through Cap, Black, Extra Fine Finish, Heavily Loaded, Japanned Cap, Three Combination Buttons, Philadelphia Snap
		MIN CALLAMERICAN ( SIN)
No. 23	<b>36.</b> , Lei	ngth, 6 Feet, Extra Rawhide, Black, Smooth Finish, Russet Leather Sewed Handle, Japanned Rubber Cushion Cap, Two 6-Inch Nankeen Hand Made Buttons, English Snap
		Sirenia Buggy Whips. Stronger than Whalebone.
		a Testing has Proven "Sirenia" Far Superior and Tougher than Whalebone or Rawhide. In Recommending the the Manufacturer's Guarantee.
		RAWHIDE A
No. 13	368. 368½.	Length, 6 Feet, 1/2 Length Sirenia, Water-proof Lined, Black, Fine Finish, Rubber Cap, Two Philadelphia Hand Made Buttons, Half Silk English Snap
		American Servences
No. 1	370. 370½.	Length, 6 Feet, Full Sirenia, Water-proof Lined, Black, Extra Fine Finish, Three ½ Stitched Rolled Braid Hand Made Buttons, All Silk English Snap

# J. M. Eilers & Co., Cincinnati, O.

#### BUCCY WHIPS.

Patent "Skalon" Whips.

Constructed of Four Identical Strips or Segments of Rattan, Extending from Tip to Butt. Tapered from Iuside, firmly Cemented together, producing a Round Whip Stock, leaving Scale or Enamel of Reed intact. Strength, Durability and Elasticity of Rattan lies in and immediately under this Outer Scale or Enamel, making a Water-proof Whip Stock. Always retain Shape and remain Straight, regardless of Weather or Climate. Possess great Strength, Flexibility and Life. Butt of the Stock is enclosed in Patent Moulded White Metal Casting, adding Strength.

# MALON SKALON

# & SKALON



# **X** SKALON



RAW HIDE CENTER TO SPIKE

RAW HIDE CENTER TO SPIKE

# TRAVESSION ON STATE OF THE SECON STATE OF THE SECON SE

RAVVHIDE CENTER TO SPIKE







ade under live patents issued MAY 15,1900 to JULIAN POMEROY.
SOLE MANUFACTURERS
THE SKALON WHIP CO.

No. 112. Length, 6 Feet, Full Raw Hide Center, Stocked from Butt to Tip with "Skaton" Rattan, Black,
Fine Fluish, Rubber Cushion Cap, Two 2 Inch Buttons, Double Cover, Philadelphia Snap.........Per Dozen, \$16.80

#### BUCCY WHIPS.

Eel Skin Lined. Strong and Durable.





No. 406. Length, 6 Feet, Java, Eel Skin Lined, Black, Smooth Finish, Rubber Cap, Two Philadelphia Buttons,

Per Dozen, \$4 00









#### CART AND TRACK WHIPS.

# VERY (HOICE

No. 615. Length, 5 Feet, Cart, Linen Finish, Wine Painted Handle, 1 Inch Plain Nickel Head, and 3-4 Inch Plain Nickel Ferrule, Philadelphia Suap.......Per Dozen, \$3 50

No. 6241; Length, 41; Feet, Track, Full Java, Black, Fine Finish, Rubber Cap, Two Combination But-

No. 63413. Length, 413 Feet, Track, Full Stocked Java, Linen Finish, Sewed Pig Skin Handle, Rubber 

No. 64443. Length, 413 Feet, Track, Full Rawhide, Linen Finish, Russet Leather Sewed Handle, Rubber 

#### Harvester Whips.




No. 21012. Length, 101/2 Feet, Hickory Stock, Black Finish, Oue Piece, White Thread Top, 9 Inch Loop

#### COACH WHIPS.

	English Hollies and French Malaccas.
No. <b>1000</b> .	. Coach Length. Finely Knotted, Russet Leather Sewed Handle. Plain Nickel Head and Ferrule, Thread Top. English KeeperPer Dozen, \$10.00
No. 1005	. Pony Cart Length. Finely Knotted, Russet Leather Sewed Handle, Plain Nickel Head and Ferrule, Thread Top, English KeeperPer Dozen. 510-00
No. <b>1010</b> .	Coach Length, English Holly. Raised Burnt Knots, Russet Leather Sewed Handles, English Head and Ferrule, Horsehide English Gig Top
No. 1015.	Coach Length, Malacea. 8 Plait, ½ Tandem White Thread Top, 1 ¼  Inch Plain Nickel Head and 1 ½ Inch Ferrule, Checkerboard Keeper,  Philadelphia Suap
No. 1035.	Coach Length, French Malacca. Dark Mottled, Fancy Knots, 40 Clusters, 4 Knots in Each Cluster, Enamel Knots, Super Horse Hide English Gig Top, 134 Inch Plain English Head
No. <b>1040</b> .	Coach Length, "Ladies" English Holly. Very Best Full Dressed, 118 Natural Burnt Knots, Extra Quality Russet Leather Sewed Handle, German Silver English Head and Ferrule, Super Horse Hide English Gig Top
No. <b>1045</b> ,	Coach Length, Imported English Holly. Raised Burnt Knots, Genuine Alligator Leather Sewed Handle, 2% Inch Head and 214 Inch Hand Chased Silver Ferrule, Super Horsehide English Gig Top Each, \$4.50
No. <b>1050.</b>	Coach Length, Full Knotted Imported English Holly. Knotted White Celluloid Handle, 112 Inch Hand Chased Rolled Gold Fer-

rule, Best English Horsehide Gig Top ...... Each §5 50



# Drop Top Whips.

# Cab and Express Styles.

No. 500	Length, 54 Feet, Java Express, Heavy Thread Covered, Linen Finish, Japanned Nail Head,	
NO. 1900.	Length of Drop, 212 Feet, Loop Snap Per Dozen, St. Length of Drop, 212 Feet, Loop Snap Per Dozen, Snap Per Dozen	51 - 50
	Length of Drop, 212 Feet, Loop Shap	
No. 590		
	Tanana of Mari Haad White Thread Ind Length of Drop. Z'a Peet, Checker board Keeper, non-pendapit et alle	2 40
No. 550	The Print I have been been been been been british to be the been been been been been been been be	
No. 300.	Inch Chased Nickel Plug End Head, Length of Drop, 3 Feet, Loop Snap	3 50
	Inch Chased Nickel Plug End Head, Length of Diop, & Teet, Loop Start Michael Head	
No. 5490	T A C D. A Dail Stanland Indo Extrems Right Fine Finish, I flich Flam Nickel Heat,	
MO. DAMA.	4 Plait, Imitation Buck Top, Length of Drop, 2½ Feet, Wound Keeper	F 00
	4 Plait, Initiation Buck Top, Length of 1710p, 222 Teet, Walth B. Llengton Rut-	
No. 565.	Length, 5 Feet, Full Stocked Java Express, Wine Color, Rubber Cap, Two Combination But-	- 50
	4 and O Digit White Thread Ton Length of Uron, Ziz Feel, Would Recpet, 1,000 study	i) i)()
	tons, 2 I lait white I mead top, he may be placed to the later than and 1. Inch	
No. 580.	Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Chased Nickel Head, and 11, Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Chased Nickel Head, and 11, Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Chased Nickel Head, and 11, Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Chased Nickel Head, and 11, Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Chased Nickel Head, and 11, Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Chased Nickel Head, and 11, Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Chased Nickel Head, and 11, Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Chased Nickel Head, and 11, Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Chased Nickel Head, and 11, Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Length, 6 Feet, Rawhide Express, Black Finish, 1 Inch Length, 6 Feet, Rawhide Express, 1 Inch Length, 6 Feet, 1 Inch Le	\$ 00
	Length, o Feet, Rawline A Plair Imitation Buck Top Length of Drop. 3 Feet, Wound Keeper Per Dozen,	· (III)

#### RIDING WHIPS.

No. <b>700.</b>	Length, 3 Feet, Black, Red Painted Handle, Two Combination Buttons, Philadelphia SnapPer Dozen. \$2 00
- Control of the Cont	
No- <b>710.</b>	Length, 3 Feet, Black, 1 Inch Plain Nickel Head and 112 Inch Plain Nickel Ferrule, Philadelphia Snap.,Per Dozen, \$2.76
	NICESCENDING BENGINEELE AND
No. <b>720.</b>	Length, 3 Feet, Plain Painted Rawhide, Fancy Plaited Handle, Two 3 Stitch Buttons, Leather Loop, Plaited Snap
	BOH WAP
No. <b>725.</b>	Length, 3 Feet, Rawhide, Black Thread Covered Japanned Cap, 4 Stitched Head Buttons, White Cord Handle Loop, Loop Snap
<del></del>	RAWHIDE
No. <b>730.</b>	Length, 3 Feet, Rawhide, Black, Lizzard or Alligator Handle, Japanned Rubber Cushion Cap, Two 4 Stitch Hand Made Buttons, Half Silk English Snap
	RAWHIDE
No. <b>735.</b>	Length, 3 Feet, Rawhide Linen Finish, Rubber Cap, Two 4 Stitch Hand Made Raised Buttons, White  Cord Hand Loop, Half Silk English Snap
	Whistle Dog Whips.
No. <b>815.</b>	Solid Leather, Fancy Square Braided Center, Silver Whistle
	Whip Snaps.
	Cotton Half Silk All Silk orted Colors, 1 Gross in a Bunch
Rad Hear	Whip Cracker Silk.  vy 3 Ply, Left Hand Twist, 14 Skeins to the Ounce
i IICa	., 2 - 1., 2 - 1

#### TEAM WHIPS.




#### Oiled Leather, Buck Stitch.



#### Rawhide Leather Covered.

Leather Stocked, Black Leather Cover, Wax Thread Hand Harness Stitched, Twisted Buckskin Lash, Straight Seam.

Length	Feet,	4	$41'_2$	5	$5\frac{1}{2}$
	Steel Center Rawhide Per Dozen, \$1				
No. 340.	Extra Heavy Solid Rawhide Center	24 (10)	28 00	32/00	36 00



#### Solid Leather Center.

Black Leather Cover, Twisted Buckskin Lash, One Button and Loop.

Length Feet, 3	$34_{2}^{2}$	4	4 1/2
No. 205. Cart Per Dozen, \$8 00			
No. 320. Team Per Dozen,		13/00	15 00

#### Express Whips.



- No. 405. Full Length Stocked Rawhide Center, Black Leather Cover, Braided Point, Two Buttons, Full Length,




#### SWIVEL DROVER WHIPS.



California Style	, 6 Plait Lat	go Leather	. Leather	Button at	Hamlle.
------------------	---------------	------------	-----------	-----------	---------


Length	 Feet,	- 6	8	10



California Style, 8 Plait Jacksonville Latigo Leather, Buckskin Point.

Length	10 12	14
No. 530. Swivel Handle Per Dozen, 83	\$ 00 42 00	48 00

#### Lashes.



### Heavy Latigo.

Length	Feet, 3	312	4	5	6	$\mathbf{s}$	10
No. 105. 4 Plait	Per Dozen, \$1.50	1 80	2 (0)	2 50	3 00	± ×11	15 (10)

## Cenuine Buck Tips.

LengthInches, 18	24
For Team Whips, 4 Plait	I $-60$

#### Rawhide Switches.

#### For Covering.


Painted	Solid Assorted Color.	Pail Crown	Plus and Plack 3	Foot	Dur Though \$0 10


### Whip Stocks.


	HICKORY STOCK				1
Length	Feet, 21 <sub>2</sub>	312	4	412	5
Hickory.	White Shaved, Oiled Buckskin Keeper	1.90	2 20	2.50	2 80

Java. Length, 4 Feet, Black, 13, Inch Plain Nickel Head, Two 11, Inch Plain Nickel Ferrules, Buckskin

#### DISPLAY RACKS.







Front view of Rack Displaying Robes,

#### Portable Revolving Display Racks.

#### For Displaying Summer and Winter Lap Robes.


Frame is made of Steel Piping. Stand, of Malleable Iron. 5 Rollers revolve on the Top Rod. Each Roller has 9 Screw Eyes. Each Screw Eye will hold from one to a dozen or more articles. Rack holds from 25 to 30 Winter Robes and 125 Summer Robes. It is easily moved on High Grade Casters towards brightest light, thus Exhibiting Robes to the best advantage. Goods can be quickly taken from Rack when sold.


 Size
 Regular
 Extra Large

 Price
 Each, \$11.00
 16.00

#### Randall Display Racks.

#### Made of Harwood. Stained.







Cut of Rack in Operation.

Cut of Rack as Set Up Against Wall.

Arm Pins.

Save handling and folding. Keep goods smooth and clean. Enable salesman to display with utmost ease and best advantage. Weight on Arms is supported by floor, which prevents sagging from wall or partition. Sagging of Arms is overcome by brace running from point near outer end of Arm to base resting on floor.

Arms, 5 feet 9 inches long Height from the floor, 5 feet 4 inches.


Arms are fitted with pins for easily attaching Blankets, Robes, etc.

Racks can be put up to swing either to right or left, against wall, taking but little space.


Simple in construction and easily set up. Any special number of Arms to order.

Number Arms to Each Rack	12	18	24
Rack Complete	<b>≴11</b> 50	15 50	Ia 00

# HORSE CLIPPERS.



Cadet. For Fetlocks and Foretops, Finely Nickel Plated, Detachable Plates, Single Spring which can be removed and Adjusted to Tension Desired	\$1.20
Extra Top Plates	60
Extra Bottom Plates Each,	70
Extra Springs Each,	20




No. 64. For Trimming about the Ear and Fetlocks, Finely Nickel Plated	#2 (H)
Extra Top Plates Each,	80
Extra Bottom Plates	1 00
Extra Springs Each,	20




No. 58. For Fetlocks and Foretops, with Anti- Friction Ball Bearings, Finely Nickel Plated	, \$2	2 3
Extra Top Plates	,	9
Extra Bottom Plates	, J	£ ()
Extra Springs		-)
Tracta tractage and the second		

CLIPPERS, ONE PAIR IN A BOX.

## HORSE CLIPPERS.



Lenox. A Well Built, Serviceable Clipper, Central Tension, Full Polished	<b>\$1</b>	90
Extra Top Plates		84
Extra Bottom Plates	1	00



New Market. A carefully constructed High Grade Clipper, Center Tension, Full Polished	\$2.20
Extra Top Plates	84
Extra Bottom Plates	1 00




B. B. With Anti-Friction Ball Bearings, Full Nickel Plated	Each,	\$2	60
Extra Top Plates	Each,		96
Extra Bottom Plates	Each,	I	44



No. 271. Coates' Plier Handles, for use with either Right or Left Hand, Anti-Friction Ball Bearings, Full Nickel Plated, Fetlock can be Trimmed with Animal's Foot on the Ground, without Operator Changing His

I late if I can be I immediate the I make a second the original of the origina	
Position Each, §3	3-30
Extra Top Plates Each,	70
Extra Bottom Plates Each, I	1.50
Extra Springs Each.	20



No. 159. Coates' Anti-Friction Ball Bearings, Full Nickel Plated	$2^{-60}$
Extra Top Plates Each, 1	
Extra Bottom Plates Each, 1	1 90

CLIPPERS, ONE PAIR IN A BOX.

# Horse Clipping Combs.




Aluminum Clipping Comb.



Full Size Cut. Cenulne Hard Rubber.

.. .. . ..




No. 91%. Length, 8 Inches, Curved Blades, with Leather Covered Handles and Bows...... Each, \$1.60 Six Pair in a Box.

# HAND POWER CLIPPING MACHINES.



20th Century Clipper.






No. 1902. Clipper

No. I. Clipper. Enclosed Type.


# No. 1902. Chicago Clipper.

# CLIPPING MACHINE PARTS.



# Clipper Knife Complete.

New "Stewart Patent", Chicago Knife and Handle (complete head)	Each, \$5 60
Trew Stewart Laters , emerg	T 1. 1 (*0)
New "Stewart Patent", Chicago Handle only	Each, 1 60



# Principal Parts of Stewart Patent Clipper Knife and Handle.

NT- 100	Top Plate	Each.	>1	60
No. 90.	Top Plate	Each	+)	40
No. 99.	Bottom Plate	17000121	_	10
No. 91	Tension Spring	Eacn,		117
No. 00	Tension Bolt	Each,		10
NO. 772.	Tension Bott.	Each.		20
No. 93.	Eccentric Roll	TO 1		10
No. 94.	Tension Nut.	Each,		Itt
No. 05	Pin and Shaft	Each,		(1)
NO. 1777.	Shank of Handle	Each.		50
No. 974	Shank of Handle	Theats	1	(10)
No. 98.	Cap or Front Part of Handle	Eacn,	1	(11)
Chain for	Flexible Shaft Per	Foot,		60
		Foot.	- 1	50
Florible 4	Shaft Complete	2 0	-	

# ROPE HALTERS.







Cut of Nos. 02 and 14 Halter, when used as a Bridle.


Cut of Nos. 02 and 14 Halter.

# Covert's Patent.

No. 8.	Jute Rope, 7-16 Inch, Laps and Tie Ends, Clamped with Rings	
No. 9.	Sisal Rope, 7-16 Inch, Laps and Tie Ends, Clamped with Rings	
	Jute Rope, 7-16 Inch, Never Slip Loops, Adjustable to Horse or Colt Size	
	Sisal Rope, 7-16 Inch, Never Slip Loops, Adjustable to Horse or Colt Size	







Common Rope Halters. With Throat Latches.


Size	, 1-2	5-8	3-4
No. 10. Sisal Rope, 3 Ply Per Dozen			
No. 15. "Our Special Made," Sisal Rope, Full Measurement, 4 Ply	, 1-60	2 30	3 50

# Puller Halters.


# Woven Rope Halters.

ALL ABOVE, ONE DOZEN IN A BUNDLE.

#### ROPE HALTERS.



Per Dozen, \$3/20



### D. Halter.

Pure Sisal Rope, 1–2 Inch, Made of a Single Piece of Rope and can be Adjusted to Horse or Colt Size....... Per Dozen, \$3-20


# C. Halter.

Pure Sisal Rope, 1-2 Inch, Colored Red, with Yellow Throat Latch and Brow Band, Strong and Durable..... Per Dozen, \$3.50

#### A. Halter.

ONE DOZEN IN A BUNDLE,

# ROPE LEADS, CATTLE AND HORSE TIES.



No. 128.	Jute Rope, 1-2 Inch. Length, 6 Feet	Per Dozen, \$1 44
No. 558.	Sisal Rope, 9-16 Inch, Length, 6 Feet	
	Sisal Rope, 5-8 Inch. Length, 7 Feet	



# Cattle Ties.



		Nos.	110,	160	and	542

		••
No. <b>127</b> . No. <b>557</b> .	Jute Rope, 1-2 luch, Length, 8 <sup>1</sup> <sub>2</sub> Feet	Per Dozen, \$1 80 Per Dozen, 2 60
	Cattle Ties, with Snaps and Thimb	les.
No. 110.	Jute Rope, 1-2 Inch, Length, 8½ Feet	
No. 160.	Sisal Rope, 1-2 Inch, Length, 8½ Feet	
No. 542.	Sisal Rope, 5-8 Inch. Length, 10 Feet	Per Dozen, 4 30




Horse Ties.




Horse	Ties.	with	Snap	and	Thimble.


		noise ries, with chap and riminote.	
No. 44.	Jute Rope, 1-2 Inch. Length.	10 Feet	Per Dozen, \$3 70
No. 16.	Sisal Rope, 1-2 Inch, Length,	10 Feet	Per Dozen, 4 70
	•		
		Horse Ties, with Hold Fast Slides.	
No. 544	. Sisal Rope, 5-8 Inch. Lengt	a, 10 Feet	Per Dozen, \$1-70
No. 364	Sixal Rope 3-4 Inch Lengt	1. 10 Feet	Per Dozen. 6 70

# ROPE LIVERY TIES.



# Web Cattle and Horse Ties.





Web Cattle Ties, One Snap.

Width	1 1/
No. 12. Heavy Russet Web, Length, 10 Feet, Adjustable	4 60


# Web Horse Ties, Two Snaps.

Width	Inches,	1	1 4	
No. 13. Heavy Russet Web, Length, 10 Feet, Adjustable	Per Dozen	\$1.60	5.30	

# Web Hitch Strap.



#### LARIAT TETHERS AND CRAZING HALTERS.



No. 48. Tether and Picket Pin.



# Lariat Tether and Picket Pin.

With Covert Swivel Snap at each End. Pin, 15 Inches in Length, With Movable Ring at Head, Avoiding Kinking, Twisting or Tangling of Rope.

#### Crazing Halter.

## Double Crip Adjusters for Rope Horse and Cattle Ties.



No. 381 For Cattle Ties.



No. 731. For Hitching Cords.



No. 391. For Horse Ties.

No. 381.	X C Plate for Cattle Ties, for 1-2 Inch Rope	\$2.90
No. 731.	X C Plate for Livery Ties, for 3-8 Inch Rope Per Gross,	2.90
No. 391.	X C Plate for Horse Ties, for 1-2 Inch Rope	3 40


ONE GROSS IN A BOX.



Rope Thimble and Eye



Rope Clamps.



Rope Tie Maker.

Rope	Thimbles	s and Eyes
------	----------	------------

Size of Thimbles Inch. 1-2	5-8	3-4
A C Plate, with Serew Eve	0.70	0.90
Half Gross in a Box.		

## Rope Clamps.

Siz	ze for Diameter of Rope	ach,	1-2	5-8
1	C Plate Wire, For Single Rope,	oss,	\$0 6 I	0.76
N.	C Plate Wire, For Double Rope	oss.	76	90
- 4	Tate wife, for pouble cope,			

ONE GROSS IN A BOX.

#### Rope Tie Makers.


No. **651.** Steel Die to Fasten in Vise, Rope Placed in Position, One or Two Blows with Hammer Securely Fastens Clamp, Wire Clamps sufficient for 3 Dozen Ties furnished with each Die.

#### WEB HALTERS.

With Web Chin and Web Throat Latches.








Halters, Outwears Leather


No. 1. Fine White Web, 3-4 without Bits


#### Common Web Halters, Leather Corners.

#### Giant Web Halters, Metal Corners.

No. 1112. Colt Size, 12 Cord, Solid Assorted Colors, Red, White, Blue and Fawn Jute Ties..... Per Dozen, \$3.60 







No 1. Dexter.

Adjustable Web Halters, Horse Size Only.


No. 29. 13 Cord, Solid Assorted Colors, Red, White, Blue and Fawn, Patent Buckle, Adjustable to 44 Inch. 


#### Adjustable Dexter Web Halters.

#### Dexter Web Halters, Horse Size Only, 40 Inch Crown.

ALL ABOVE, PACKED HALF DOZEN IN A BUNDLE

With Web Chin and Web Throat Latches.







1, Avoiding Kinking, Twisting .....Each, #I 20

..... Each,

#### Patent Adjustable Web Halter.

No. 98. 14 Inch Heavy Web, Solid Assorted Colors, Russet, Red and Blue, 3-8 Inch Sisal Ties.......Per Dozen, \$3 60


#### Extra Hand-Made, Bleached Web Halters. Ties.

No. 82. 5 Cord, Heavy 3-4 White Web, Hand Made, 1-2 Inch Throat Latch, 3-4 Inch Chin S Browband, 3-4 Inch Leather Ties,....

No. 4. 13 Cord, Solid Assorted Colors, Red, Fawn and Blue, Patent Buckle, 3-8 Jute Ties......

# Web Driving Bridles, Lines and Martingales.








Web Driving Lines.





Web Martingale.

# Web Driving Bridles.

White Web, 3-4 Inch Wide, Nickel Rosettes with X C Bits..... No. 10. Fine White Web, 3-4 Inch Wide. Fair Leather Trimmed, Hand Made, Fine Nickel Rosettes without Bits. Each, 3 70

#### Web Driving Lines, For Single Harness.


#### Web Driving Lines, For Double Harness.

#### Web Martingales.

PACKED AS WANTED.

# WEB RIDING BRIDLES.








No. 1. Riding Bridles.

#### No. 2. Riding Bridles.

No. 2. Fine White Web, 3-4 Inch Wide, Patent Buckles, Web Billets, Nickel Rosettes, Single Rein, without Bits... Each, \$2 50







No. 3. Riding Bridles.

No. 3. Heavy White Web, 7-8 Inch Wide, Bright Rosettes, Curb Straps, Single Rein, with Bits...... Per Dozen, \$11-30

## No. 95. Adjustable Halter Bridles.

#### No. 9. Weymouth Bridles.

# LEATHER HALTERS.










Leather	Halters	with	Sensible	Trimming.
---------	---------	------	----------	-----------

	Leather Halters with Sensible Trimming.		
Size	Inches, 1	1 1/8	1 1/4 21 40
No. 443.	Heavy Leather, without Ties	19 60	21 - 40
No. 443 T.	Heavy Leather, with Ties	27 - 50	30 00
	Five Ring Leather Halters.		
Size		138	1 14
No. 5.13	All Hand Sewed, Double and Stitched Strap, without Ties Per Dozen, \$25,00	28 00	30 50
No. 543 T.	All Hand Sewed, Double and Stitched Strap, with Ties	36-30	10 50
	Six Ring Leather Halters.		
Size	liches, 1	118	1 14
Vo. 563	All Hand Sewed, Double and Stitched Strap, without Ties	28 00	30 50
No. 563 T.	All Hand Sewed, Double and Stitched Strap, with Ties	36-30	40 50









No. 103. With 7-8 Inch Leather Ties and Snaps.

Nickel Trimmed, Solid Russet Leather, Track Style, 3-4 Inch, Hand Sewed...... Each, \$4 50

# No. 4. With 1's Inch Billeted Ties.


X C Trimmed, English Style, Russet Leather, 14 Inches, Single Cheeks, Round Throat, Lined Gullet and Chin, with

## No. 85. With 11 Inch Billeted Ties.

Brass Center Bar Swedge Buckle, Brass Rings and Squares, Russet Leather, Hand Sewed, Double Cheeks, Gullet and ALL ABOVE, PACKED AS WANTED.

# TRACK HALTERS.

# Folded and Indian Tanned Yellow Raw Hide.








No. 12.






## Cooling and Riding Bridles.

### For Track Use.



	.vo. 1509.	NOS 120 and 122	NO. 126.	50, 125,		
No.	1509.	Cooling Bridle, Fine Yellow Rawhide, v	with Large Ring Bit, Nickel Plated	Hach,	\$3.0	)ii 1
No.	120.	Riding Bridle, Fine Yellow Rawhide, 5	5-8 Inch Single Cheeks and Crown 7-8 Inch	x 6 Feet Loop End		
					4 5	)(
No.	122.	Riding Bridle, Fine Yellow Rawhide.	5 8 Inch, Double and Stitched, Cheeks and Fr	ront, 7-8 Inch x 6		
		Feet Loop End Reins, Brass Trip	mmed, No Bit	Each.	ā 5	įΕ
No.	126.	Riding Bridle, Yellow Rawhide, 3-4	Inch Double Cheeks, Calf Folded Crown, 7-81	nch x 6 Feet Loop		
		End Reins, Brass Trimmed, No.	Bit	Each,	6 0	Ю
No.	128.	Riding Bridle, Imported White Englis	sh Web, 3-4 Inch Double Web Cheeks, 7-8 I	nch x 7 Feet Loop		
		End Reins, Brass Trimmed, No.	Bit, a Stronger Bridle than Yellow Ra	aw HideEach,	F; ()	ŧ( I


#### INTERFERING DEVICES.







Rubber Trotting Roll.



Lignum Vitae and Ebony Trotting Roll.

#### Rubber Ankle Boots.

# Rubber Trotting Rolls.

# Lignum Vitae and Ebony Trotting Rolls.











Interfering Boot and Gait Spreaders		Per Dozen, \$12-50
-------------------------------------	--	--------------------


# Rubber Stick Outs.

# Rubber Dangles.

Front and Hind Leg Ankle Boots.








2.00.1 11 0110 1.1


## Single Ankle Boots, One Strap.


No.	45.	Black Leather, Double and Stitched Cup, Rawhide Straps, Sliding Pad	\$2/30
No.	47.	Heavy Russet Leather, Double and Stitched Cup, Rawhide Straps, Sliding Pad Per Dozen,	-2 - 70
No.	48.	Extra Large, Heavy Russet Leather, Double and Stitched, Rawhide Straps, Sliding Pad	3 50
No.	43.	Heavy Black Leather Cup. Felt Lined, Pinked Edge, Rawhide Straps, Sliding Pad	3.50





Ankle Boots, Two Straps.






No. 56

Front and Hind Leg Ankle Boots.





No. 075. Ankle Boot,

No. 3. Ankle Boot.






Dan Patch Ankle Boots.

Heavy Russet Boot Leather Cup, Calf Skin Lined, Two Rawhide Straps...... Per Dozen, \$7 00

Lord Derby Ankle Boots.





No 31 XX.

No. 61. Ankle Boots.

Heavy Russet Boot Leather Cup, Calf Skin Lined, Two Rawhide Straps, Protects Side and Back of Ankle......Per Dozen, \$12.00

No. 31 XX. Ankle Boots.

#### Front Leg Boots for Road and Track.









No. 1012. No. 10

Made in Three Sizes Only; Small, Medium and Large.

No. 1012.	Bell Quarter Boot, with Single Buck Roll	\$4.50
No. 1018.	Quarter Boot, One Strap, Close Fitting, Calf Skin Lined	3 50
No. 1019.	Quarter Boot, Two Strap, Close Fitting, Calf Skin Lined	1.50
No. <b>1020.</b>	Quarter Boot, Three Strap, Close Fitting, Calf Skin Lined	ă ()()
No. 1027.	Quarter Boot, Pacing, with Inside Protection, Calf Skin Lined	5 00
















No. 1119.

No. 1120.


No. 1192.	Shin and Ankle, Calf Skin Wrapper, without Elastic	\$3.50
No. 1119.	Shin and Knee, Calf Skin WrapperPer Pair,	5 ()()
No. 1120.	Shin, Ankle and Half Knee, Calf Skin Wrapper	5 00
No. <b>1113.</b>	Not Illustrated, Shin, Ankle and Tendon, Calf Skin Wrapper, with Elastic	6 ()()

For Road and Track.




# Made in Three Sizes only; Small, Medium and Large.

No. 1137.	Knee Boot, Close Fitting, Russet Leather, Leather Lined Per Pair, \$3 00
No. 1138.	Knee Boot, Close Fitting, Russet Leather, White Felt or Booting Lined
No. 1139.	Kuee Boot, Close Fitting, Black Leather, Dark Colored Felt Lined



No. 83. Knee Cap Boot, Russet Leather Cap, Fawn Felt Lined, no Elastic. Per Pair, \$4.00 No. 1147. Knee Cap Boot, Heavy Brown Felt Lined. Per Pair, 3.50 No. 1160. Knee and Arm Boot, White Felt or Booting Lined, without Suspenders. Per Pair, 5.50 Knee and Arm Boot, White Felt or Booting Lined, with Suspenders. Per Pair, 7.00



No. 1261.Ankle and Speedy, Cut Calf WrapperPer Pair, \$4.00No. 1243.Hind Shin and Ankle, Calf Skin Wrapper, without ElasticPer Pair, 4.00No. 1283.Hind Shin, Ankle and Speedy Cut, Calf Skin Wrapper, without ElasticPer Pair, 7.50

#### For Road and Track.







NO. No.

# Made in Three Sizes only; Small, Medium and Large.


No. 1200. Scalper, Full Front Protection, Leather Covered Pad, Leather Key Per Pair, \$3.50

No. 1201. Scalper, Full Front and Side Protection, Leather Covered Pad, Leather Key Per Pair, 3.50

No. 1209. Coronet Boot, Elk Skin Lined Per Pair, 2.50









Calking Boots and Shoe Boil Rolls.

No. 1327.	Calking Roll, Patent or Harness Leather, with Soft Inner Roll	\$2.70
No. 1331.	Calking Boot, Metal Covered	4 50
	Shoe Boil Roll, Black Chrome Leather, Hair Stuffed	
No. 1329	Shoe Boil Roll, Canyas Top, Heavy Webbing Side	1.50









333.

No.	1325.	Hock Boot for Stable or Shipping	\$6 00
		Poultice or Lawn Boot, Harness Leather, Sole Leather Bottom Per Pair,	
No.	1333.	Felt Soaking Boot, with Sponge Frog PadPer Pair,	5 50
No	1331	Plain Soaking Swah, made of Heavy Wool Felt Per Pair,	3 00

Bell Quarter Boots.







No 3 V



No. 4.



No. 3. As Applied.

No. 3.	Bell Quarter, Leather, Single Buck Roll	Per Pair, \$6 70
	Bell Quarter, Vulcan Leather, Single Buck Roll.	
	Bell Quarter, Compressed Felt, Single Buck Roll	
No. 10.	Bell Quarter, White Elk Skin, Single Roll, (Light Weight)	Per Pair, 6 70
No. 3 X.	Bell Quarter, Leather, Flexible Top, Buck Roll.	Per Pair, 7 40
	Bell Quarter Leather same as No. 3, with Two Buck Rolls	Per Fair 7 40







Nos 6, 7 and 7 X




No. 8.




Nos. 9, 11 and 11 V.


No. 6.	Bell Quarter, Wool Top, White Kersey Bottom	air, 🖫	\$5 40
No. 7.	Bell Quarter, Wool Top, White Kersey Leather on BottomPer P		
No. 7 X.	Bell Quarter, Chrome Calf, Wool Covered, Light Weight and Flexible		
No. 8.	Bell Quarter, same as No. 7 with Soft Buck Covering the Wool	air,	S 70
No. 9.	Hinge Bell Quarter, Wool Top, (Light Weight)Per P	air,	8 00
No. 11.	Hinge Bell Quarter, Leather, Flexible Top	air.	8.70
	Hinge Bell Quarter, Vulcan Leather, Flexible TopPer P		

Hinge Quarter Boots.





Close Fitting Quarter Boots.










Pacing Quarter Boots.



No. 15.	Quarter Boot, Leather Hinge, Calf Lined (for Hard Hitters)	, <u>\$</u> 5 00
No. 23 X.	Quarter Boot, Vulcan Leather, Half Inside Protection, Light Weight	6.70
No. 27.	Quarter Boot, Leather, with Chrome Calf Lining, Inside Protection	6.70
No. 27 V.	Quarter Boot, Chrome Calf Lined, Inside Protection, made of Vulcan Leather	7 40
No. 27 X.	Quarter Boot, Compressed Felt, Chrome Calf Lined, with Rawhide Strap around Bottom Per Pair,	7 40
No. 27 XX.	Quarter Boot, "Coney" Style, Compressed Felt, with Rawhide Covering, Light Weight and StrongPer Pair,	S 00



Nos, 24, 24 X and 24 V  $\,$ 

No. 24 X. As Applied





Nos. 37 and 37 V

No. 24.	Quarter Boot, Elk Skin Lined, for Hard Hitters, with High Inside Protection
No. 24 X.	Quarter Boot, Calf Lined, "John R. Gentry" Style, Light Weight Per Pair, 7-40
No. 24 V.	Quarter Boot, Chrome Calf Lined, made of Vulcan Leather
No. 24 XX.	Quarter Boot, Compressed Felt, Chrome Calf Lined with Rawhide Strap around Bottom
No. 37.	Quarter Boot, Chrome Leather, Calf Lined, Extra High Inside Protection
No. 37 V.	Quarter Boot, Vulcan Leather, same Pattern as No. 37, Extra High

Front and Hind Leg Ankle Boot.






Nos. 51, 52, 78 and 58

Nos. 51 X and 67.

No. 51.	Front Ankle Boot, Calf Wrapper, Light Weight	Per Pair, 🛂 00
No. 52.	Front Ankle Boot, Kersey Wrapper, Silk Elastic	
No. 58.	Front Ankle Boot, all Kersey, Chrome Calf Lined.	
	Front Ankle Boot, Chrome Cali Wrapper, made of Vulcan Leather.	Per Pair, 4 00
	Front or Hind Ankle Boot, with Heel Extension. Calf Wrapper.	
	Front or Hind Ankle Boot, Calf Wrapper. with Heel Extension	










No. 55. Hind Ankle Boot, Calf Wrapper, Silk Elastic .....

...... Per Pair, \$5 40







No.	54.	Front Ankle Boot, Kersey, with Leather Heel Extension	\$3 -	40
$N_{ij}$	62.	Front Ankle Boot, Cali, with Leather Heel Extension	3 4	(t)
No	53.	Front Ankle Boot Compressed Felt Protects Side and Back of Ankle Per Pair	5 -	10





No. 63 V.


Ν.	63.	Hind Ankle Boot, Compressed Felt, Protects Front, Side and Back Ankle	)
N		Hind Ankle Boot, Vulcan Leather, Protects Front, Side and Back Ankle	

Made in the following sizes: 88, Extra Small, 8, Small, M, Medium, L, Large, LL, Extra Large, sent direct from Factory Prepaid.

Front Leg Shin and Ankle Boots.



No. 92.	Shin and Ankle, Calf Wrapper, Silk Elastic	þ
$N_0$ . 93.	Shin and Ankle. Kersey Wrapper, Silk Elastic	}
No. 92 $X_{\bullet}$	Shin and Ankle, Calf Wrapper, no Elastic	1
$N_0$ . 92 V.	Shin and Ankle, Chrome Calf Wrapper, Vulcan Leather, Silk Elastic	ì
No. 100.	Shin and Ankle, Moisture Proof Kersey Wrapper and Shin, Silk Elastic	i



Shoe Protectors.





Nos.			
.VOS.	21	and	200

No. 86.	Drivers' Shoe Protectors for Sulky use, Made Extra High	\$4 00
No. 87.	Drivers' Shoe Protectors for Sulky use, Black Leather Per Pair,	2.30
No. 88.	Drivers' Shoe Protectors for Sulky use, Russet Leather Per Pair,	2 30

# Front Leg Shin Boots, Shin Rolls and Elastic Stockings.







No. 71.

No. 81. 

2101 7 27	time proof and the first control of the first contr	*
No. 73.	Shin Boot, Calf Wrapper, with Half Tendon Protection	5 40
No. 81.	Shin Rolls, Drab Buck, 3, 4 and 5 Inches Per Pair,	5 40
No. 81.	Shin Rolls, Drab Buck, 6 InchesPer Pair,	6.70










Made in the following sizes: SS, Extra Small, S, Small, M, Medium, L, Large, LL, Extra Large, Sent direct from Factory Prepaid.

Front Leg, Shin, Ankle and Tendon Boots.




No. 112 X. No. 10812. As Applied. Shin, Ankle and Soft Tendon, Calf Wrapper...... .....Per Pair, \$9 40 No. 108. No. 10814. No. 111. No. 113. No. 113 V No. 112 X. 

No. 115.




Nos, 120, 120 X, 120 V, 120 VX, 122 and 122 X. Nos, 125, 1251 and 127, No. 120. As Applied. Shin, Ankle and Half Knee, Calf Wrapper, Silk Elastic..... ......Per Pair, \$ 5 00 No. **120.** No. 120 X No. 120 V 6.70 5 00 No. 120 VX 6.70 No. **122**. No. 122 X. 6.70 No. 123. No. 125. No. 12512. 10.70 No. 127.

Improved Pattern Knee Boots.



Nos. 136, 142, 143 and 143 V.





No. 142 As Applied.


No. 146

No. 143 V. As Applied.

240, 14= 24 121.11		
No. 136.	Knee Boot, Chrome Calf, Well Padded and very Soft, Anti Chafing Per Pair,	\$6.70
No. 142.	Knee Boot, Compressed Felt, Covered with Chrome Calf, very Light and Perfect Fitting, Anti Chafing Per Pair,	8 70
No. 143.	Knee Boot, Compressed Felt, Light Weight, Close Fitting, Full Pad, gives good protection and does	
	not turn on the leg. Auti Chafing Per Pair,	70
No. 143 V.	Knee Boot, made of Vulcan Leather, (Sweat Proof) Calf Lined, Extra Light, good Protection and will	
	not absorb moisture	-8.00
No. 146.	Knee Boot, Close Fitting Leather Cup (Sweat Proof), Calf Lined	× 00



No. 144 As Applied.



Nos. 138 and 114.



No. 147





No. 148 V. As Applied.

No. 138.	Knee Boot, Two Strap, White Wool, Felt LinedPer Pair,	\$5 40
4.4.4	Knee Boot, Leather, White Felt Lined, with extra Padding under Knee Cap, giving good protection	
No. 144.	Knee Boot, Leather, White Felt Lined, with extra Fadding timer Knee Cap, giving good protection	a =
	for Hard Hitters	0.0
	Der Pair	6 00
No. 147.	Knee Cap Boot, Heavy Wool Felt Lined, Improved Pattern	() ()()
No 148 V.	Knee Boot, Crescens Style, made of Vulcan Leather, Chrome Calf Wrapper, Felt Lined	5 (10)


Made in the following sizes: SS, Extra Small, S, Small, M, Medium, L, Large, LL, Extra Large, Sent direct from Factory Prepaid.

445 Knee and Arm Boots.







No. 153. As Applied No. 158 V. As Applied



No. 157 V. Roman Knee and Arm, made of Vulcan Leather, (Sweat Proof) Calf Lined, Soft, Light and good pro-No. 158 V. Knee and Arm Boot, Vulcan Leather, Felt Lined, well Padded and very Soft, with Suspenders.......Per Pair, 12 00 Made in the following sizes: 88, Extra Small, 8, Small, M, Medium, L, Large, LL, Extra Large, Sent direct from Factory Prepaid.


Knee and Arm Boots.






No. 157 X. As Applied.


No. 157 X. Showing inside of the Star Pointer Knee and Arm Boot.




No. 157 X. Star Pointer, 


Knee and Arm Boots.





Elbow Boots.





Scalpers and Coronet Boots.







No. 202.	Scalpers, Full Side Protection, Leather Key	, \$4.70
No. 204.	Scalpers, Full Front and Side Protection, Leather Key	
No. 204 X.	Scalpers, Full Front and Side Protection, Leather Key, Light Weight Per Pair	, 4.70
No. 204 XX.	Scalpers, Full Front and Side Protection, Extra Light Weight, with Two Short Front Pads, allowing	
	Dirt or Sand to drop through	, 4.70







No. 205.	Scalpers, Full Front and High Side Protection, Leather Key	Per Pair,	34 70
No. 207.	Scalpers, Full Inside Protection, Leather, Extra Light Weight		
No. 207 V.	Scalpers, Full Inside Protection, Vulcan Leather, Extra Light Weight	Per Pair,	4 00
No. 208.	Scalpers, Compressed Felt, Full Front and Side Protection, Leather Key	Per Pair,	5 40
	Scalpers, Vulcan Leather, Full Front and Side Protection, Chrome Calf Lined		







No.	209.	Coronet Boot, Leather, Chrome Calf Lined, Light Weight and Durable	\$3 40
No.	209 V.	Coronet Boot, made of Vulcan Leather	4 00
No.	210.	Coronet Boot, Compressed Felt, Chrome Calf Lined, Extra Light Weight	4 00
		Coronet Boot, same as No. 209 but One Half Inch Higher. Per Pair,	
		Coronet Boot, Vulcan Leather, same as No. 209 but One Half Inch Higher Per Pair,	
No.	212 V.	Coronet Boot, Vulcan Leather, Front and Side Protection	4 70

Made in the following sizes: 88, Extra Small: 8, Small: M, Medium; L, Large: LL, Extra Large. Sent direct from Factory Prepaid.

Scalper and Speedy Cut Boots.






No. 215.

No. 215. Scalper and Speedy Cut, Light for Colts.


No. 215 V. Scalper and Speedy Cut, made of Vulcan Leather, Light Weight.

Per Pair, \$6.70

Per Pair, \$6.70



No. 218.
No. 218 X.
No. 218 X.
No. 220.
No. 220 V.
Scalper and Double Leather Speedy Cut, Elk Skin Lined, for Hard Hitters, Full Protection.
Per Pair, \$8.00
Per Pair, \$8.00
Per Pair, \$8.00
Per Pair, \$8.00
Per Pair, \$9.40
Scalper and Speedy Cut, Vulcan Leather, Compressed Felt Speedy Cut, Full Protection.
Per Pair, \$9.40
Per Pair, \$9.40
Per Pair, \$9.40
Per Pair, \$9.40



No. 228. Scalper and Speedy Cut, Leather Scalper, Compressed Felt Speedy Cut, Light Weight, with Full and
Perfect Protection Per Pair, \$8.00

Full Inside Leather Scalper, Compressed Felt Speedy Cut, with Full Inside Speedy Cut Protection,
Extra Light Weight Per Pair, \$8.00


No. 228 V. Full Inside Vulcan Leather Scalper and Speedy Cut, Lightest Speedy Cut Boot made Per Pair, \$8.00

No. 212. Scalper Keys, Heavy Rawhide Per Dozen, 1.00

No. 213. Quarter Boot Keys, with Buckle Pieces, Rawhide Per Dozen, 2.00

3e Made in the following sizes: SS, Extra Small: S, Small: M. Medium: L. Lurge: LL, Extra Lurge, Sent direct from Factory Prepaid.

Hind Ankle and Speedy Cut Boots.




No. 240. Ankle and Speedy Cut, Hinged Speedy Cut


No. 243. Ankle and Speedy Cut, Calf Wrapper

Per Pair, 58 to


Per Pair, 58 to


Per Pair, 7 50






Hind Leg Shin and Ankle Boots.







Nos. 261, 261 X, 261 V and 262.

No. 259.	Hind Shin and Ankle, Calf Wrapper, with Silk Elastic and Extension Heel	\$8 00
No. 261.	Hind Shin and Aukle, Calf Wrapper, with Silk Elastic	7 50
No. 261 X.	Hind Shin and Ankle, Calf Wrapper, without Elastic	6 00
	Hind Shin and Ankle, Vulcan Leather. Chrome Calf Wrapper, Silk Elastic	
	Hind Shin and Ankle, Leather Shin and Ankle, Moisture Proof Kersey Wrapper, Silk ElasticPer Pair,	











No. 270 V.


18 Made in the following sizes: SS, Extra Small, S, Small, M, Medium, L, Large, LL, Extra Large, Sent direct from Factory Prepaid.


Hind Leg, Shin, Ankle and Speedy Cut Boots.






Hind Leg, Shin, Ankle and Speedy Cut Boots.










Made in the following sizes: SS, Extra Small: S, Small: M, Medium: L, Large: LL, Extra Large. Sent direct from Factory Prepaid.

Hock, Shin and Ankle Boots without Speedy Cut.









Hock, Shin, Ankle and Speedy Cut Boots.





No. 300. As Applied.








No. 310. As Applied.


#### Hock, Shin, Ankle and Speedy Cut Boots.






No. 309 X. As Applied.

No. 309 X. Hock, Shin, Ankle and Speedy Cut, Moisture Proof Kersey, Compressed Felt, Hinged Speedy Cut Front Protection Per Pair, \$16 00







No. 309 V. Hock, Shin, Ankle and Speedy Cut, Chrome Calf Wrapper, Vulcan Leather, Front Protection .........Per Pair, \$16-00 

No. 317 V. Hock, Shin, Ankle and Speedy Cut, Chrome Calf Wrapper, Vulcan Leather, Front Protection........Per Pair, 16-00

Running Boots.







			No.

No. 399.	Ankle Boot, Chrome Call and Vulcan Leather, Light Weight	, 51	£Ο	#()
No. 400.	Ankle Boot, Fine French Calf Wrapper Pair	, 4	l 0	Ю
No. 401.	Ankle Boot, Soft English Wool Booting, Chamois Bound, Leather Cap	, 4	1 7	0













No. 405 V.

No. 407.	Shin and Ankle, Fine French Calf Wrapper
No. 407 V.	Shin and Ankle, Chrome Calf Wrapper, Vulcan Leather Shin, Extra Light
No 408.	Shin and Ankle, Fine French Calf Wrapper, with Ankle Extension, Protecting Back of AnklePer Pair, 7 40
	Shin and Anble Chrome Calf Wrapper Vulcan Leather with Ankle Extension Per Pair. 7 40









# Running Boots.









No. 426 V.

No. 405.	Black Elastic Stocking, with Tendon Brace and Heel Protection, for runners only	\$6.70
No. 406.	Black Elastic Stocking, Extra Strong, for runners only	6.70
No. 426 V.	Heel Boot, Improved Pattern, made of Chrome Calf, Extra Light Weight	6.70
No. 427.	Heel Boot, Improved Pattern, Fine French Calf WrapperPer Pair,	6.70



No. 419 and 419 V.





No.	419.	Cut Down or Back Cord Boot, Fine French Calf Wrapper	\$ 6.70
No.	419 V.	Cut Down or Back Cord Boot, made of Chrome Calf and Vulcan Leather	6.70
No.	422.	Cut Down and Hock Boot, Fine French Calf Wrapper	10.00
No.	154.	Mosul Style Knee Spreader, the most perfect and practical device made for Colts and aged Horses	
		Dow Doire	141 (41







No. 172 N. Silk.

No. 173 and 173 C.


Rubber Tubing.

No. 172 X.	Heavy Silk Knee and Arm Boot Suspenders, Improved Style with Reverse Billet to Buckle	SI 00
No. 173.	Heavy Silk Knee and Arm Boot Suspenders, to Button on Per Pair,	1 ()()
No. 173 C.	Heavy Blue Cotton Knee and Arm Boot Suspenders, to Button on	1 70
No. 173 X.	Heavy Silk Knee and Arm Boot Suspenders, to Buckle on	2.00
No. 173 XC.	Heavy Cotton Knee and Arm Boot Suspenders, to Buckle on Per Pair.	1.70
No. 175.	Elbow Boot Suspenders	5 00

# Rubber Tubing.

For Horse Boot Straps.		
DiameterInch, 5-16	3-8	1-2
Plain Rubber, 3-32 Inch Thick Per Foot, \$0.24	0.30	0.36
For Florite Horse Root Wab see Page 296		

## STALLION SHIELDS.



Stalker's Humane Alarm Shield.

Complete, Ready to Strap on the Horse, no Tacks or Penetrating Needles, Light, Simple and Effective.......Each, \$11 00



Stallion Shields.


No. 452. Serving Hopple.

Serving Hopples.



#### Gear Safety Rein.

Will positively stop a Runaway, or cure a Pulling Horse, non-injurious. Can be buckled to any Bridle, no Sewing or Alterations required. Works independently of the Driving Reins. Loose end is attached to Dashboard, and by pulling same, shuts off Horse's Wind at once.



No. 501.	Best Grade Rubber	\$3 50
	Best Quality Chamois	
No. 504.	Silk, Heavy Pouch, Strong and Durable	5 (H)
No. <b>504 X.</b>	Silk, Extra Heavy Pouch, Best and Strongest made. Each,	5 5O








No. 164. Adjustable Blinkers.


No. 463.	Shadow Blinds, Best Grade Patent Leather
No. 464.	Adjustable Blinkers, the Hood is Dark Colored Open Mesh Cloth, with Leather Blinkers, Laced on,
	and adjustable to any Apule Fach 4 80

Trotting and Pacing Hopples.


# THE KESWICK HOPPLE




No. 475. Vellow Rawhide and Web Lined, Weight, 212 Pounds, Strong and Durable Connecting Straps to Lace...Per Set. \$15,00



#### TOE WEIGHTS.






## Buckeye Toe Weights.

No. 516.	Set consists of One Pair Each, 2, 3 and 4 Onnce Weights, One Pair 1 Onnce Buckeye Spurs and ScrewsPer Set,	\$1.00
No. 517.	Set consists of One Pair Each, 2, 3, 4, 5 and 6 Ounce Weights, One Pair 1 Ounce Buckeye Spurs and	
	Screws Per Set,	1 50
No. 518.	Consists of One Pair Buckeye Toe Weight, Spurs and Screws	
	Hartford Toe Weights.	

# No. 50. Set consists of One Pair Each, 2, 3 and 4 Ounce Weights, and One Pair 1 Ounce Spurs and Screws........Per Set, \$1 I0 No. 56. Consists of One Pair, 1 Ounce Toe Weights, Spurs and Screws................Per Pair, 50




## Improved Common Sense Toe Weights.

No. <b>512.</b>	Set consists of One Pair Each, 2, 3 and 4 Ounce Weights, One Pair 1 Ounce Spurs, and One Pair Im-	
	proved Safety BoltsPer Set, \$1.50	)
No. 513.	Set consists of One Pair Each, 2, 3, 4, 5 and 6 Ounce Weights, One Pair 1 Ounce Spurs, and One Pair	
	Improved Safety Bolts Per Set, 2 10	
No. 514.	Consists of One Pair Toe Weight Spurs, and One Pair Improved Safety Bolts and Screws	
Single W	eights, without Spurs	)




## Stalker's Two Minute Attachment.


# WOOL HOODS.



# Jowl or Throat Hoods.

No. 1.	Fine Wool, White Ground, Tan and Navy Blue Plaid Each,	51	70
No. 2.	Fine Wool, Slate and Buff Ground, Gold and White Plaid	2	()()
No. 17.	Fine Wool, Drop Box Weave, Fancy Plaid	•)	20
No. 70.	Fine All Wool, White and Ecru Ground, Brown Plaid	2	50






#### Short Hoods.

No. 3.	Fine Wool, White Ground, Tan and Navy Blue Plaid	\$3.30
No. 4.	Fine Wool, Slate and Buff Ground, Gold and White Plaid	4 ()()
No. 14.	Fine Wool, Drop Box Weave, Fancy Plaid	3 40
	Fine All Wool, White and Ecru Ground, Brown Plaid	
	Long Hoods.	
No. 5.	Fine Wool, White Ground, Tan and Navy Blue Plaid	\$5 40
	Fine Wool, White Ground, Tan and Navy Blue Plaid	


# WOOL SUITS.



#### Fine Shaped Walking Suits.

No. 25.	Fine Wool, Working Suit, Fancy Plaid, Drop Box Weave. Chinese Binding over Edges - Blanket and	
	Long Hood Complete Per Suit, S	\$13 50
No. 30.	Fine Wool, Working Suit, White and Ecru Ground, Brown Plaid. Chinese Binding over Edges. Blanket	
	and Long Hood Complete	24 (00)
No. 35.	Fine All Wool, White and Ecru Ground, Brown Plaid, Waved Cloth Layer, Braided; Back Plain and	
	Stitched: Large Fancy Surgingle Ornaments, Braided. Blanket and Hood Complete	29 00

# Cooling and Sweat Blankets.




# Cooling Blankets.

No. 100,	Imitation Wool Finish, Assorted Fancy Plaids, Size, 82 x 88 Inches, Weight, 21, Pounds
No. 115.	Wool and Cotton Mixed. Assorted Fancy Plaids, Size, 84 x 90 Inches, Weight, 23 PoundsEach, 3 00
No. 120.	Wool, Assorted Fancy Plaids, Size, 84 x 90 Inches, Weight, 23 Pounds
No. 125.	All Wool, Assorted Fancy Plaids, Size, 90 x 96 Inches, Weight, 3 Pounds
No. 130.	Fine All Wool. Assorted Fancy Small Plaids, Size, 90 x 100 Inches, Weight, 3 Pounds


#### Sweat Blankets.

## DOC COLLARS AND PAD LOCKS.

On Cards.









No. 100, Collars.

No. 35. Pad Locks.

No. 100. Dog Collars.





No 102. Collars


No. 102 Dog Collars.

Nickel and Brass Plated, 12 Assorted Sizes and Patterns...... Per Card, \$6-70

## WOOD BACK HORSE BRUSHES.








No. 5.	Size, 8 1/2 x 4 Inches, White Tampico, Patent Leather Handle	Per Dozen,	\$2 00
No. <b>6.</b>	Size, 834 x 4 Inches, Vellow Bass Root, Patent Leather Handle, Dark Stained Wood	Per Dozen,	2.70
No. 8.	Size, 9 x 44 Inches, Imitation Paint Stumps, Patent Leather Handle	Per Dozen,	3 50


## Leather Back Horse Brushes.


#### Tampico and Bristle.















No. 20. Size, 9½ x 4¾ Inches, Black Bristle Outside Row, Black Imitation Paint Stump Center, Black Leather

Handle
Per Dozen, \$7 00
No. 22. Size, 8¾ x 4¾ Inches, Mixed Tampico, Oval Face, Wine Back, Fair Leather Handle
Per Dozen, 7 50
No. 25. Size, 9 x 4¾ Inches, Best Quality Imitation Paint Stump, Oval Face, Fair Leather Back, Fair Leather

Handle
Per Dozen, 9 00

## LEATHER BACK HORSE BRUSHES.

Tampico and Bristle.



No. 28. Size, 9 x 5 Inches, White Bristle Outside Row, Grey Tampico Center, Patent Leather Back, Fair Leather

Handle

Per Dozen, \$ 9 50

No. 32. Size, 9 x 434 Inches, White Bristle Outside Row, Faint Stump Center, Oval Face, Fair Leather Back and
Handle

Per Dozen, 13 00


No. 31. Size, 8½ x 442 Inches, Imitation Paint Stump Center, Wire Sewed, Army Pattern, Fair Leather Back
and Handle


Per Dozen, 13 50

No. 35. Size, 9 x 434 Inches, Black Bristle Outside Row, Best Quality Black Tampico Center, Oval Face, Black
Imitation Hog Skin Back, Black Handle

Per Dozen, 14 00


#### All Bristle Horse Brushes.














## LEATHER BACK HORSE BRUSHES.

#### All Bristle.




















No. 225. Size, 834 x 5 Inches, Select Grey Russia Stiff Bristle, 1 Inch Cut, Soft Flexible Sole Leather Back, Fine
Finish


No. 225. Size, 834 x 5 Inches, Pure White Russia Stiff Bristle, 1 Inch Cut, Soft Flexible Sole Leather Back, Fine
Finish


No. 250. Size, 834 x 434 Inches, Soft Pure White Bristle, 1 Inch Cut, Solid Fair Leather Back and Handle, for
Clipped Horses

Each, 3 50

# ROOT, FIBRE AND STEEL WIRE BRUSHES.

Solid Black Backs.





No.

No. 27. Length, 7 Inches, Three Rows Rice Root, 1½ Inch Cut, Solid Wood Back, Patent Leather Handle.......Per Dozen, \$1.90. No. 38. Length, 7 Inches, Five Rows Palmetto Fibre, 1½ Inch Cut, Solid Wood Back, Patent Leather Handle...Per Dozen, 2.40.



To. 512.

No. 640










No. 1010,

140 787,







No. 1170

#### RICE ROOT BRUSHES.

Maple Wood Backs; Brass Wire Drawn.





No. 215

No. 239



So. 260.



No 280



Vo. 245.





No. 290.



No. 310,






# All Black Kittool Fibre Brushes.


With Shanks Driven Through Handle and Riveted.




No 10. 6 Bars, Lacquered, Cold Rolled Steel, Black Enameled Handle, Brass Ferrule...... Per Dozen, \$0.80



With Shanks Driven Through Handle and Riveted.






With Shanks Driven Through Handle and Riveted.




No. 11. 5 Bars, Japanned, Cold Rolled Steel, Carmine Handle, Brass Ferrule...... Fer Dozen, \$1 10



No. 29. 6 Bars, Lacquered, Cold Rolled Steel, Black Enameled Handle, Steel Wire Shank, Brass Ferrule......... Per Dozen, \$1.50


With Shanks Driven Through Handle and Riveted.






With Shanks Driven Through Handle and Riveted.







No. 299. 8 Bars, Lacquered, Cold Rolled Steel Throughout, Black Enameled Handle, Brass Ferrules

With Shanks Driven Through Handle and Riveted.






With Shanks Driven Through Handle and Riveted.






With Shanks Driven Through Handle and Riveted.




No. 1432. 6 Bars, Solid Brass, Black Enameled Handle, Brass Ferrule...... Per Dozen, \$3 70





With Shanks Driven Through Handle and Riveted.





With Shanks Driven Through Handle and Riveted.






With Shanks Driven Through Handle and Riveted.








A Self-Cleaning Curry Comb.

Fitch Pattern.










No. 50. "Hunter." Lacquered, Cold Rolled Steel, Corrugated Bars, does not Scratch or Irritate the Horse, will clean thoroughly in half the time usually required, is a Matchless Shedder and Sweat Scraper..................



No. 82. "Humane." For use on Horse Legs or on Short Haired or Clipped Horses. Steel Spring Wire.......Per Dozen, \$2 70










No. 110. 8 Bars, Description same as No. 109

Per Dozen, \$3.80



Combined Curry and Mane Comb.


# Combination Shedder and Mane Comb.

With Rubber Sweat Scraper.






# Curry Cards.



Numbers		2	1
	Inches,	312 x 54	31, x 814
Teeth Set in Leather Board	. Per Dozen,	\$0 DO	1 (0


# Metallic Main Brushes.




No. 101. Metal Bound, Rounded Wire Teeth, Set in Padded Rubber...... Per Dozen, \$7-00

#### MANE COMBS.

Oval Tops.




#### Aluminum.



#### Pyralin.

## An Unbreakable Composition Similar to Celluloid.





#### Genuine Hard Rubber.


DOC LINKS.



#### Malleable Wire.

Length Inches, 4	$\Psi_2$ and $oldsymbol{5}$	$5^{_{1}}{_{2}}$ and $6$
Plain, Nickel Plated Per Pair,	\$I 50	1.70
Plain, Brass Half Close Plated Per Pair,	[ 50	5 40
Plain Silver Half Close Plated Per Bair	5 0)	6.00

# Wrought Kidney Links and Rings.



## Diameter, 1-4 and 3-8 Inch. Lengths, 4 to 6 Inches.

Nickel Plated	Per Pair	, \$1 20
Brass Half Close Plated	Per Pair	·, 6 60
Silver Half Close Plated		S 50


## Hame Chains.



Weight	Medium	Heavy
Per Dozen,	\$ 5 (0)	5 10
Niekel Plated	7 4()	7 10
Solid Brass Per Dozen,	10 50	10 80

🗫 Dog Links, Kidney Links and Hame Chains Sent Direct from Factory Prepaid.

## Iron Pony Hames.




Sizes, 11, 12, 13, 14, 15 Inches.

Weight	Lexe Pound,	3 or 342
No. A. Imitation Rubber, Full Finish, Wire Terrets	Per Pair,	\$1.20
No. B. Imitation Rubber, Nickel Wire Terret and Draft Eye	Per Pair,	1()
No. C. Nickel, Full Finish, Electro Plate, Wire Terret	Per Pair,	±1 ()()
No. D. Brass, Full Finish, Electro Plate, Wire Terret	Per Pair,	<u> 건</u> (H)

## IRON HAMES.


In Ordering Hames State Number, Size and Weight.



London Draft Eye.

Sizes, 16, 17, 18, 19, 20, 21, 22 Inches.


Weight	Pounds,	$31_{2}$	4
No. 3. Japanned, Full Finish			1 00
No. 4. X C Plate, Full Finish			1 10
No. 7. Nickel on Composition Band Terret, Nickel Draft Eve, Body Japanned			1 60
No. 9. Nickel on Composition Wire Terret, Nickel Draft Eye, Body Japanned	. Per Pair.	1 20	1 60
No. 13. Solid Brass Band Terret, Brass Draft Eye, Body Japanned			E 60
No. 14. Solid Brass Wire Terret, Brass Draft Eye, Body Japanned.			1 60
No. 16. Nickel, Full Finish, Electro Plated, Wire Terret	Per Pair,	2 00	
No. 17. Imitation Rubber, Full Fmish, Band Terret			1 40
No. 18. Imitation Rubber, Solid Gilt Lined Band Terret, Gilt Tip Draft Eve			



Finger Draft Eye.

Sizes, 18, 19, 20, 21, 22 Inches.

Weight Po	ounds,	31/2	4
No. 21. Nickel, Full Finish on Close Plated Brass Wire Swedge Terrets	r Pair,	\$2.80	3 20
No. 24. Brass, Full Finish, Close Plated, Wire Swedge Terrets	г Pair,	2.80	3 20
No. 25. Solid White Metal, Full Finish, Close Plated, Wire Swedge Terrets			




English Anchor Draft Eye.

With Two Hole Outside Plated Clips. Sizes, 19, 20, 21, 22 Inches.

Weight			
N + 29. Solid White Metal, Full Finish, Close Plated, Swedge Terrets	Per Pair,	5.70	6.20
No. 34. Silver, Full Finish, Close Plated, Swedge Terrets	Per Pair.	12 40	15 20

## IRON HAMES.


In Ordering State Number, Size and Weight.



French Draft Eye.


Sizes, 19, 20, 21, 22 Inches.

Weight		4
No. 34.	Nickel, Full Finish, Electro Plate, Composition Wire Terrets	3.50
No. 36.	Nickel, Full Finish, Close Plated. Composition Wire Terrets	5 (10)
No. 37.	Brass, Full Finish, Close Plated, Solid Brass Wire Terrets	5 00



Sizes, 19, 20, 21, 22 Inches.

Weight	Pounds,	$3^{i_2}$	4
No. 43.	Nickel, Full Finish, Close Plate, Wire Terret	6.50	7 (10)
No. 44.	Brass, Full Finish, Close Plate, Wire Terret	6.50	7 00
No. 45.	Solid White Metal, Full Finish, Close Plate, Wire Terret	8 00	8 70
No. 46.	Solid White Metal, Full Finish, Close Plate, Swedge Terret Per Pair.	5 ()()	8.70



Boston Jug Draft Eye.

Sizes, 20, 21, 22 Inches.

Weight Pounds, 4	5
No. 51. Nickel on Composition Jug Terret and Draft Eye, Body Japanned	3 00
No. 52. Solid Brass Jug Terret and Draft Eye, Body Japanned Per Pair. 2 60	3 (4)
No. 53. Solid Brass Jug Terret and Draft Eve, Brass Close Plate Body Per Pair, 4 50	6.00

<sup>💝</sup> Boston Jug Terret Hames, also farnished with London Draft Eye at the same Price.

#### IRON HAMES.


In Ordering Hames, State Number, Size and Weight.



Rubber Compound, Anchor Draft Eye.

Sizes, 19, 20, 21, 22 Inches.

Weight Pounds, 3½	4
No. 54. All Black, Rubber Finish, Band Terrets	
No. 58. All Black, Rubber Finish, Solid Gilt Lined Band Terret,	
Close Plated Tip Draft Eye	4 20



Walker Rubber Compound, Anchor Draft Eye.

With Interchangeable Terrets. Sizes, 19, 20, 21, 22 Inches.

Weight.			Pounds, 312	4
No. 60.	All Black, Rubber Finish, with No. 90, Genuine 11	ard Rubber		
	Pand Towns		Per Pair, \$6 (0)	-6.70



Trotting Hames, Finger Draft Eye.

Narrow Band or Plain Wire Terrets.


#### Cenuine Hard Rubber Covered.

Prices Quoted on Application.

Made to Order only, to match any style Hard Rubber Covered Mounting. We do not carry these Hames in stock on account of the uncertainty of style wanted. We have them bent to fit any shape Collar.

## HOLLOW IRON HAMES.

Changeable Draft.



## Low Top.

#### Fit 19 or 20 Inch Collar.

Finish	Full Japanned	X C Upper Half	Brass Terrets Only	Nickel Upper Half
No 30. For Light Harness Per Pair,	\$1.60	1.90	2 30	3 (00)
No. 30. For Medium Harness, Per Pair,	I 80	2 20	2 60	3/20

## Ball Top.

## For Heavy Harness.

No. 10.	Full Japanned, Fit 19 to 22 Inch Collars Per Pair, \$2 10
No. 10.	X C Upper Half, Balance Japanned, Fit 19 to 22 Inch Collars
No. 20.	Solid Brass Ball only Balance Japanned, Fit 19 to 22 Inch Collars
No. 20.	Solid Brass Ball Terrets and Loops, Balance Japanned, Fit 20 to 23 Inch Collars

# HOLLOW IRON HAME TRIMMINGS.

Japanned.





No. 922. Clip with Breast Ring.

No. 920.	Clips.	For Nos. 10, 20 and 30 Hauses	<b>\$</b> 0-20
No. 920.	Clips.	For No. 50 Hames Per Pair,	20
No. 922.	Clips.	For Nos. 10, 20 and 30 Haues	32
No. 922.	Chps.	For No 50 Hames Per Pair,	32





No. 921 Square Staple


No. 923. Square Staple with Breast Ring.

S. 021	Square Staple. For Nos. 10, 20 and 30 Hames. Sizes, 14, 112, 134 and 2 Inch	0 99
No. 921.	Square Staple. For No. 50 Hames. Size, 1 4 Inch Only	22
No. 923.	Square Staple with Breast Ring. For Nos. 10, 20 and 30 Hames. Sizes, 14, 14, 14 and 2 InchPer Pair,	34
No. 923.	Square Staple with Breast Ring. For No. 50 Hames. Size, 14 Inch Only. Per Pair,	-34

# Repair Terrets and Inside Loops. For Iron Hames.



Band.



#### Band or Plain Wire.

Size Inside Diameter	Inches,	1 5/8
For Weight of Hames	Pounds,	31/2
dapanned	Per Dozen,	\$0.90
X C Plate	Per Dozen,	90
Nickel on Composition		
Solid Brass		




#### Inside Loops.

For Weight of Hame
Imitation Rubber, All Black
Nickel on Composition or Solid Brass

# HOOK HAMES.

## Rock Elm Wood




#### Steel Over Top. Length, 18 to 21 Inches.

Steel Over Top. Length, 18 to 21 Inches.			
Finish	Varnished	Painte	l Red
No. 2. Single Steel Hook, 1 Stud Line Ring, 2 Loops	<b>≸</b> 6−60		
No. 1. Double Steel Hook, 1 Stud Line Ring, 3 Loops	7 (60)	8.2	20
Farmer's Strap, Painted Red, Bronzed Top.			
Size	Inches, 1	7 to 22	23
No. 300. Heavy Double Steel Hook, 3-4 Inch Steel Backs, Half Length	Dozen Pairs,	\$× 50	9 00
Favorite, Painted Red, White Line, Bronzed T	op.		
Size	hes, 17 to 22	23	24
No. 400. Heavy Double Steel Hooks, 3-4 Inch Steel Backs, Half Length GroovedPer Dozen Pa		10 50	11 00
City Dray, Painted Red, Bronzed Top.			
With 11% Inch Stiff Bottom Loops,			
Size	thes, 17 to 22	23	24
No. 800. Heavy Forged Steel Hooks, 3-4 Inch Steel Packs, Half Length Per Dozen I	airs, \$14.50	I5 00	15 50

#### HOOK HAMES.

Rock Elm Wood.



## Richmond Strap, Painted Red.

Loose Bottom Loops, Mortised Top Loop. 2 Inches Wide at Draft.

SizeInches, 17	(o. 22	23	24
No. 11. Extra Heavy Double Forged Steel Hooks, 7-8 Inch Steel Backs, Half Length. Per Dozen Pairs. Sl	13 50	11 00	14 50
·			
Century Hook, Painted Red.			
Legg Pottern Loons Mortised Ten Loons			

# Loose Bottom Loops, Mortised Top Loops.

\_\_\_\_\_Inches. 17 to 22 23 21 00 No. 100. Extra Heavy Double Forged Steel Hooks, 7-8 Inch Steel Backs, Full Length, Per Dozen Pairs, \$20,00 20,50

# Starr's Richmond Strap, Hook Hames.

Genuine Beech Root, Mortised Loop.

Size	luches,	17 to 22	22 to 26
	Extra Heavy Hand Forged Steel Hooks, Painted Red		37 00
	Enterprise, Extra Heavy Hand Forged Steel Hooks, Painted Black		35 50

## Richmond Lace, Painted Red.

2 Inches Wide at Draft.

Size	Inehes,	17 to 22	23	24
No 33.	Extra Heavy Double Forged Hooks, Mortised Top and Bottom LoopPer Dozen Pairs,	\$13.50	11.00	11.50


## Starr's Richmond Lace Hook Hames.

Cenuine Beech Root, Mortised Loop.

Size Inches	. 17 to 22	22 to 26
No. 338. Extra Heavy Hand Forged Hook, Painted Red		25 00

#### HOOK HAMES.

Rock Elm Wood.



#### No. 166 H. Acorn Ball Top Hook.

Heavy Double Steel Hooks, Steel Rings.

#### Western Pattern Mine.

Painted Red, 3 4 Inch Oval Steel Backs.


## Beagle's Low Top Mine, Painted Black.

Select Rock Elm Wood.

Heavy Forged Steel Hooks, 3-4 Inch Heavy Steel Backs, Patent Chain Fasteners. Sizes, 14 to 22 Inches...Per Dozen Pairs, \$32 00

#### WOOD HAMES.

Steel Over Top, Rock Elm Wood, 3-4 Inch Oval Steel Backs.



Above Illustrations Show Stage Hames. Express Hames are without Breast Rings.

## High Top, Plain Wire Loops.


Style	Painted Express 11 00	•	Painted Express 10/50	s Stage
High Top, Combination Loops.				
Finish	Painte	d <b>R</b> ed	Painted	Black
Style	Express	Stage	Express	Stage
No. 460. Mule Size, 1512 to 1812 Inches, X C Half Trimmed BacksPer Dozen Pairs	s, \$11.50	12 00	11 00	11 50
No. 460. Regular Size, 19 to 22 Inches, X C Half Trimmed Backs, Per Dozen Pairs No. 460. Extra Long, Sizes, 20 to 23 Inches, X C Half Trimmed	s. 11-50	12 (0)	11 00	11 50
Backs	s. 12/50	13 00		
High Top, Painted Blue, White Stri	ped.			

Stage

12 50

# WOOD HAMES.

Metal Ball Top, Rock Elm Wood, 3-4 Inch Oval, Steel Backs.




Above Illustrations Show Stage Hames. Express Hames are without Breast Rings.

No. 166 S. Acorn Ball Top.
Style of Draft
No. 325. Acorn Ball Top.
With Combination Top Loops.
Style of Draft
No. 15. Clobe Ball Top.
Style of Draft  Trimmings Painted Red, Black Backs  Per Pair, \$1 00   1 26   1 26   1 10   1 30   1 30
No. 155. Dandy Ball Top.
Style of DraftExpressStageTrimmingsBrassNickelBrassNickelPainted Red, Quarter Trimmed with StripePer Pair, \$2.602.702.702.80
36 No. 155 Hames furnished in Horse and Mule sizes. Horse size from 20 to 23 Inches. Mule size from 17 to 20 Inches.
No. 255. Favorite Ball Top.
Style of Draft

PACKED AS WANTED.

## CONCORD HAMES.

Solid Forged Steel Backs, Upper Half Oval and Lower Half, 3-4 x I-4 Inch Flat; I Inch Loose Bottom Loops, 3 Mortised Top Loops.



## No. 61. Virginia Cart Hook.

Varnished.	Plain Top, Heavy Concord Hooks on Side	Per Dozen Pairs, \$14-50
	No. 61 Hames fit Collars from 19 to 23 Inches.	

## Plain Top Concord Hook.

Numbers	н вн
Varnished. Heavy Concord Hooks on Back	70 18 20

## Clobe Ball Top Concord Hook.

Finish	Varni	shed	Paintec	l-Red
Numbers	6	$\mathbf{s}$	6	8
Brass or Nickel Globe Balls, 118 Inch Hooks on Back Per Pair,	\$2 20	2 30	2 40	2 50

# Dandy Ball Top Concord Hook.

Numbers		6	$\mathbf{s}$
Brass and Nickel Dandy Ball, Painted Red, Short Heavy New Style, Hook on Side	Per Pair,	\$3 Io	3 30

## CONCORD HAMES.

Solid Forged Steel Backs, Upper Half Oval and Lower Half 3-4 x 1-4 Inch Flat, 14 Inch Loose Bottom Loops.







Nos. 6 and 8 Globe Ball Top.

No. 555. Special. Dandy Ball fop-

# Plain Top Concord. Three Mortised Top Loops.

Style of Draft		Express	Stage	Express	Stage
Numbers		6	6	$\mathbf{s}$	$\mathbf{s}$
Varuished	airs,	\$16 00	16 50	16.50	17 (00

## Globe Ball Top Concord.

#### Three Mortised Top Loops.

Style of Draft	Express	Stage	Express	Stage
Numbers	6	6	8	$\mathbf{s}$
Varnished, Nickel or Brass, 11/8 Inch Globe Balls	\$2 (00)	2 10	2 10	2 20
Painted Red. Nickel or Brass, 178 Inch Globe Balls	2 20	2 30	2 30	2 40

## No. 555. Special. Dandy Ball Top Concord.

## With Brass Ratchets and Combination Loops.

Style of Draft	Express	Stage	Express	Stage
Numbers	6	6	8	$-\mathbf{s}$
Painted Red. Nickel or Brass, Dandy Balls	<b>43</b> 30	3 40	3 45	3.50

## CONCORD HAMES.

Solid Forged Steel Backs, Upper Half Oval and Lower Half 3-4 x 1-4 Inch Flat,  $\Pi_4$  Inch Loose Bottom Loops, 3 Mortised Top Loops.








No. 6. Plain Top with Chain.

# Plain Top Clip Staple with Chain.

No. 1 Chain, 13 Links, Flattened.		
Number		
Varnished Per Doz	en Pairs,	\$20-50
Plain Top Bolt Hames.		
Width of Bolts, 2% Inches. With Swivels, Links and Rings.		
Numbers	6	8
Varnished. With Extra Back Strap Rings	\$21 50	22 20
Dandy Ball Top Bolt Hames.		
Width of Bolts, 21, Inches, with Swivel, Links and Rings.		
Numbers	6	$\mathbf{s}$

#### LOW TOP WOOD HAMES.

Rock Elm Wood.



# Low Top Cig.

For Single Harness.

#### Low Top Coach.

#### For Double Harness.

## Little Daisy Low Top Cig.

## 5-8 Inch Oval Steel Bound, Loose Brace Terrets

## Little Daisy Low Top Coach.


#### 5-8 Inch Oval Steel Bound, Loose Brace Terrets.

## Heavy Low Top.

Finish		Painted	Black	Painted	Red
Style of Dr	aft	Express	Stage	Express	Stage
No. 156.	Flat Steel Backs, 3-4 Inch			\$10.00	10.70
No. 175.	X C Half Trimmed Backs Per Dozen Pairs,	10.70	II 30		

## IRONCLAD HAMES.

Metal Ball Top, Rock Elm Wood, Steel Bound 3-4 Inch Oval Steel Backs.
Wood Moulded to Fit Steel.



#### No. 91 H. Quarter Trimmed Hook.

Heavy Wrought Concord Hooks, with Swivels and Rings.

Size	Inches,	19 to 20	21 to 22	23 to 24
Painted Red, 134 Inch X C Balls v.	Per Dozen Pairs,	\$15 00	18 00	20 00
Painted Red, 134 Inch Brass Balls	Per Dozen Pairs.	32 80	32 80	34/80

# No. 91. X C Plate, Quarter Trimmed Express and Stage.

Above Illustrations Show Stage Hames. Express Hames are without Breast Rings.

Style of Draft	Express		Sta	ige
Size Inches,	19 to 22	23 to 24	19 to 22	23 to 24
Painted Red, 134 Inch X C Balls Per Dozen Pairs.	<b>\$16</b> 50	18.50	17 00	19 00

## No. 91. Brass and Nickel, Quarter Trimmed Express and Stage.

Style of Draft	Expi	ress		
Trimmings	Brass	Nickel	Brass	Nickel
Painted Red, 134 Inch Balls	\$2.50	2 60	2 60	2.70
Painted Red, Chicago Balls	$^{3}$ 10	3 20	3 20	3 30
Painted Black, Chicago Balls only	2.50	2 50	2 60	2 60

#### No. 91. Quarter Trimmed Bolt.

Width of Bolt, 25 Inches. With Swivels, Links and Rings.

Style of Ball		Balnch		Chic	cago
Trimmings	CC	Brass	Nickel	Brass	Nickel
Painted Red. With Extra Back Strap Ring Per Pair 41	1 80	9 89	3 (90)	3 40	3 60


For Prices quoted are for 19 to 22 Inch Hames. Add to List of Prices 20 cents per Single Pair for 23 to 24 Inch Hames.

#### IRONCLAD HAMES.

Metal Ball Top, Rock Elm Wood, Steel Bound, 3-4 Inch Oval Steel Backs. Wood Moulded to Fit Steel.









No 41. Little Dandy Stage.

No. 90. 14 Ball Stage.

No. 90. Chicago Ball Stage

Above Illustrations Show Stage Hames. Express Hames are without Breast Rings.

#### No. 41. Little Dandy.

Quarter Trimmed, 5-8 Inch Oval Steel Backs.

Style of Draft.	Express	Stage
Painted Red, X C Balls and Trimmings	\$1.70	1 80
Painted Red, Brass Balls and Trimmings Per Pair,		

18 No. 41 Hames Fit Collars from 18 to 21 Inches.

# No. 90. Half Trimmed, Express and Stage.

Style of Draft	Expr	ess	<b>S</b> ta	ge
Trimmings		Nickel	Brass	Nickel
Painted Red, 13/4 Inch Balls	\$3 10	3 20	3 20	3 30
Painted Red, Chicago Balls Per Pair,		1.00		1 10

## No. 90. Half Trimmed Bolt.


#### Width of Bolt, 21 Inches. With Swivels, Links and Rings.

Style of Ball		Inch	Chic	
Trimmings	Brass	Nickel	Brass	Nickel
Painted Red, With Extra Back Strap Rings Per Pair,	#3 50	3.70	4 30	4.50

Prices Quoted are for 19 to 22 Inch Hames. Add to List Price 20 cents per Single Pair for 23 to 24 Inch Hames.

#### WOOD HAMES.

With "Lone Star" Patent Adjustable Draft.



Draft can be changed by raising or lowering Hook, which is held firm by Lock Spring, preventing hook from jerking out when in use. Can be used on either Chain or Clip Traces.

## No. 1. Lone Star Steel Over Top.


## No. 166. Lone Star Ball Top.

## No. 61. Lone Star Plain Top.

Oiled Wood, 1-4 Inch Steel Backs, 3 Mortised Top Loops, Loose Bottom Loops, Grooved Wood .................Per Dozen Pairs, \$17-00

# TUBULAR STEEL HAMES.

Japanned Body.



## No. 500. All Steel.

#### Weight, 5 Pounds Per Pair.

Are  $7\frac{1}{2}$  per cent lighter in Weight than Regular Concord or Steel Bound Wood Hames, and 20 to  $33\frac{1}{3}$  per cent stronger, by tests on Standard Machine.

## 14 Inch Ball, Express and Stage.

Style of Draft.	Express	Stage
Sizes		19-20 21-22
X C Plate Ball and TrimmingsPer Pair,		1 50
Solid Brass Ball and Trimmings	2 50	2.50
Solid Brass Ball, Brass Upper HalfPer Pair,	3 50	3.50
Solid Nickel Ball, Nickel Upper Half	3.90	3 90

## Hook and Bolt Hames.

Style of Draft	Hook	Bolt	
Sizes	19-20 21-22	19-20 21-22	
X C Plated, 134 Inch Ball and Trimmings		1 80	
Solid Brass, 134 Inch Ball and Trimmings	2 50	2.80	

## SCOTCH HAMES.

A Combination of White Elm Wood, Selected Carefully. Shaped and Moulded.

Fitted into correct formed Wrought Steel Backs.







Regular Scotch Stage.

Regular Chicago Ball, Scotch Stage Short Spot.

Scotch Junior, Stage Long Spot.

Stage

7 00

\$7 00

## Regular Ball Top Scotch Hames.

Loose Ring Terrets.		
Style of Draft	Express	Stage
Brass Ball only, Varnished or Red Wood, Black Backs	<i>\$</i> 3 60	3 60
Brass Ball and Short Spot Varnished or Red Wood, Black Backs	4 20	4 20
Chicago Screw Ball Top Scotch Hames.		
Loose Ring Terrets.		
Style of Draft	Express	Stage
Brass Ball and Short Spot, Varnished or Red Wood, Black Backs	∯6 60	6 60
Regular Ball, Scotch Junior Hames.		
Stay Braced Terrets.		


Style of Draft Express


Backs Per Pair,

Brass Ball and Stay Terret, Upper Half Brass Close Plated, Varnished or Red Wood, Black

## STARR HAMES.

Cenuine Beech Root Wooden Parts. Any Style Iron Draft.





No. 32. Shoe Bottom Loop.

## No. 31. Clobe Top.

## 134 Inch Ball.

-Quarter Trimme	1. Brass Ball, Brass Horn and Flexible Terret, Black or Red Wood, Japanned Flexible Bottom
Loop	Per Pair, \$ 8-50
Half Trimmed.	Brass Ball, Brass Horn, Flexible Terret and Shoe Bottom Loop, Black or Red WoodPer Pair, H 20

# No. 32. Keg Top.

#### For Brewery Harness.

Quarter Trimmed.	Brass Top, Brass Horn and Flexible Terret, Black or Red Wood, Japanned Flexible Bottom
Loop	Per Pair, \$10 00
Half Trimmed. Bra	ss Top, Brass Horn, Flexible Terret and Shoe Bottom Loop, Black or Red Wood Per Pair, 12-80

#### STARR HAMES.

Genuine Beech Root Wooden Parts. Any Style Iron Draft.




# No. 97. Clobe Top.

Fléxible I Half Trimmed. Bras	Brass Large Globe Ball, Brass Horn and Flexible Terret, Black or Red W Bottom Loop	Per Pair, \$11 20 Black or Red
	No. 41. Large Clobe Scale Top.	
	Brass, as above described.	
	No. 95. Large Urn Top.	
	Brass, as above described	
E sin	Above Hames made to order only and furnished in Sizes 19 to 20	6 Inches.

## STARR LOW TOP HAMES.

Solid Metal, Steel Center.



# For Heavy Express.

No. 152.	Full Brass, Jug Terret, 2 Inch Bolt Draft EyePer Pair,	\$10 (6)
No. 151.	With Scale or Plain Finish at Draft to match Harness Trimming, Brass Terret, Draft, Top and Bottom	
	Loop, Plain Body Per Pair,	15 00

Above Hames Made to Order.

## HAME BALLS.







No. 10,

No. 500.	1% Inch	Balls.
----------	---------	--------

Finish	X C Plate	Brass	Nickel
For No. 500 Steel Tubular Hames	\$0.30	0.70	0.80
No. 10. 13 Inch Balls.			
No. 10. 14 Inch Bans.			
Finish	X C Plate	Brass	Nickel
For Nos. 90 and 91 Steel Bound Hames		0.70	0.80
Chicago Balls, 2 \( \text{Inch, to Rivet On.} \)			
Finish		Brass	Nickel
For Nos. 90 and 91 Steel Bound Hames	Per Pair	\$1 IO	F 20






Globe

Dandy.

Clobe Ball.

Finish	Brass	Nickel
1 Inch	0.60	0.70
1 's Inch	70	0.80
Dandy Ball.		
Finish	Brass	Nickel
PricePer Pair,	\$I 30	1 40
Favorite Ball.		
Finish	Brass	Nickel
PricePer Pair,	\$2 00	2 10

## HAME TRIMMINGS.




Hold Back Plate and Ring.

Hold Back Plates and Rings.

Polished......Per Dozen Pairs, \$1-80

Breast Rings and Studs.


Polished, With Burs......Per Dozen, \$0.60



Hame Staple.

#### Pollshed Hame Staples with Burs.

# Line Rings with Studs and Burs.



Common, One Stud.

Polished.....


Common, One Stud.


....... Per Dozen, \$0-44


Concord, One Stud.

X C Plate Nickel 2 50 2.80 ≴0 50 ALL ABOVE, Two DOZEN IN A BOX.

## HAME TRIMMINGS.









Screw Repair Top Loops.

Finish	X C Plate	Brass	Nickel
Top Loops Per Dozen Pairs,		2 70	2 70
Screw Repair Top Loops, Put on without Detaching Ball	I 40	4 00	4 00
Ratchets Per Dozen Pairs,	70	4 00	4 00







Hame Repair Clips and Loops.



Japanned Per Dozen, \$0 60 Hame Bottom Loops. 




Single.




Hook with Staple,


	Single.	Hook with Staffe.	
	Ha	ıme Repair Hooks.	
Finish		***************************************	Polished
No. 54.	Single Steels Hooks, Half Opened	Per Dozen Pairs,	\$1.50
		Per Dozen Pairs,	2 30
No. 57.	Double Steel Hooks, With Staples	Per Dozen Pairs,	2 60


#### HAME CLIPS.



No. 982. 3-8 Inch, 2 Holes, Polished, For Wood Hames...... Per Dozen, \$0.30










Cut of No. 13


## Face Plate, Hand Forged Clips with Rivets.

•		(WT)	Holes.	(Three Holes)
Numbers		1	2	13
For Hames Pour	nds.	312	4	4
Nickel Close Plate Per P	air,	\$0.50	1 (0)	1 40
Brass Close Plate	air,	5()	1 ()()	04 I
Solid White Metal	air,	I 10	1 20	1.70


## EXPRESS HAME CLIPS.



Full Size Cut.








Rope Trace Clips.

Polished Per Dozen, \$1 20

Winner Repair Clips.

## Detachable Hame Clips.



Size		Inches,	1 12	1 3/
No. 18.	Japanned	Per Dozen,	\$1.90	2 20
Nto 192	V C Plata	Per Dozen		

Wear Clips.



Full Size Cut. Clip Only.

No. 953. Polished Steel.....



As Applied.




Clinched.

Per Gross, \$2 40

HALF GROSS IN A BOX.


## CONCORD HAME CLIPS.






## No. 10. Straight.

Width of Hame Bolt Inches, 1½  Japanned Per Dozen, \$1 00		•
No. 20. Improved Jointed.		





2.30

2/80


## No. 30. Jointed with Solid Clevis.

Size of Hame Bolt	`,	**	**
Size of Trace Clevis	4, 1	1 4	2
Per Dozen	1, \$2	: 40	2.60

#### No. 40. Jointed with Screw Bolt Clevis.

Size of Hame Bolt	214	2	1+
Size of Trace Clevis	2	2	1 2
Japanned	\$1.00	-‡	<del>[</del> ()

## REPAIR LINKS.







0	рe	n	Re	pa	ir	Li	in	ks.
$\sim$	$\sim$			Pu				N3.

Numbers	1	O
Gauge of Wire	9-32	5-16
Polished, Wrought Irou Per Gross,	\$I_80	$2 \ 30$
HALF GROSS IN A BOX.		

#### No. 2530. Repair Link.

Gauge of Wire	5-16	3-8
Polished, Extra Strength	\$0.50	0 70

Two Dozen in a Box.



Apron Hook and Ring.



Apron Hooks and Rings.

Japanned, Malleable IronPer Gross, \$1-80
---

One Gross in a Box.

## Rein or Satchel Hooks.

– Japanned, M	Halleable Iron		Per Dozen, \$0	5()
---------------	----------------	--	----------------	-----

## Malleable Iron Buggy Wrenches.







No. 7320. Buggy Wrenches.


Size of Axle Nuts	1
Length of Wrench Inches, 9	) I <sub>2</sub>
Malleable Iron, with 1-2, 5-8 and 3-4 Openings	30

## No. 7345. Buggy Wrenches.

Length of Wrench		Inches,	1012
Malleable Fron, with	h 1-2, 5-8, 3-4, 7-8, 1 and 1 4 Openings	Per Dozen,	\$5.20

#### TRACE CHAINS.

Straight Links. Six 2 Inch End Links.



## Polished, Regular Western Pattern.

Gauge of Wire	Numbers,	2	1	0
Diameter of Wire	1nch,	1 4	9-32	5-16
6½ Feet, 8 Links to the Foot				
7 Feet, 8 Links to the Foot	Per Pair,	92	1 08	F 40
7 Feet, 10 Links to the Foot	Per Pair,	1 04	1 20	I 52
7 Feet, 12 Links to the Foot	Per Pair,	I 30	1 50	
Coppered, Regular Western Pattern.				
Gauge of Wire	Numbers	s, 😢	1	0
Diameter of Wire	Inches	, 1-4	9-32	5-16
7 Feet, 8 Links to the Foot				
7 Feet, 10 Links to the Foot	Per Pair	,	1 50	1 80

We Regular Western Pattern Trace Chains contains 1 Link less Per Foot than indicated, namely, an 8 Link Chain contains but 7 Links Per Foot.

#### Butt or Half Traces.



#### Polished, Regular Western Pattern.

Gauge of Wire	 Numbers,	1	0
Diameter of Wire	 Inch,	9-32	5-16
2½ Feet, 10 Links to the Foot	 Per Pair,	£0 52	0.81
3 Feet, 10 Links to the Foot	 Per Pair.	61	90
o reet, 10 garks to the 1 oot	 ,		

#### Coppered, Regular Western Pattern.

Coppored, Regular Western Lattern		
Gauge of WireNuml	er,	1
Diameter of Wire	ch,	9-32
2½ Feet, 10 Links to the Foot	air,	\$0.70

## Stage Traces.



## Polished, Regular Western Pattern.

Gauge of Wire	1
Diameter of Wire	9-32
3½ Feet, 10 Links to the Foot	1 00

## Buckeye Stage Chains.



#### Polished, Regular Western Pattern.

Gauge of Wire	Numbers, 2	1
I THE INC. C. I THE COURT OF TH	Inch, I-4	9-32
312 Feet, 10 Links to the Foot, Sliding Ring		1 (0)

#### Coppered, Regular Western Pattern.

Gauge of Wire	Number.
Diameter of Wire	Inch, 9 32
31/ Feet 10 Links to the Root Sliding Ring	Per Pair, \$1/20.

Ver Regular Western Pattern Butt and Stage Chains run 1 Link short of actual count Per Foot.

## HEEL CHAINS.

Polished.




#### No. 60. With Swivel and Clip.

Finish	Poli	shed	Сорг	ered
Gauge of Wire	1	0	1	0
Diameter of Wire	9-32	5-16	9-32	5-16
Length, 12 Inches, 6 Links	\$4 SO	5 00	6.00	
Length, 18 Inches, 8 Links	5-30	5 80		7 20



#### No. 65. With Swivel and Link.

Gauge of Wire	Number, 0
Diameter of Wire	Inch, 5-16
Seven 3 Inch Links, with Swivel and Link	



#### No. 85. Swivel Dee with Screw and Roller.

## No. 0. Wire, 5-16 Inch Diameter.

Size of Dee	Inches,	11/2	1 34	2
Length, 18 Inches, 8 Links to the Foot	Per Dozen Pairs.	\$7.00	7 00	7 00




## No. 100. Plain Link Heel Chains.

#### No. O. Wire, 5-16 Inch Diameter.

6 Links only, no Swivel	 Per Dozen Pairs,	3 60
8 Links only, no Switel	Per Dozen Pairs	1.20

## BREAST CHAINS.

Polished.



Single Link.

Length, 26 Inches. 10 Links to the Foot.

Gange of Wire	0
Diameter of Wire	5-16
Straight or Bent T	0.72



#### Double Slack Link.





Covert's Short Snap-

Large Center Links, Tapering Cradually Toward Each End.

Numbers	504	206
Length, Including Snaps	28	32
X Ĉ Plated Per Pair,	\$1.20	1 (0
Covert's Adjustable		

Covert's Adjustable	
---------------------	--

Numbers	218	220
Length, Including Center Snap	28	32
X C Plated		

## CART BACK CHAINS.

#### Polished.

# 

#### Single Link.


Length.	Feet,	4	4 1/2
No. 1.	9-32 Inch Wire Gauge Each,	<b>\$</b> 0.70	*****
No. O.	5-16 Inch Wire Gauge Each,		80



#### Double Loose Link.

Length.		Fcet, <b>4</b>	4 1/2
No. 1.	1-4 Inch Wire Gauge	Each, \$1 10	
No. 0.	5-16 Inch Wire Gauge	Each	1.80


# Cart Breeching Chains.



## Polished, 5 Links with Pins.

Size of Pins Inches, 2½	3	$3\frac{1}{2}$	4
No. 0. 5-16 Inch Wire Gauge Per Pair, \$0.40	0.40	0.40	0.40
Pins only Per Dozen, 50			

## Rust Proof Halter Chains.




## Triumph Pattern.

Numbers	0	00	000
Weight Per Dozen Pounds,	10	13	16
4½ Feet Long, Rust Proof	\$3.50	4 00	4 50
6 Feet Long, Rust Proof. Per Dozen,			

# HALTER CHAINS.

Polished.




"Brown" Pattern.

Numbers	000
Weight Per Dozen Pounds, 10	$12^{\frac{1}{2}}$
4½ Feet Long Per Dozen, \$3 20	3.80



# "Perfection" Pattern.


Numbers	00	000
Weight Per DozenPounds,	14	1612
4 % Feet Long Per Dozen,	\$4.30	4 80



## "German" Pattern.

Numbers	00	000
Weight Per DozenPounds,	17	21
41/2 Feet Long Per Dozen,	\$4 50	5 30

## DOC LEADS AND CHAINS.




Cut of Triumph Dog Lead.

#### Triumph Pattern Leads. Rust Proof.



Brown Pattern Cow Chains.

## Niagara Jockey Chains.



Jockey Chains as Applied.




Jockey Chains.

 Length
 .....Inches, 10
 15

 Nickel Plated, Heavy
 .....Per Dozen, \$1 50
 1 70

#### TIE-OUT CHAINS AND PICKET PINS.





Picket Pm.

"Brown" Pattern Tie-Out Chain.	
Length Feet, 20	30
Weight Per Dozen Pounds, 40	60
No. 00. Polished Steel, with Stake Ring and Swivel Snap Each, \$1 20	1 80

Picket Pin and Swivel.


No. 50. Polished Steel, Strong and Light Per Dozen, \$3 00

#### Rein Chains.



Hand Forged.		
Numbers	246	248
Length Inches	18	24
X C Plate Per Dozen, 3	3 40	4.20
No. 256. Stallion Chain, Extra Heavy, 18 Inches Long Per		
Nos. 246 and 248. Two Dozen in a Box. No. 256, One Dozen.		

#### Side Breeching Chains.




Breeching Chain

Hand Forged.

the central at the price

Used in Place of Leather Side Straps, on Express or Heavy Single Harness.

#### METAL TEAM AND HOUSE BELLS.





Open Team Bells.

#### With Cast Iron Loops.

Number	8
Diameter	3
Nickel Plated, Wronght Steel	12 50

#### Open House Bells.

#### With Improved Tongue Fastening.

Numbers	1	3
Diameter Inches,	21/8	2 ½
Bright, Extra Selected Metal	<b>\$</b> 2 10	3 00

#### Shaft Chime Bells.






No. 12.

No. 42. Japanned Iron Strap, Nickel Bells. .... Per Pair, \$3 30



No. 1150,

#### SLEICH AND CAB BELLS.







#### Round Loose Sleigh Bells.

#### For Wire Fastening.


Numbers 1	2	:3	4	5	6	7	$\mathbf{s}$	9	10	11	12	13	14
DiameterInches, 11/8	1 14	138	$1^{-1.2}$	1.58	1 3,	1 7/8	$2^{\tau_8}$	$2\frac{1}{4}$	238	$2^{1}_{2}$	25%	21/8	3
PolishedPer Dozen, \$0-70	I 00	1.30	I 50	I 50	2 00	2 25	2.90	3.50	4 10	4.70	5 50	6.50	8.00

#### Round Loose Cab Bells.

#### With Malleable Iron Loops.

Numbers	4	04
Diameter Inches,	1 5/8	2
Nickel Plated Per Dozen,	\$4.00	5 00

PACKED AS WANTED.




#### Neck Straps.

#### Polished Round Bells, Wire Fastened.

No. 30.	With 11 Bells, Assorted, Nos. 1 to	6Per Strap. \$1 6	60
No. 37.	With 13 Bells, Assorted, Nos. 2 to	8	50
No. <b>54.</b>	With 17 Bells, Assorted, Nos. 4 to	12Per Strap, 5:	20

TWO STRAPS IN A PACKAGE,




#### Body Straps.

#### Black Harness Leather, with Bells Riveted.


No. 173.	With 24 Tinned Bells, No. 2 Each,	\$3.30
No. 175.	With 36 Tinned Bells, No. 2	4.30
No. 192.	With 24 Extra Smooth White Metal Rim Bells, No. 2	5.10
No. 194.	With 36 Extra Smooth White Metal Rim Bells, No. 2	6.00


PACKED TWO STRAPS IN A PACKAGE.

#### SADDLE CHIMES.



No. 810.	Nickel Plated		)
No. 216.	Nickel or Brass Plated	Each, 3 00	)
No. 811.	Nickel Plated	Each. 4 20	)






No. 416.	Nickel or Brass Plated Each, \$4 20
No. <b>012.</b>	Nickel Plated
No. 112,	Gold Plated Each, 7 20


#### HARNESS HOOKS.

Japanned Iron. Heavy.



 No. 170.
 8 Inch, Single Hook
 Per Dozen, \$1.70


 No. 171.
 10 Inch, Single Hook
 Per Dozen, 1.90



 No. 162. 51, Inch, Double Hook
 Per Dozen, \$1 40

 No. 166. 8 Inch, Double Hook
 Per Dozen, 1 80

#### HARNESS HOOKS.




#### CHAMOIS SKINS.



#### Oil Tanned, Perfect, and of Superior Quality.

No. 232.	Size, 12 x 16 Inches	\$ 1.50
No. 243.	Size, 15 x 20 Inches	7 20
No. 252.	Size, 17 x 23 Inches	9 50
No. <b>260.</b>	Size, 19 x 25 Inches	11 00
No. 272.	Size, 24 x 29 Inches (Oil Dressed Skin Shaped) Warranted to Wash	16.00

## "Selvyt" Polishing Cloth.



#### For Shop, Stable and Home Use. Improved by Washing.

No. A.	Size, 10 <sup>1</sup> / <sub>2</sub> x 10 <sup>1</sup> / <sub>2</sub> Inches	 Per Dozen, :	. 2 70
No. C.	Size, 14 x 17 <sup>1</sup> <sub>2</sub> Inches	 Per Dozen,	+1-(1()

#### Sponges.

Velvet Carriage Sponges, 6 to 10 to a Pound	 Per Pound,	\$6 50
Rock Island Sheep Wool Sponges, 4 to 6, 6 to 8, 8 to 10 and 10 to 12 to a Pound	 Per Pound.	9 50

#### APRONS.



#### Rubber Washer Aprons.

#### Complete with Bib and Brass Eyelets.

No. <b>100.</b>	Size, 34 x 43 Inches, Medium Quality.	$\dots\dots\dots E$	ach, \$2 f	5()
No. <b>200.</b>	Size, 34 x 43 Inches, Heavy Quality	E	ach, 2 s	90



\*\* The Ode of \*\*

Nos. 11 and 13,


#### Leather Aprons.

#### Made of Heavy Chrome Mule Skin. Complete with Leather Strings.

$No_{\tau}$	1.	Size, <b>25 x 29</b> Inches	<b>\$2</b> 90
No.	11.	Size, 26 x 34 Inches, with Bib Each.	3.20

#### SUN SHADES.

With Steel Spring Rollers.



Is Self-Adjusting and can be left on Carriage Post when not in use. Can be used on Side or Back of Carriage without removing from Post. Wire Frames are Fine Nickel Plated. Hooks, Rubber Covered.


No.	46.	Drab or Green Silesia	<b>#</b> I	10
No.	78.	Blue or Green American Cloth	1	90
No.	160.	Gloria Silk, Black Only Each	•)	30
No.	110.	Green, 10 Ounce, American Cloth		

ONE SHADE IN A BOX.

#### Adjustable Storm Aprons and Storm Fronts.



Cut of Storm Apron.



Adjustable Storm Aprons.

Cut of Storm Front

Made with Two Steel Clamps, Fastened at Edge of Apron, 18 Inches apart. Clamps fit Dash like Clothes Pins over a Line and holds Apron securely to any Size Dash.

Numbers	- 3	•>
Size	54 x 50	60 x 50
Best Quality Rubber Drill, 22 Ounce Per Dozen.	\$18.50	23 30
Best Quality Melodeon Cloth, 24 Ounce	20.70	26 50

#### Adjustable Storm Front.

Fit any Buggy. Elastic at Top and Dash. Window made of Flexible Transparent Celluloid, 12 x 20 Inches, Reinforced with Leather. Metal Reinforced Line Pockets prevents Lines from Tearing and Sagging Cloth. Sides fasten to Bows with Clamps, which can be easily removed and adjusted.

No. 10.	Rubber Drill, 22 Ounce, Best Quality	51	()()
No. 15.	Melodeon Cloth, 28 Ouice, Best Quality. Each,	5	50

#### Transparent Sheet Celluloid for Storm Fronts.

#### WACON AND CARRIAGE JACKS.








#### Miller's Wagon Jacks.


#### Made of Hard Wood, Oiled.

#### 

#### Lock Buckles and Crip Handles.







Grip Haudle.

#### Lock Buckles.

Size	1 4
Japanned, with Keys Per Pozen, \$3 00	
Brass Plated, with Keys	


#### ONE DOZEN IN A BOX.

#### Detachable Crip Handle.

#### Fits the Hand Perfectly.

Can be applied to rings on any Case, Grup, Valise, Satchel, Shawl Strap, Suit Case, etc., without the use of any tool whatev	er
Size	5.8
Assorted Colors, Maroon, Russet and Black Per Dozen, \$1 00	5 00

#### HIP SOCKETS.











No.	20.	Japanned Wire, for Leather Dash. Per Dozen,	\$3.00
No.	10.	Japanned Wire, for Wood Dash (same as No. 20)	3.00
No.	471/2.	Wood, Fine Japanned, with Band Fasteners, Rubber Top, Length, 612 Inches Per Dozen,	I 60
No.	2450.	Fine Japanned, Malleable Iron, for Leather Dash, Length, 612 Inches	1.50
No.	2452.	Fine Japanned, Malleable Iron, for Wood Dash, Length, 61, Inches	1.50


#### Folding Third Seats.





Made of Best Bar Steel, Brussels Carpet Seat. Can be used as a Carriage Third Seat, Camp Chair, Child's Chair or Hassock.

No. 413.	Fine Japanned Each, \$1 I0
No. 213.	Fine Japanned, with Folding Back Each, 1 50



No. 1. Dash Leather Covered. Complete with Bolts.

Height	ies, 11	13	1.5	17
19 Inches in Length Ea		2 - 10	2 30	2.50
20 Inches in Length		2 20	2 40	2 50
21 Inches in Length.		2 - 20	2 40	$2^{-}60$
22 Inches in Length Es	ich, 2 10	2 - 30	2.50	2.70
23 Inches in Length	sch, 2 I0	2 30	2 50	2 80
24 Inches in Length	ach, 2/20	2 40	$2^{\circ}60$	2.90
25 Inches in Length Ea	$10^{10}$ ch, $2/20$	2 50	2.70	3 00
26 Inches in Length	ach, 2 30	2 50	2.80	3 00
27 Inches in Length.	ach, 2 40	2 60	$2^{-90}$	3  I0
28 Inches in Length E.	sch, 2 40	2 70	2 90	$3 \ 20$
29 Inches in Length Ea	100 sch, $100$ sch, $100$	2.80	3 10	3 30
30 Inches in Length	ach. 2 50	2 80	3 10	3 40

Cive Height and Length of Dash when Ordering.


#### Anti-Rattlers and Quick Shifters.




1 X L



Button's No. 1. With Bolt Holder.



Johnson's Nos. 1 and 2.



Fernald's Shifter as Applied,

#### Johnson's Anti-Rattlers.

# ONE DOZEN PAIRS IN A BOX. Fernald's Quick Shifters.

#### CARRIAGE TRIMMINGS.


Enameled Cloth.



#### Leather Crain, White Back.

Width Inches, 50	54	GO
Black Enameled Drill. Per Yard, \$0.64	0.74	
Black Enameled Duck Per Yard, 80		1.18
12 Yards to a Bolt. Add 4 Cents to List for Less than a Bolt.		

#### Rubber Cloth.




#### Leather Grain, White Back.

Weight Per Yard	1 00		32 1 24
Leather Crain, Blue or Green Back.			
Weight Per YardOunces,			30
Rubber Drill, 50 Inches Wide	SI 00	1 20	
Rubber Duck, 50 Inches Wide		I 34	1 10
Packed in Rolls of 50 Yards. We Cut off any Quantity Wanted. Special Price	Quoteo	Lon	

### Application for Orders by the Roll. Head Lining.

No. 1.	Blue or Green, Cotton and Wool Mixed.	Per Yard, \$0 80
No. 2.	Blue or Green, All Wool.	Per Yard, 1 30

#### Carriage Heaters and Coal.







#### No. 5. Oval Top Heater.

A Metallic Case, constructed without Solder or Castings; absolutely unbreakable; no danger of fire. Oval Top, fine Carpet covered, asbestos lined to prevent Scorching Carpet. Will give continuous Heat for 15 Hours. 

#### Carbon Coal.

Size or Brick,  $7\frac{1}{4}$  Inches Long,  $2\frac{1}{2}$  Inches Wide,  $1\frac{1}{4}$  Inches Thick. Burns without Flame. No Smoke, Soot or Odor, gives steady, reliable and uniform Heat. Extinguished and Relighted at Will. One-Third Brick gives enough Heat for ordinary purposes. 

# J. M. Eilers & Co., Cincinnati, O.

#### STEEL SHAFT ENDS.

For Repairing Broken Shafts.



Shaft End.











#### Wagon Umbrellas.


Sprague's Ciant Steel Frames, with Heavy Malleable Iron Runners.



No.	8 8.		Each,	
No	$8 \text{ B} \cdot$	Best Quality, Buff, Green or Blue Drill, Size, 38 Inches, Extra Heavy Frame 8 Ribs	Each,	2.60
No.	80.	Best Quality, Blue or Green Duck, Size, 40 Inches, Extra Heavy Frame, 8 Ribs	.Each,	3 00
No.	40,	Best Quality, Blue or Green Duck, Size, 40 Inches, Heavy Rattan Ribs, 8 Ribs	Each,	3 20

#### LEATHER AXLE WASHERS.





Nut and Collar.

Nut and Collar Washers. In Sets.

LD F.	1150	ante

	Nut and Collar Washers. In Sets.				
Size of Axle	Inches, 3-4 7-8	15-16	1	1.5%	14
5 Sets in a Box		0 42	0.42	0.46	0.52
	Adjustable Leather Washers. In Coils.				
Size	Inches	, 7-8	1	1 1 s	1 4
	ls in a Box, Equal to 100 WashersPer Box				


#### Brass Crommets with Washers.





Numbers	0	1	**	:3	4
Diameter of Opening Inch,	7-32	5 16	3-8	7-16	1-2
One Gross Complete in a Box Per Gross,	\$0.70	0.90	1 - 20	1 80	2.40

#### Prop Block Rubber.



#### Curtain Knobs.














2. No. 35. Knob and Pin.

No. 64.	Japanned, 3-4 Inch Plain Shank, To Drive Per Gross.	Ž()	7()
No. 72.	Japanned, 7-8 Inch Plain Shank, To Rivet	,	7()
No. 35.	Japanned, Knob with Pins Complete, To Screw	-)	10
No. 74.	Japanned Steel, 5-8 Inch Screw	1 :	20
No. 75.	Japanned Steel, 3-4 Inch Screw Per Gross.	1	30

#### CURTAIN STRAPS AND FASTENERS.

Full Size Cuts.





# Knob Eyelets. Full Size Cuts.



No. 1. Front View.




No. 1. Back View.




No. 9.

#### Wagon Curtain Patches.

#### Full Size Cuts.



Screw Eye.



No. 2.

No. 2. Japanned Metal Ring, 5 Prongs, Harness Leather Strap, with Screw Eye and Inside Ring, Diameter, 1 Inch...Per Gross, 8 00 ONE GROSS IN A BOX.

#### BUCKLE LOOPS.


Metallic Japanned.




No. 2. Length, 2 Inches, Single Buckle, Size, 5-8 Inch..... Per Dozen, 80-50 Per Hundred, \$3-50




No. 3. Single Strap, 100 in a Box Per Hundred, \$3 50




#### CURTAIN LICHTS.



Nos. 12 and 15.






No. 8. Plain Glass, Japanned Metal Frame, Size, 2 x 5 1 Inches.

No. 10. Plain Glass, Japanned Metal Frame, Size, 2 x 5 1 Inches.

Per Dozen, 52 Io

Per Dozen, 2 Io

#### BUCCY CUSHIONS.



#### Biscuit Style Seat, with Fall.

No. 49.	Imitation Leather Each,	\$2	30 N	ō	56.	12 Ounce Union Cloth Each,	\$3 50
No. 50.	Split Enameled Leather Each,	ō	20 N			LeatheretteEach,	
	Machine Buffed Enameled Leather Each,		00 N	o.	86.	Split Leather Seat, Imitation Leather Fall, Each,	4-60
No. <b>54.</b>	14 Ounce Cloth Each,	1	80 N	o.	82.	Velour, Green, Red or OliveEach,	2.90
No. 55.	Corduroy Each,	2	90 N	ο.	84.	Whip Cord, Heavy Each,	3 30

Add to List 20 Cents Per Inch, for Cushions over 29 Inches.
 Give Length and Width of Seat, Inside of Bottom. Width, Top and Bottom of Fall, or Send Paper Pattern.

#### Wagon Cushions.


Width, 14 Inches, Length, 24, 26, 28, 30, 32, 34 and 36 Inches.




#### Fine Excelsior Stuffed and Tufted.


No. 2		Enameled Muslin, with Facing	"Per Dozen,	\$11/20	No. 9.	Rubber Drill, with Facing Per	r Dozen, \$14-70
No. 4	١.	Enameled Drill, with Facing	. Per Dozen,	13.70	No. 10.	White Duck, with Facing Per	r Dozen, 20-50
No. 5		Enameled Duck with Eacing	Per Dozen	15, 50			

#### With Facing and Fall.



No. 12.	Enameled Muslin Pe	er Dozen, \$12 90	No. 19.	Rubber Drill Per Dozen, \$18.00
No 14.	Enameled DrillPe	r Dozen, 16 00	No. <b>110.</b>	White Duck Per Dozen, 21 70
No 15.	Enameled Duck Pe	r Dozen, IS 50		








No. 620, No. 120.


 No. 620.
 Width, 6 Inches, Plain Green or Blue
 Per Yard, \$0.40

 No. 120.
 Width, 6 Inches, Plain Green or Blue
 Per Yard, 50










#### WATERPROOF HORSE COVERS.




Cut of Breast Cover.

#### No. 6. White Duck Covers.

Width To Breast, with Hame Pockets, Snaps and Leather Straps	,	66
PRICES QUOTED ON APPLICATION.		
Brown Parafine Duck Covers.		
Width  To Breast, with Hame Pockets, Snaps and Leather Straps		66

PRICES QUOTED ON APPLICATION.





6.00

5-60

#### Black Oiled Covers.

#### Never-Stick Finish.

Material	Sheeting	Drill
To Head, in One Piece	<b>\$3</b> 00	3 50
To Breast, with Hame Pockets	2 90	3 30
Rubber Covers.		
Material	Sheeting	Drill
To Head Each,	\$	7 50

#### WHITE WEB HARNESS.

Light, Durable, Strong and Novel.


Made from Standard Web of Great Tensile Strength. Stronger than Leather of same Dimensions. Nothing to Crack or Rip. All Parts Safely Adjustable with "Never Slip" Loops,



Queen City Web Bitting Harness.

For encouraging Colts in learning to carry the Bit, and to wear Harness.

#### Queen City X C Trimmed. Single. Horse or Pony Size.



Single Buggy Harness with Breast Collar

Bridle. 3-4 Inch.

Lines. 1 Inch. To Loop In.

Breast Collar. 2 Inches, Inside Points Finished with Fair Leather.


Traces. 13/8 Inches, One Length around Breast Collar, Ends Reinforced with Fair Leather.

Saddle. Flexible, Stuffed Pad, 212 Inches.


Saddle Skirt. 2½ Inches Wide, Reinforced at Points with Fair Leather.

Crupper. Fair Leather, Stuffed. Weight. 6 Pounds.

#### HORSE COLLARS.








Nos. 102, 103, 104, 105 and 106.

No. 101.	Fair Split Back and Rim, White Duck Face, Thread Sewed Rim, Patent Fasteners	\$18-70
No. 102.	Black Split Back and Rim, Blue Ticking Face, Thread Sewed Rim, Patent Fasteners	19 30
No. 103.	Black Split Back and Rim, Blue Ticking Face, Half Sweeney Rim, Patent Fasteners	21 - 00
No. 104.	Black Split Back and Rim, Blue Ticking Face, Metal Sewed Rim, Patent Fasteners	21 - 00
No. 105.	Black Split Back and Rim, Red Ticking Face, Thread Sewed Rim, Heavy Patent Fasteners	23/00
No. <b>106.</b>	Black Split Back and Rim, Red Ticking Face, Half Sweeney Thread Sewed Rim, Patent Fasteners Per Dozen,	25-50
No. 107.	Fair Hog Back and Rim, White Duck Face, Thread Sewed Rim, Patent Fasteners	23 - 00



No. 108




Nos. 109 and 110.

ťο,	108.	Black Split Back and Rim, Double Blue Ticking Face, Thong Leather Sewed Rim and Edge, Full Size		
		Draft, Patent Fastener Per Dozen,	\$35 (	)()
νo.	109.	Black Kip Back and Rim, Double Blue Ticking Face, Thong Leather, Sewed Rim and Edge, Hair	•	
		Faced, Extra Wide Draft, Patent Fasteners Per Dozen,	48 (	)()
Vο.	110.	Black Kip Solid Back and Rim, Double Blue Ticking Face, Thong Leather Sewed Rim Case and Bil-		
		let, Genuine Irish Case, All Hand Made, Extra Wide Draft	96 (	)()







Scotch.

Black Kip Back and Rim, Fair Face, Thread Sewed Rim, Medium Stage Pattern, 2 Buckles.......Per Dozen, \$44.50 Black Split Back and Rim, Fair Kip Face, Thread Sewed Rim, Medium Stage Pattern, 2 Buckles......Per Dozen, 39.00 Black Kip Back and Rim, Fair Kip Face, Thong Leather Sewed Rim, Heavy Stage Pattern, 2 Buckles.Per Dozen, 53.00

No. 114. Black Kip Back and Rim, Fair Kip Face, Thong Leather Sewed Rim and Edge. Light Imitation Scotch Pattern, 2 Buckles ......

Black Kip Back and Rim, Fair Kip Face, Thong Leather Sewed Rim and Edge, Heavy Imitation ...Per Dozen, 54 00


Scotch Pattern, 2 Buckles

Black Kip Back and Rim, Fair Kip Face, Thong Leather Sewed Rim and Edge, Solid Back, Wool Faced, Heavy Scotch Pattern, 2 Buckles. ....Per Dozen, 62 50


Black Kip Solid Back and Rim, Fair Kip Face, Thong Leather Sewed Edge, Double Thong Leather Sewed Rim, Genuine Hair Case Pattern, Buckle Top...... Per Dozen, 100-80

......Per Dozen, 64 00

No. 118. Black Kip Solid Back and Rim, Fair or Black Kip Face, Ribbon Thong Leather Sewed Edge, Double
Thong Leather Sewed Rim, Hair Faced, Buckle Top
No. 119. Black Kip Solid Back and Rim, Fair Kip Face, Ribbon Thong Leather Sewed Rim and Edge, Thong 



Half Sweeney Pattern




No.	120.	Black Kip Back and Rim	Fair Face, Thong Leather Sewed Rim, Stage Pattern. Buckle TopPer Dozen.	-55 O
No.	121.	Black Kip Back and Rim	. Fair Kip Face, Thong Leather Sewed Rim and Edge, Scotch Pattern. Buckle	
		Top	Per Dozen,	57 A

Full Sweeney Patterns. No. 122. Black Kip Back and Rim, Fair Kip Face, Thong Leather Sewed Rim, Stage Pattern, Buckle Top ......Per Dozen, 58 00 No. 123. Black Kip Solid Back and Rim, Fair Kip Face, Thong Leather Sewed Rim and Edge, Wool Faced. No. 124. Black Kip Back and Rim, Fair Kip Fack, Thong Leather Sewed Rim and Edge. Extended Stitched


#### 548

#### HORSE COLLARS.




#### Sheepskin, Hog and Kip.

	Sheepskin, nog and Kip.		
No. 200.	Buggy, All Black, Sheepskin, Thread Sewed, 2 Buckles	Per Dozen,	<b>\$19 20</b>
No. 201.	Buggy, All Black, Hogskin, Thread Sewed, 2 Buckles	Per Dozen,	27 50
No. 202.	Buggy, All Black, Kip, Thread Sewed, 2 Buckles	Per Dozen,	33 60
No. 203.	Buggy, All Black, Full Kip, Thread Sewed, 2 Buckles	Per Dozen,	36 00
No. 204.	Buggy, All Black, Kip, Solid Back Rim and Face, 2 Buckles	Per Dozen,	40 00
No. 205.	Artillery, All Black, Kip, Thread Sewed, 2 Buckles	Per Dozen,	44 50
No. 206.	Baronche, All Black, Kip, Solid Back, Rim and Face, Thread Sewed, 2 Buckles	Per Dozen,	45 60
No. 207.	Coach, All Black, Kip, Solid Back, Rim and Face, Thread Sewed, 2 Buckles	Per Dozen,	50 50
	Half Patent Leather.		
No. 301.	Buggy, Patent Leather Back, Kip Rim and Face, Fair Face, Thread Sewed, Buckle Top	Per Dozen,	43 50



cos 100, 401 and 102

#### Full Patent Leather.



No. 500. Princess.

No. 400.

Buggy, Patent Leather Back and Rim, Fair Kip Face, Thread Sewed Rim, Turned Edge, Buckle Top,...Per Dozen,
No. 401.
Barouch, Patent Leather Back and Rim, Fair Kip Face, Thread Sewed Rim, Turned Edge, Buckle Top Per Dozen,
No. 402.
No. 500.
Coach, Patent Leather Back and Rim, Fair Kip Face, Thread Sewed Rim, Turned Edge, Buckle Top, Per Dozen,
Coach, Princess Style, Patent Leather Back and Rim, Fair Kip Face, Thread Sewed, Turned Edge,
Coach, Princess Style, Patent Leather Back and Rim, Fair Kip Face, Thread Sewed, Turned Edge,
Coach, Patent Leather Back and Rim, Fair Kip Face, Thread Sewed Rim, Turned Edge, Buckle Top, Per Dozen,
65 00

•		

	3-		
			(,
	÷	2.0	

# PRICE CHANGES.

## APPLYING TO CATALOGUE No. 2.

# J. M. EILERS & CO., Cincinnati, O.

Page 5.	Lock Stitch Machi				
··· Champion '',				- Fer Pound,	. 10
Page 5.	Machine or Boot	Thread.			
	ey			Fer Pour I. Per Pour I.	\$1.50
Page 6.	Barbour's 3 Cord	Thread.			
No. 35. 1 Ounce Ball	s,			Per Pour I	\$3.70
Page 73.	Harness Ri				
Size	Inches, 3-8	1-2 5-8 0.25 0.31 25 31	3-4 7- 0-12 0 12	-8 1 50 0.62 50 62	1 10
Page 73.	Breeching R	ings.			
Nickel on Composition	Inches, 14, 13, .Per Doren, 50 92 1 16 Per Doren, 92 1 16	1 34 1 64	2 (6) 2 70	$-3 \cdot 30 = 3 \cdot 60$	3.40
0	Heavy Team Trac				
Size No. <b>495.</b> Japanned			Inches, 1 er Dozen, \$2	3 <sub>4</sub> 2 20 2 40	2 %
Page 80.	Malleable Iron To	ug Hooks.			
No. <b>463.</b> Japanned				Per Posen.	\$1.50
age 100.	Breast Strap Snaps	and Buck	les.		
No 438. X C Plate			Per	Dozen Pairs.	-3.46
Page 104.	o. 308. English Br	idle <b>B</b> uckl	es.		
Nickel on Composition Solid Brass	Inches, 3-8 1-2 Per Gross, \$3.60 3.60Per Gross, 3.60 3.60Per Gross, 4.50 4.50	\$ (4) \frac{1}{2} \cdots .	15 (16)	50 × 40 = 50	161-670
	No. 23. Loose Roll				
Size		- <u>+</u> 7-8 5 <u>2</u> 0.70 0 5 <u>2</u> 70	1 1 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	$\begin{array}{cccc} 1^{\frac{1}{2}} & & 1^{\frac{1}{2}} \\ 1^{-\frac{1}{2}} & & 1^{-\frac{1}{2}} \\ 1^{-\frac{1}{2}} & & 1^{-\frac{1}{2}} \end{array}$	1 % 3 20 3 20
Page 109. <b>V</b>	Vire Bent Heel Harn	ess Buckl	es.		
Size	Inches, 8-8 1-2 5-8 , Per Gross, \$2.20 2.20 2.92 Per Gross, 2.20 2.20 2.92	5-4 7-8 4 ph 5 50 4 ph 5 5 b	$\frac{1}{7} \frac{1}{100} \frac{1}{9} \frac{1}{90} \frac{1}{100} = \frac{1}{1}$	1 \( \) 1 \( \frac{1}{50} \) 16 \( \frac{1}{40} \) 1 \( \frac{1}{50} \) 15 \( \frac{1}{40} \)	174 34 80 34 80



		, main	:55 D	uckle	5,		
	Inches, 1				1 1,	- , .	1 1/2
	CompositionPer Gross, \$2					20 13 80	18 20
Solid Bra	188Per Gross, 2	40 3 10	4 40	5 80 8	00 10 :	20 13 80	18 20
Page 109.	Elberon Patter	rn Harı	ness	Buckl	es.		
Size	Inches, 1-2	5-8	3-4	7-8	1	1 1/8	11/4
Niekelon (	Composition.Per Dozen, \$0/32	0.44	0.56	0.76	1 00	1 24	1 70
Solid Bra	NSSPer Dozen, 32	41	56	76	1 00	1 24	1 70
Page 109.	Summit Patte	rn Har	ness	Buck	es.		
	Inches, 1–2	5-8	3-4	7-8	. 1	1 1/8	1 1/4
	CompositionPer Dozen, \$0-50	0.60	0.76	1 00	1 24	1 70	2 10
Imitation	RubberPer Dozen, 50	60	76	1 60	1 24	1 70	2 10
Page 110.	No. 10. French	Wire h	arne	ss Bu	ckles.		
	Inches, 1-2	5-8	3-4	7-8	1	1 1/8	11/4
	Composition. Per Gross, \$3 60	4 80	6 00	8 40	10 32	13 20	16 80
Solid Bra	rssPer Gross, 3 60	4 80	6 09	8 40	10/32	13 20	16 80
Page 110.	No. 70. French W	ire Lo	ose F	Roller	Bucki	es.	
Size	1uches	s, 5 <b>-</b> 8	3-4	7-8	1	1 1/8	11/4
	CompositionPer Dozen		0.80	1 06	1 26	1 64	2 00
Solid Bra	rssPer Dozen	1, 62	80	1 06	1 26	1 64	2 00
Page 110.	No. 75. Swedge P	attern	Harr	ness B	uckle	s.	
Size	Inches, 1-2	5-8	3-4	7-8	1	1 1/8	1 ¼
Nickel on	Composition.Per Dozen, #0 28	0 36	0 46	0.64	0 80	1 00	1 34
Solid Bra	assPer Dozen, 28	36	46	61	80	1 00	1 34
Page 110.	English Wire Cent	ter Bar	Har	ness E	luckle	s.	
Size	Inches, 1-2	5-8	3-4	7-8	1	1 1/8	11/4
			0.00	1 10	1 30		
	CompositionPer Dozen, \$0-60	0.70	0.90	1 10	1 90	1 70	2 10
Nickel on	CompositionPer Dozen, \$0 60		90	1 10	1 30	1 70 1 70	2 10 2 10
Nickelon Solid Bra	188Per Dozen, 60	70	90	1 10	1 30		
Nickelone Solid Bra Page 110.	Swedge Center	70 Bar Ha	90	1 10	1 30		
Nickelone Solid Bra Page 110.	Swedge CenterInches, 1-2	70 <b>Bar H</b> : 5-8	90 arnes	1 10 ss Buc	1 30	1 70	2 10
Nickel on Solid Bra  Page 110.  Size  Nickel on	Swedge Center	Bar Ha 3 5-8 4 0 96	90 arnes 3-4	1 10 ss Buc 7-8	1 30 kles.	1 70 1 1/8	2 10
Nickel on Solid Bra Page 110. Size Nickel on Solid Bra	Swedge Center	Bar H: 3 5-8 4 0 96 4 96	90 arnes 3-4 1 04 1 01	1 10 <b>88 Buc</b> 7-8 1 24 1 24	1 30 kles.  1 1 41 1 44	1 70 1 1/8 1 84 1 84	2 10 1¼ 2 20
Nickel on Solid Bra  Page 110.  Size  Nickel on Solid Bra  Page 112.	Swedge Center  Inches, 1-2 CompositionPer Dozen, 50-8 ISSPer Dozen, 89 Genuine Hard Ru	Bar H: 3 5-8 4 0 96 4 96 ubber 6	90 arnes 3-4 1 04 1 01 Cover	1 10 <b>88 Buc</b> 7-8 1 24 1 24	1 30 kles.  1 1 41 1 44	1 70 1 1/8 1 84 1 84	2 10 1¼ 2 20
Nickel on Solid Bra  Page 110.  Size  Nickel on Solid Bra  Page 112.  Size	Swedge Center	Bar H: 2 5-8 4 0 96 4 96 ubber 6Inches,	90 arnes 3-4 1 04 1 01 Cover	1 10 55 Buc 7-8 1 24 1 24 red Bu	1 30 kles.  1 1 41 1 44 ckles	1 70 1 1/8 1 84 1 84	2 10 1 14 2 20 2 20
Nickel on Solid Bra  Page 110. Size Nickel on Solid Bra  Page 112. Size No. 70 G	Swedge Center Inches, 1-2 Composition_Per Dozen, \$0.88 ISSPer Dozen, 89 Cenuine Hard Ru	Bar H: 3 5-8 4 0 96 4 96 ubber (Inches, er Dozen,	90 arnes 3-4 1 04 1 01 Cover 5-8 \$1 20	1 10 7-8 1 24 1 24 red Bu 3-4 1 20	1 30  kles.  1 1 41 1 44 1 ckles 7-8 1 30	1 70 1 ½ 1 84 1 84	2 10 1 1/4 2 20 2 20 1 1/8
Nickel one Solid Bra  Page 110. Size Nickel on Solid Bra  Page 112. Size No. 70 G	Swedge Center  Inches, 1-2 CompositionPer Dozen, \$0 85 ISSPer Dozen, 85 Cenuine Hard Ru  GirthP	Bar H: 3 5-8 4 0 96 4 96  ubber 6Inches, er Dozen,	90  arnes 3-4 1 04 1 01  Cover 5-8 \$1 20  cles.	1 10 3 Buc 7-8 1 24 1 24 red Buc 3-4 1 20	1 30 kles. 1 1 41 1 44 ckles 7-8 1 30	1 70  1 1/8  1 84  1 84  1 30	2 10 1 1/4 2 20 2 20 1 1/8
Nickel on Solid Bra  Page 110. Size Nickel on Solid Bra  Page 112. Size No. 70 G  Page 113.	Swedge Center  Inches, 1-2 CompositionPer Dozen, \$0 8, 188Per Dozen, 8, 1	Bar H: 3 5-8 4 0 96 4 96  ubber 6Inches, er Dozen,	90  arnes 3-4 1 04 1 01  Cover 5-8 \$1 20  cles.	1 10  SS Buc  7-8 1 24 1 24 red Bu  3-4 1 20  No L	1 30 kles. 1 1 41 1 44 1 ckles 7-8 1 30 oop. nches, 1	1 70  1 ½  1 84  1 84  1 30	2 10 1 1/4 2 20 2 20 1 1/8 1 40
Nickel on Solid Bra  Page 110. Size Nickel on Solid Bra  Page 112. Size No. 70 G  Page 113. Size	Swedge Center  Inches, 1-2 CompositionPer Dozen, \$0 85 ISSPer Dozen, 85 Cenuine Hard Ru  GirthP	Bar H: 3 5-8 4 0 96 4 96 ubber 6Inches, er Dozen,	90  arnes 3-4 1 04 1 01  Cover 5-8 \$1 20  cles.	1 10  SS Buc  7-8 1 24 1 24 red Bu 3-4 1 20  No LIr	1 30 kles.  1 44 1 44 1 44 1 ckles 7-8 1 30 0 p. nches, 1	1 70  1 ½  1 84  1 84  1 30	2 10  1 1/4 2 20 2 20  1 1/8 1 40
Nickel on Solid Bra  Page 110. Size	Swedge Center  Inches, 1-2 Composition Per Dozen, \$0.8 ISS. Per Dozen, 80 Cenuine Hard Ru Champion Trace	Bar H: 3 5-8 4 0 96 4 96  ubber 6Inches, er Dozen,	90  arnes 3-4 1 04 1 01  Cover 5-8 \$1 20	1 10  55 Buc  7-8 1 24 1 24  red Bu  3-4 1 20  No L	1 30 kles.  1 44 1 44 1 ckles 7-8 1 30 00p. nches, :	1 70  1 ½ 1 84 1 84 1 1 30	2 10  1 1/4 2 20 2 20  1 1/8 1 40  1 1/2 0 80
Nickel on Solid Bra  Page 110.  Size	Swedge Center Inches, 1-2 Composition Per Dozen, 50 8 ISS. Per Dozen, 89 Cenuine Hard Ru Champion Trace Champion Trace	Bar H:  5-8 4 0 96 4 96  ubber 6 Inches, er Dozen, ee Buck	90 arnes 3-4 1 04 1 01 Cover 5-8 \$1 20 cles.	1 10  SS Buc 7-8 1 24 1 24  red Bu 3-4 1 20  No LPer I	1 30  kles.  1 44 1 44 1 ckles 7-8 1 30  oop. nches, 10 ozen, \$0 ozen, \$0 ozen, \$0	1 70  1 ½  1 84  1 84  1 1 30	2 10 1 ¼ 2 20 2 20 1 ¼ 1 40 1 ½ 0 80 90
Nickel on Solid Bra  Page 110.  Size	Swedge Center  Inches, 1-2 Composition Per Dozen, \$0.8 ISS. Per Dozen, 80 Cenuine Hard Ru Champion Trace	Bar H:  5-8 4 0 96 4 96  ubber 6Inches, er Dozen, Ber Buck	90 arnes 3-4 1 04 1 01 Cover 5-8 \$1 20 <a href="mailto:see1.">(les.</a> Inch	1 10  SS Buc 7-8 1 24 1 24  red Bu 3-4 1 20  No LPer IPer E	1 30 kles.  1 44 1 44 1 ckles 7-8 1 30 00p. aches, Sozen, \$0 00zen, \$0	1 70  1 ½ 1 84 1 84 1 1 30	2 10  1 1/4 2 20 2 20  1 1/4 1 40  1 1/2 0 80

Page 117.	English Wire Bent Heel Trac	e Buc	kles			
Size	Inches, 7-8	1	1 1/8	1 1/	1 12	1 34
	npositionPer Dozen, \$0.88	1 16	1 44	1.80	2 60	5 40
Solid Brass.	Per Dozen, 88	1 16	I 44	1 80	2 60	5 40
Page 117.	Sensible Trace Buckle	es.				
Size	Inches, 7-8	1	1 1 g	14	1 1/2	1 34
	npositionPer Dozen, \$0-92	1 20	1 52	1 58	2 80	5 40
Solid Brass.	Per Dozen, 92	1 20	1 52	1 88	2 80	5 40
Page 118.	French Wire Trace Buc	kles.				
Size	Inches,	7-8	1	118	1 14	$1/\frac{1}{2}$
	aposition Per Dozen,		1 72	<u> </u>	5 58	3 68
Solid Brass,	Per Dozen,	1 48	1 72	2 ()()	2 28	3 68
Page 118.	Elberon Pattern Trace Bu	ckles				
Size	Inches,	7-8	1	118	1 1/	$1^{-1}_{-2}$
	npositionPer Dozen,		2 00	2.50	3 00	4 54
Solid Brass	Per Dozen,	1 50	2 00	2.50	3 00	4 51
Page 118.	Swedge Pattern Trace Bu	ckles				
Size	Inches,	7-8	1	1/8	1.4	$1 +_2$
Nickel on Con	iposition Per Dozen,	\$1.20	1.60	2 00	2.48	3 80
Solid Brass.	Per Dozen,	1 20	1 60	2 ()()	2 45	3 80
Page 118.	Summit Pattern Trace Bu	ckles.	,			
Size	Inches,	7-8	1	1 1/8	1 4	1 1/2
Imitation R	ubber Per Dozen,	\$I 88	2 12	2.48	3 32	4 48
Nickel on Con	npositionPer Dozen,	1 88	2 12	2 48	3 32	4 48
Page II9.	No. 99. French Wire Tilbury T	ug Bu	ckle	S.		
Size		Inches.	118	1 1/	138	$1^{-1}2$
	ipositionPer			6 60	7 16	7 32
Solid Brass.	Per	Dozen,	6 00	6-60	7 16	7 32
Page II9. N	Io. 74. Swedge Horse Shoe Till	bury T	ug E	3uckle:	S.	
Size		Inches,	1!	14	1 3 s	1 12
	apositionPer			6 60	7 16	7 32
Solid Brass	Per	Dozen,	6-00	6-60	7 16	7 32
Page   20.	English Wire Center Bar Trac	e Buc	kles			
0			1	1 1 8	1 %	1 12
	iposition		3 12	3 60	4 32	5 76
	Per Dozen,		3 12	3 60	4 32	5 76
Page   20.	Swedge Center Bar Trace E	3uckle	s.			
	Inches,		1	1 ! s	1 1/	1 12
	aposition		5 80	6 40	6.50	9 00
	Per Dozen,		5 80	6 40	6 80	9.00
Page   25.	Crown Express Harness Bu	uckles	; .			
_	luches, 5-8 3-4 7-8 1		14	1 1/2 1	. 2	2 1/2
	positionPer Dozen, \$1 10 1 40 1 50 1 8				00 4 90	
	Per Dozen, 1 10 1 40 1 50 1 8				00 4 90	
	, = = = = = = = = = = = = = = = = = = =					



Nickel on Composition	Page 125.	Crown Express Tug Buckles.
Rolid Brass   Per Dozen, 6 00 6 00		
Size		
Nickel on Composition	Page 125.	Crown Center Bar Express Tug Buckles.
Page   125.   Top Cuard Hip Strap Buckles.		
Size		·
Nickel on Composition	Page   25.	Top Cuard Hip Strap Buckles.
Page   26.   Swedge Center Bar Express Buckles.   Size	Nickel or	ı Composition
Nickel on Composition		,
Nickel on Composition.   Per Dozen, \$4 60   5 00	_	
Page   26.   No. 20 .   Light Boston Oval Pattern Express Buckles   Size		
Size	Solid Br	Per Dozen, 4 60 5 00
Nickel on Composition	Page   26.	No. 201. Light Boston Oval Pattern Express Buckles
Solid Brass		
Page   126.   No.   101.   Heavy Boston Oval Pattern Express Bucklet   Size		
Size		
Nickel on Composition	0	
Solid Brass		
Size		•
Size	Page 127.	No. 32. Light Boston Band Pattern Express Buckles
Solid Brass	Size	
Page 127.         No. 132.         Heavy Boston Pattern Express Buckles.           Size         Inches, 1½           Nickel on Composition         Per Dozen, \$9 60           Solid Brass         Per Dozen, 9 60           Page 133.         No. 5.         Wabash Roller Overcheck Loops.           Size         Inch, ½           Japanned         Per Gross, \$4 00           Nickel Plated         Per Gross, 6 00           Page 143.         Cag Runners.           Size         Inches, 5-8           No. 374.         Japanned         Per Gross, \$2 20           No. 374.         Japanned         Per Gross, \$2 20           No. 372.         Japanned         Per Gross, 3 00           No. 372.         N C Plate         Per Gross, 4 70           No. 381.         X C Plate         Per Gross, 4 70           No. 380.         Japanned         Per Gross, 3 20           No. 380.         X C Plate         Per Gross, 3 30           Page 144.         Dowlin Pattern Cag Runners.           Numbers         1 Small           Japanned         Per Gross, \$2 20		-
Size		,
Nickel on Composition         Per Dozen, \$9 60           Solid Brass         Per Dozen, 9 60           Page 133.         No. 5. Wabash Roller Overcheck Loops.           Size         Inch, ½           Japanned         Per Gross, \$1 00           Nickel Plated         Per Gross, 6 00           Page 143.         Cag Runners.           Size         Inches, 5-8           No. 374. Japanned         Per Gross, \$2 20           No. 374. X C Plate         Per Gross, 3 00           No. 372. Japanned         Per Gross, 3 00           No. 381. Japanned         Per Gross, 4 70           No. 380. Japanned         Per Gross, 4 70           No. 380. Japanned         Per Gross, 3 20           No. 380. X C Plate         Per Gross, 3 30           Page 144.         Dowlin Pattern Cag Runners.           Numbers         1 Small           Japanned         Per Gross, \$2 20	0	· · · · · · · · · · · · · · · · · · ·
Solid Brass   Per Dozen, 9 60		
Size		·
Size	Page 133.	No. 5. Wabash Roller Overcheck Loops.
Nickel Plated         Per Gross, 6 00           Page 143.         Cag Runners.           Size         Inches, 5-8           No. 374. Japanned         Per Gross, \$2 20           No. 372. Japanned         Per Gross, 3 00           No. 372. X C Plate         Per Gross, 3 90           No. 381. Japanned         Per Gross, 4 70           No. 380. Japanned         Per Gross, 3 20           No. 380. X C Plate         Per Gross, 3 30           Page 144.         Dowlin Pattern Cag Runners.           Numbers         1 Small           Japanned         Per Gross, \$2 20	Size	· · · · · ·
Page 143.         Cag Runners.           Size         Inches, 5-8           No. 374. Japanned         Per Gross, \$2 20           No. 372. Japanned         Per Gross, 3 00           No. 372. X C Plate         Per Gross, 3 90           No. 381. Japanned         Per Gross, 4 70           No. 380. Japanned         Per Gross, 4 70           No. 380. Japanned         Per Gross, 3 20           No. 380. X C Plate         Per Gross, 3 30           Page 144.           Dowlin Pattern Cag Runners.           Numbers         1 Small           Japanned         Per Gross, \$2 20	_	
Size       Inches, 5-8         No. 374. Japanned       Per Gross, \$2 20         No. 374. X C Plate       Per Gross, 2 40         No. 372. Japanned       Per Gross, 3 00         No. 372. X C Plate       Per Gross, 3 90         No. 381. Japanned       Per Gross, 4 70         No. 381. X C Plate       Per Gross, 4 70         No. 380. Japanned       Per Gross, 3 20         No. 380. X C Plate       Per Gross, 3 30         Page 144.         Dowlin Pattern Cag Runners.         Numbers       1 Small         Japanned       Per Gross, \$2 20		
No. 374.       Japanned       Per Gross, \$2 20         No. 374.       X C Plate       Per Gross, 2 40         No. 372.       Japanned       Per Gross, 3 00         No. 372.       X C Plate       Per Gross, 3 90         No. 381.       Japanned       Per Gross, 4 70         No. 381.       X C Plate       Per Gross, 4 70         No. 380.       Japanned       Per Gross, 3 20         No. 380.       X C Plate       Per Gross, 3 30         Page 144.       Dowlin Pattern Cag Runners.         Numbers       1 Small         Japanned       Per Gross, \$2 20	0	_
No. 374.       X C Plate       Per Gross, 2 40         No. 372.       Japanned       Per Gross, 3 00         No. 372.       X C Plate       Per Gross, 3 90         No. 381.       Japanned       Per Gross, 4 70         No. 381.       X C Plate       Per Gross, 4 70         No. 380.       Japanned       Per Gross, 3 20         No. 380.       X C Plate       Per Gross, 3 30         Page 144.       Dowlin Pattern Cag Runners.         Numbers       1 Small         Japanned       Per Gross, \$2 20		Inches, 5-8  Japanned Per Gross, \$2 20
No. 372. X°C Plate       Per Gross, 3 90         No. 381. Japanned       Per Gross, 4 70         No. 380. X°C Plate       Per Gross, 3 20         No. 380. X°C Plate       Per Gross, 3 30         Page 144.       Dowlin Pattern Gag Runners.         Numbers       1 Small         Japanned       Per Gross, \$2 20	No. 374.	X C Plate Per Gross, 2 40
No. 381. Japanned       Per Gross, 4 70         No. 381. X C Plate       Per Gross, 4 70         No. 380. Japanned       Per Gross, 3 20         No. 380. X C Plate       Per Gross, 3 30         Page 144.         Dowlin Pattern Cag Runners.         Numbers       1 Small         Japanned       Per Gross, \$2 20		
No. 380. Japanned       Per Gross, 3 20         No. 380. X C Plate       Per Gross, 3 30         Page 144.       Dowlin Pattern Gag Runners.         Numbers       1 Small         Japanned       Per Gross, \$2 20	No. 381.	Japanned Per Gross, 4 70
No. 380. X C Plate       Per Gross, 3 30         Page 144.       Dowlin Pattern Gag Runners.         Numbers.       1 Small         Japanued.       Per Gross, \$2 20		
Numbers		Japanies IIII III III III III III III III III
JapannedPer Gross, \$2 20	Page 144.	Dowlin Pattern Cag Runners.
	Numbers	

Page 144.	Johnson's Pattern Cag Runners.	
Nickel on Co	omposition	Per Dozen, \$1.50
Page 144.	Ring Cags.	
	Dimposition or Solid Brass Per Dozen, \$2	
Page 144.	Plain Wire Balloon Gags.	
No. 28. Nic	ckel on Composition or Solid Brass	er Dozen, \$1.70
Page 147.	Martingale Chains.	
Light Curb Heavy Curl Heavy Curl Wender, Ni O. K., Nicke	ickel on Composition or Solid Brass  b, Nickel on Composition or Solid Brass  b, Nickel on Composition or Solid Brass  b, Solid White Metal  ckel on Composition or Solid Brass  el on Composition or Solid Brass  el on Composition or Solid Brass	Each, 2 40 Each, 2 70 Each, 4 80 Each, 2 00 Each, 2 40
Page   49.	Welle's Lock-fast Team Pad Hooks.	
Numbers Size of Loop Size of Layer Nickel on Co	Hinches, 7-8   1   1   1   2   2   2   2   2   2   2	60 65 1½ 1½ 1½ 1½ 8 40 8 40 8 40 8 40
Page 256.	Doric Letters.	
	Solid Smooth Filled, Hold Fast Prongs	$\begin{array}{ccc} 1 \frac{1}{8} & 1 \frac{1}{2} \\ 1 \frac{76}{2} & 2 \frac{20}{2} \end{array}$
Page 308.	Buss Pads.	
•		Per Pair, \$6 00
Page 308.	Plow Pads.	
_		Per Pair, \$4 80
Page 345.	Harness Saddle Housings.	
•		• .
	range and Blue Felt	6 00
No. <b>110.</b> W No. <b>230.</b> On	White Felt       Per Dozen, 4         trange and Blue Felt       Per Dozen, 7         range and Blue Felt, Pinked Edge       Per Dozen, 9	80 3 60 70 5 40 70 8 20 9 40 10 70 9 70 12 00
Page 349.		
No. 5 R. No. 35 R. No. 4 R.	Raw-Hide BottomPer Dozen, 11	6 40     16 00       40     12 70       6 40     16 70
Page 350.  No. 225 R.  No. 529 P.  No. 561 R.  Page 351.	Patent Leather Bottom	40 12 70 2 00 13 50 16 00
No. 45.	Assorted Colors, Plush Roll	0 00 11 50



Page 35 I.	Long Gig Pads.
No. 18.	Width, 5 Inches; Length, 46 InchesPer Dozen,
Page 353.	Harness Saddle Housings.
go ovo:	Plain Felt Express, Length, 20 Inches, Strapped.
Width	Inches, 5 6 7
	Heavy Asbestos Grey
No. 76.	Orange or Blue, 7/8 Inch Thick Per Dozen, 6 90 7 70 8 40
Page 355.	Breast Collar Housings.
	Orange or Blue Per Dozen,
No. 45.	WhitePer Dozen,
Page 356.	Top Neck Collar Pads.
No. 1 R.	. Wool Felt, 3/8 Inch Thick, Raw-Hide Bottom
Page 360.	Wool Felt Sweat Collar Pads.
No. 7.	Buggy or Coach, Width, 7 Inches, Dark Blue Felt Per Dozen,
No. 15.	Team Size, Width, 10 Inches, Orange Felt
No. <b>20.</b> No. <b>12.</b>	Team Size, Width, 12 Inches, Orange Felt
Page 365.	Fiebing's Harness Dressing.
	Per Dozen \$2
2 2 1 0 0	101 170201, 42
Page 369.	Germo Fly Killer.
Size	Ga
Size Price	Gat Per Dozen, \$1
Size Price	Common Web Halter.
Size Price Page 425. No. 74.	Gat Per Dozen, \$1
Size Price Page 425. No. 74.	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched
Size	Common Web Halter.  Colt Size, Heavy Fair Leather Chapes, Two Row Stitched



# 50%

Take off HALF from all prices quoted in this Catalogue and you have our lowest prices.

No difference whether you buy in the store or order by mail, our prices are the same.

Destroy this slip on receipt of Book, mark the discount 50% in your private figures. You can then show this Catalogue to the consumer, and sell from the book any articles you may not have in stock without exposing the cost.

Mutually yours,

J. M. EILERS & CO.

